

As a trusted Chinese manufacturer and sourcing partner, LulanPanda delivers high-quality industrial equipment and components at highly competitive prices. With over two decades of expertise in producing cone crushers and spare parts, we have established robust partnerships with certified factories across China, ensuring both precision engineering and cost efficiency for global clients.

Core Offerings

- Cone Crushers & Spare Parts: Specialized manufacturing since 2003, offering OEM-compliant solutions.
- Extended Product Range: Drill bits, electric lifts, and diverse industrial machinery components.
- Custom Sourcing: Leverage our nationwide supplier network to procure any Made-in-China product tailored to your specifications.

Why Partner With Us?

- ✓ Quality Assurance: Rigorous ISO-compliant production standards.
- ✓ Cost Advantage: Factory-direct pricing with no intermediaries.
- ✓ End-to-End Service: From product development to logistics support.

Let's Collaborate

Whether you require standard equipment or customized industrial solutions, our team is committed to optimizing your supply chain. Contact us today to discover how we can add value to your operations.

Metso 50X65 Gyratory Crusher parts list

Part Number	Description	Weight	Packing
S5065113-601	SHIPMENT ASSEMBLY, MILWAUKEE SUPPLIED LIST, S/N S5065113 ESSAKANE GOLD PROJECT	15145. 2kg	
S5065113-901	SHIPMENT ASSEMBLY, SHELLS SHIP DIRECT LIST, S/N S5065113 ESSAKANE GOLD PROJECT	88926. 6kg	
S5065113-902	SHIPMENT ASSEMBLY, MAINSHAFT SHIP DIRECT LIST, S/N S5065113 ESSAKANE GOLD PROJECT	20781. 6kg	
S5065113-903	SHIPMENT ASSEMBLY, WEAR PARTS SHIP DIRECT LIST, S/N S5065113 ESSAKANE GOLD PROJECT	25039. 35kg	
S5065113-801	SPARE PARTS KIT, COMMISSIONING SPARES, S/N S5065113 ESSAKANE GOLD PROJECT	35. 7kg	
S5065113-599	SHIPMENT ASSEMBLY, 30GPM LUBE AND MPS SYSTEM 400V/50HZ IEC, S/N S5065113 ESSAKANE GOLD PROJECT		
17-502-168-402	SECTIONAL DRAWING, SECT ELEV W/POS IND 5065		
17-502-197-401	ASSEMBLY DRAWING, LOWER SECTION ASM 65		
60-454-460-030	BAR, ROUND, 1.50"DIA X 3.00"LG, UNS G10180-G10220	0. 73kg	
60-454-520-015	BAR, ROUND, 2.50"DIA X 1.50"LG, UNS G10180-G10220	1. 05kg	
17-303-663-801	IDENTIFICATION PLATE ASSEMBLY, NAME PLATE & WARNING SIGNS		
07-250-010-001	BOTTOMSHELL BUSHING, 65	459. 9kg	
07-246-237-001	BOTTOMSHELL BUSHING KEY, 65	5. 25kg	
17-202-702-501	PIPE ASSEMBLY, LUBE INLET 4265	3. 36kg	
17-104-885-002	PACKING, 0.38 SQUARE BRAIDED GARLOCK STYLE #40, HVY LUBE		
17-203-226-501	PACKING GLAND, ASSEMBLY	1. 05kg	
00-611-322-474	SCREW, CAP, HEXAGONAL, 0.375"-16UNC-2AX2.000"-ASMEB18.2.1-GR 8- FE/ZN 5C		
00-651-001-214	WASHER, PLAIN, 0.375"-ASMEB18.21.1-TYPE A-N-ST-UNPLTD		
00-671-171-523	PIN, SPRING, 0.500X3.000"-ASMEB18.8.2-ST 1-AISI1070/1095- UNPLTD	0. 11kg	
17-400-969-801	SIDE LINER ASSEMBLY, FOR FLARED BOTTOM SHELL, BOLTED, 65	1598. 41kg	
17-202-773-001	DUST COLLAR, STD UPPER COUNTERWEIGHT, MK-II 65	363. 3kg	
00-615-142-728	SCREW, CAP, HEXAGON SOCKET HEAD, 1.000"-8UNRC-3AX3.500"-ASMEB18.3-	0. 53kg	
00-651-016-988	WASHER, HARDENED, CIRCULAR, 1.000"-ASMEB18.2.6-TYPE 1-C38-45-UNPLTD		
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-		
00-671-171-523	PIN, SPRING, 0.500X3.000"-ASMEB18.8.2-ST 1-AISI1070/1095- UNPLTD	0. 11kg	
17-203-277-001	SPLASH RING, STD UPPER COUNTERWEIGHT 65	8. 61kg	
00-615-086-546	SCREW, CAP, HEXAGON SOCKET, FLAT COUNTERSUNK H, 0.500"-13UNRC-, 3AX1.250"-ASMEB18.3- ASTM F835-UNPLTD		
17-201-512-001	DUST COLLAR GASKET, 65	0. 11kg	
17-300-396-001	STUD, 1.000-8UNC-2A X 6.25, THREADED 1.25 AND 2.5	0. 63kg	
00-631-001-116	NUT, HEXAGONAL, 1.000"-8UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0. 11kg	
00-651-001-490	WASHER, PLAIN, 1.000"-ASMEB18.21.1-TYPE A W-ST-UNPLTD	0. 11kg	
1003027071	NUT, JAM, HEXAGONAL, 1.000"-8UNC-2B-ASMEB18.2.2-GR A-UNPLTD	0. 11kg	
07-146-694-008	BOLT, SQUARE HEAD, 3.000-4UNC-2A X 17.00	20. 58kg	
1003001131	NUT, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	4. 73kg	
00-631-161-148	NUT, JAM, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	2. 62kg	
17-202-783-501	AIR INLET, OVERPRESSURE DUST SYSTEM	3. 46kg	
17-402-791-401	ASSEMBLY DRAWING, ECCENTRIC, STD UPPER CWT MK-II 65		
17-402-790-503	ECCENTRIC ASSEMBLY, 1.500TH. 5065	3212. 47kg	

07-345-013-001	WEAR RING,ECCENTRIC 65 ITALBRONZE LTDA	103.95kg	
17-303-084-001	ECCENTRIC SUPPORT PLATE,65	265.65kg	
00-615-142-724	SCREW, CAP, HEXAGON SOCKET HEAD,1.000"-8UNRC-3AX2.500"-ASMEB18.3-	0.42kg	
1003064500	WASHER, LOCK, HELICAL SPRING, REGU,1.000"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-201-787-055	O-RING,.250" X 52.65" I.D.	0.32kg	
17-303-562-503	MPS CYLINDER ASSEMBLY,WITH POS IND, WITH SHIPPING COVERS 65	4493.58kg	
17-300-396-002	STUD,1.750-5UNC -2A X 10.00 THREADED 2.00 AND 3.75	3.15kg	
1003001101	NUT, HEXAGONAL, HEAVY,1.750"-5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	0.95kg	
1003004101	NUT, JAM, HEXAGONAL, HEAVY,1.750"-5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	0.53kg	
17-201-787-035	O-RING,.250" X 50.75" I.D.,APPLETON PACKING & GASKET	0.21kg	
17-107-040-510	CABLE,TC1000-M	7.77kg	
17-203-329-801	LEVEL SENSOR ASSEMBLY,UNDER CRUSHER BIN 110/220VAC ASM	66.67kg	
17-403-007-501	TC1000-M,MPS LOCAL CONTROL PANEL 110/220V, ENGLISH	32.87kg	
17-402-770-401	ASSEMBLY DRAWING,PINIONSHAFT HOUSING ASSEMBLY 65		
17-402-769-501	PINION SHAFT ASSEMBLY,SUPERSEDED BY 17-403-293-501	1045.38kg	
00-611-273-712	SCREW, CAP, HEXAGONAL,0.875"-9UNC-2AX8.000"-ASMEB18.2.1-GR 2- FT-UNPLTD	0.73kg	
00-631-001-114	NUT, HEXAGONAL,0.875"-9UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
17-201-531-001	GASKET,0.016 PINIONSHAFT HOUSING 65 APPLETON PACKING & GASKET		
17-201-531-002	GASKET,0.031 PINIONSHAFT HOUSING 65 APPLETON PACKING & GASKET	0.11kg	
17-201-531-003	GASKET,0.062 PINIONSHAFT HOUSING 65	0.21kg	
17-402-895-801	BEARING, RTD, PINION END,PINIONSHAFT INNER EFECTOR 65		
17-402-895-802	BEARING, RTD, DRIVE END,PINIONSHAFT OUTER EFECTOR 65		
17-402-895-803	VIBRATION SENSOR ASSEMBLY,PINIONSHAFT INNER & OUTER BEARING 65		
17-303-715-801	LEVEL SENSOR ASSEMBLY,PINIONSHAFT HSG OIL LEVEL, TRANSMITTER 65		
17-402-753-401	CUSTOMER INSTALLATION DRAWING,MAINSHAFT ASSEMBLY 5065		
00-331-751-401	ANTIFRICTION COATING,MOLD RELEASE 225, 1LB RAM CHEMICALS	0.53kg	
00-333-351-001	ANTIFRICTION COATING,ANTI-SEIZE COMPOUND, 1-LB BOSTIK CHEMICAL, P/N NS-160	0.63kg	
17-303-538-501	MAIN SHAFT STEP,ASSY WITH WEAR INDICATOR 65	93.45kg	
00-673-165-700	RING, RETAINING, EXTERNAL,ASMEB18.27.1-NA1-700, 7.000X0.156"-CS	0.21kg	
17-203-250-501	BURNING RING ASSEMBLY,5065 SUPERIOR GYRATORY MILWAUKEE BEARING MBM REQUOT	47.25kg	
17-301-712-001	HEADNUT, OUTER, OR 1 PIECE	132.3kg	
17-202-360-001	DUST SEAL,WITH O-RING, 1-PC 65/70 WILL SUP	26.25kg	
17-300-807-001	DUST SEAL RETAINER, UPPER,FOR MAINSHAFT W/MAIN SHAFT HEADCENTER 65	506.1kg	
00-611-314-665	SCREW, CAP, HEXAGONAL,0.750"-10UNC-2AX5.000"-ASMEB18.2.1-GR 5- UNPLTD	0.32kg	
00-651-016-411	HARDENED WASHER,0.81X1.47X0.15"-ASTM A436-UNPLTD		
07-246-172-501	DUST SEAL RETAINER, LOWER,65	107.1kg	
00-615-138-613	SCREW, CAP, HEXAGON SOCKET HEAD,0.625"-11UNC-3AX1.750"-ASMEB18.3-NYLON	0.11kg	
07-252-781-001	SPLASH CURTAIN,URETHANE SHEET, 65 VALLEY GASKET INC.	4.2kg	
07-252-782-001	SPLASH CURTAIN CLAMP,STEEL STRIP, .06" X 1.25" X 56.5"LG FELDMANN INC.	0.53kg	
00-611-271-548	SCREW, CAP, HEXAGONAL,0.500"-13UNC-2AX1.500"-ASMEB18.2.1-GR 2- UNPLTD		
00-633-083-108	NUT, HEXAGONAL, HEAVY,.500"-13UNJC-3B, ELASTIC STOP, ACP 5-101 AMERACE CORP, ESNA DIVISION, TYPE N		
17-106-712-801	HYDRAULIC SHELL SEPARATOR,65		
60-454-480-650	BAR, ROUND,1.75"DIA X 65.00"LG, UNS G10180-G10220	21kg	
60-454-480-650	BAR, ROUND,1.75"DIA X 65.00"LG, UNS G10180-G10220	21kg	
00-611-481-391	BOLT, SQUARE HEAD,0.875"-9UNC-2AX13.000"-ASMEB18.2.1-GR 2- UNPLTD	1.37kg	
00-631-001-114	NUT, HEXAGONAL,0.875"-9UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
00-651-001-448	WASHER, PLAIN,0.875"-ASMEB18.21.1-TYPE A-W-ST-UNPLTD	0.11kg	
00-631-141-114	NUT, JAM, HEXAGONAL,0.875"-9UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
07-128-071-029	SPRING, COMPRESSION,1.87 OD, 1.00 ID, 3.19 FREE LENGTH	0.63kg	
17-100-767-001	BOLT, SQUARE HEAD,2.000-4.5UNC-2A X 31.00 PITTSBURGH WELDING,QTE 11/5/02	14.7kg	
1003001111	NUT, HEXAGONAL, HEAVY,2.000"-4.5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	1.37kg	
07-247-888-502	SPRING RETAINER,SPIDER ARM SHIELD	3.57kg	
1003004111	NUT, JAM, HEXAGONAL,2.000"-4.5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	0.84kg	
07-124-734-002	SPRING,COMPRESSION 7.25 X 13.50	38.12kg	
17-203-262-801	SPIDER LUBRICATION SYSTEM,HOSE ASSEMBLY	6.72kg	
17-106-560-003	HOSE FASTENER,SPIDER LUBE HOSE	0.11kg	
00-711-087-051	BUSHING, INSIDE HEAD,1.500X0.750"NPT -CL125-ASMEB16.14- ASTM A126-UNPLTD	0.53kg	
17-402-906-801	LEVEL SENSOR ASSEMBLY,SPIDER BEARING CAVITY		
00-711-497-006	PIPE PLUG,0.750"-NPT-ANSIB16.14-SQ HEAD, SOLID	0.11kg	
00-611-271-609	SCREW, CAP, HEXAGONAL,0.625"-11UNC-2AX1.250"-ASMEB18.2.1-GR 2- UNPLTD		
1003064482	WASHER, LOCK, HELICAL SPRING, REGU,0.625"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-107-599-824	SPIDER LUBRICATION SYSTEM,400V/50HZ, IEC FRAME MOTOR		
17-203-262-801	SPIDER LUBRICATION SYSTEM,HOSE ASSEMBLY	6.72kg	
00-611-271-609	SCREW, CAP, HEXAGONAL,0.625"-11UNC-2AX1.250"-ASMEB18.2.1-GR 2- UNPLTD		
1003064482	WASHER, LOCK, HELICAL SPRING,, REGU,0.625"-ASMEB18.21.1-SAEJ403-C38-46-		
00-711-497-012	PLUG, SQUARE HEAD SOLID,1.500"NPT-CL250-ASMEB16.14-ASTMA126-CL A-UNPLTD	0.42kg	

17-203-340-501	SWITCH BOX, SPIDER LUBE LOCAL/REMOTE ASM ENGLISH	2.52kg	
07-348-060-056	STUD, BOTTOMING TYPE, 3.000"DIA X 19.250"LG PITTSBURGH WELDING, 11/5/02	15.75kg	
1003001131	NUT, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	4.73kg	
00-631-161-148	NUT, JAM, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	2.62kg	
07-146-694-014	BOLT, SQUARE HEAD, 3.000-4UNC-2A X 19.50 PITTSBURGH WELDING, QTE 3/6/03	22.05kg	
1003001131	NUT, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	4.73kg	
68-392-023-044	FLAT RING, 5.3"OD X 3.2"ID X .50"THK, ASTM A36, UNS K02600	0.42kg	
00-631-161-148	NUT, JAM, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	2.62kg	
68-029-026-026	PLATE, RECTANGLE 0.50 X 3.5 X 3.5, ASTM A36 UNS K02600	0.84kg	
07-348-060-056	STUD, BOTTOMING TYPE, 3.000"DIA X 19.250"LG PITTSBURGH WELDING, 11/5/02	15.75kg	
1003001131	NUT, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	4.73kg	
00-631-161-148	NUT, JAM, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	2.62kg	
17-502-169-402	CUSTOMER INSTALLATION DRAWING, SPIDER, ARCHED ARM SHIELDS 5065		
17-401-426-001	SPIDER BUSHING, LUJ 65	410.55kg	
00-615-142-734	SCREW, CAP, HEXAGON SOCKET HEAD 1.000"-8UNRC-3AX5.000"-ASMEB18.3-, ASTM A574-UNPLTD	0.73kg	
00-659-045-490	WASHER, HARDENED, CLIPPED CIRCUL 1.000"-ASMEB18.2.6-TYPE 1-C38-45-UNPLTD		
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-		
17-103-705-001	SPIDER BUSHING SEAL, 22.000X24.008X1.250", 526339 HDS1 S/B SKF, TM: CHICAGO RAWHIDE	3.78kg	
17-103-949-002	SPIDER SEAL SCRAPER, 84 HYD & 65 SUPERIOR W/OVERSIZE SHAFT	0.63kg	
17-106-708-801	SPIDER VENT COVER, ASSEMBLY MK-II 65	33.39kg	
07-244-166-001	CONCAVE SUPPORT RING, 65	20.48kg	
17-105-973-001	FILTER ELEMENT, SYNTHETIC MEDIA W/ RUBBER WASHER FLEETGUARD INC. OR NELSON DIV NELS	2.94kg	
17-403-025-801	COOLER ASSEMBLY, DUAL OCS-2500 COOLER SKID DRIP PAN 400V/50 IEC		
17-402-933-801	SPLIT FLOW ASSEMBLY, 30 GPM EFECTOR TRANSMITERS		
17-502-276-501	DISTRIBUTION PANEL, CRUSHER SENSOR ENGLISH	42kg	
17-502-270-801	PIPE ASSEMBLY, BALANCE CYLINDER 65		
17-107-533-826	BLOWER, OVERPRESSURE SMART ASM, 400V/50 IEC		
17-105-699-803	TOOL LIST, 4265, 5065 SUPERIOR GYRATOR		
1093100029	ROTATION SPEED MONITOR, ASSEMBLY	5.67kg	
17-106-795-038	FLOATING SHAFT ASSEMBLY, DIRECT DRIVE 1130T5000000 BSD, ROUGH BORED	396.8kg	
1093100647	AUTOMATION ASSEMBLY, TC1000 AUTOMATION SYSTEM	150.47kg	
17-103-798-401	SPECIFICATION, PAINT SPEC-FINISH (METSO BEIGE)		
17-105-819-401	SPECIFICATION, GEN PACK & STORAGE SPEC PIECE PARTS/ASM		
17-105-859-401	SPECIFICATION, PREP FOR STORAGE OR SHIPMENT SUP ASM		
17-105-884-401	SPECIFICATION, SPECIAL PACKING & PRESERV SPEC		
17-107-337-401	INSTRUCTION, SUPERIOR CRUSHER STD SHIP MODE		
17-502-268-401	CUSTOMER INSTALLATION DRAWING, 30 GPM LUBE AND MPS INSTALLATION OUTLINE		
17-502-263-510	LUBRICATION AND MPS SYSTEM, 30 GPM, AIR COOLED, 400V/50HZ IEC		
17-402-909-801	STICKERS, LUBE SKID DECALS, AIR COOLED, ENGLISH		
17-107-587-001	WIRING, 30 GPM LUBE SKID		
17-106-980-401	INSTRUCTIONS, SHIPPING, LUBE SYSTEM		
17-103-798-401	SPECIFICATION, PAINT SPEC-FINISH (METSO BEIGE)		
17-105-819-401	SPECIFICATION, GEN PACK & STORAGE SPEC PIECE PARTS/ASM		
17-105-859-401	SPECIFICATION, PREP FOR STORAGE OR SHIPMENT SUP ASM		
17-105-884-401	SPECIFICATION, SPECIAL PACKING & PRESERV SPEC		
17-107-337-401	INSTRUCTION, SUPERIOR CRUSHER STD SHIP MODE		
17-502-263-401	ASSEMBLY DRAWING, 30 GPM LUBE & MPS SYSTEM EFECTOR		
17-502-263-801	SUBASSEMBLY, 30 GPM CONSTANTS, AIR COOLED, EFECTOR		
17-107-414-116	PUMP ASSEMBLY, LUBE 30 GPM 400V/50 IEC	95.24kg	
17-303-701-801	SUBASSEMBLY, MPS SYSTEM ASSEMBLY CONSTANTS	24.15kg	
17-107-492-035	MPS PUMPING UNIT, 400V/50HZ IEC	64.79kg	
17-106-833-012	IMMERSION HEATER, 400V 2KW FOR THERMOWELL	5.15kg	
17-107-244-401	INSTALLATION DRAWING, IMMERSION HEATERS INSTALLATION INSTRUCTIONS	11.87kg	
17-502-263-401	ASSEMBLY DRAWING, 30 GPM LUBE & MPS SYSTEM EFECTOR		
17-502-283-001	TANK WELDING, LUBE AND MPS SKID		
17-303-503-501	COVER, LUBE TANK INSPECTION	19.01kg	
17-201-812-002	OIL STRAINER, RETURN SIEVE	3.04kg	
17-202-537-001	FILTER, OIL, CANISTER AND SINGLE FILTER, 25 PSI	43.79kg	
17-106-148-001	BRACKET INSTALLATION, FILTER ASM NELSON, P/N 52733	2.1kg	
17-202-850-501	MOUNTING PLATE, LUBE OIL FILTER MOUNTING	1.89kg	
17-106-478-001	LATCH, CAM LATCH, ARNOLD ASSOCIATED, RAMSEY PRO-LIN	0.21kg	
00-711-087-130	BUSHING, PIPE, HEX HD, 4.000X3.000"-ASMEB16.14- A126-BLACK		
50-422-090-406	PIPE, TOE 2.00" X 40.6", SCH40, ASTM A53	6.72kg	
50-422-091-151	PIPE, TBE 2.00" X 15.1", SCH40, ASTM A53		
00-795-265-015	BREATHING, FILLER, PBS-40-5-N12, P563368 DONALDSON, TM: LHA	0.32kg	
17-303-742-001	GUARD, MPS PUMP, GS HYDRAULICS MO3446-004REVA	53.87kg	
17-104-208-007	SIGHT GLASS, LIQUID LEVEL FLUSH MOUNT, 36.0 IN BETWEEN CENTERS, OIL RITE MODEL NO. B-3100-1	0.73kg	
00-773-117-016	VALVE, CHECK, 2.00"-NPT, CL125, FIGURE 37 CRANE CO	2.42kg	
50-422-091-054	PIPE, TBE 2.00" X 5.4", SCH40, ASTM A53		
17-105-901-003	VALVE, BALL, 2 351T, METSO AUTOMATION, TM: JAMESBURY	2.42kg	
00-711-087-101	BUSHING, PIPE, HEX HD, 3.000X1.000"-ASMEB16.14- A126-BLACK	0.11kg	

00-711-595-016	T CONNECTION, 2.000"-NPTE-ASMEB16.3-ASTMA197-CL150- BLACK	1.47kg	
00-711-595-008	T CONNECTION, 1.000"-NPTE-ASMEB16.3-ASTMA197-CL150- BLACK	0.42kg	
00-711-451-052	PIPE NIPPLE, 0.25" NPTX1.25"-SCH40-ASTMA53-UNPLTD		
00-711-699-016	PIPE UNION, OCT ENDS, GRND JOINT, 2.0"-NPTI-A197- CL150, 463, ANVIL INTERNATIONAL	1.26kg	
00-711-497-002	PLUG, SQUARE HEAD SOLID, 0.250"-NPTE-ASMEB16.14-A126-CL150-BLACK		
00-711-011-020	COUPLING, 2.500"-NPTIX3.125"-SCH40-ASTMA53-BLACK		
00-711-497-006	PIPE PLUG, 0.750"-NPT-ANSIB16.14-SQ HEAD, SOLID	0.11kg	
00-711-497-016	PLUG, SQUARE HEAD SOLID, 2.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.63kg	
00-711-141-020	CAP, PIPE 2.50 NPT, CLASS 150 BLACK, BANDED, ASMEB16.3	0.53kg	
00-711-315-016	ELBOW, 90DEG-2.000"-NPTI-ASMEB16.3-CL150- UNPLTD, BANDED		
00-711-369-016	PIPE ELBOW, 2.00"-NPT-ASMEB16.3-STRT-90DEG-CL150- UNPLTD-BANDED		
00-711-087-071	BUSHING, PIPE, HEX HD, 2.000X0.250"-ASMEB16.14- A126-BLACK		
00-711-087-033	BUSHING, 1.000X0.750"NPT-CL150-ASMEB16.14- ASTMA197-BLACK	0.11kg	
00-711-011-008	PIPE COUPLING, 1.000" NPTX2.000"-SCH40-ASTMA53-BLACK	0.21kg	
00-711-451-429	PIPE NIPPLE, 2" NPTX8"-SCH40-ASTMA53-UNPLTD		
00-711-451-413	PIPE NIPPLE, 2.000" NPTX4.000"-SCH40-ASTMA53-BLACK	0.63kg	
00-711-451-409	PIPE NIPPLE, 2" NPTX3"-SCH40-ASTMA53-UNPLTD		
17-107-525-802	POSITION SYSTEM, VALVE, DUAL PROXIMITY SWITCH 20-250V AC/DC ASM	6.72kg	
00-711-451-255	PIPE NIPPLE, 1.000" NPTX2.000"-SCH40-ASTMA53-BLACK	0.11kg	
00-711-451-401	PIPE NIPPLE, 2" NPTX2"-SCH40-ASTMA53-UNPLTD		
17-107-526-802	TRANSMITTER, TEMPERATURE, ASM, REMOTE EFECTOR	7.14kg	
17-107-527-801	TRANSMITTER, PRESSURE, ASSEMBLY -14.5 TO 362.5 PSI EFECTOR 4- 20mA	2.84kg	
17-107-528-801	LEVEL SENSOR ASSEMBLY, TRANSMITTER, 4-20mA	0.53kg	
00-711-563-032	PIPE PLUG, BAR OR SLTD, 4.000"-NPTE-ASMEB16.14- A126-SOLID, BLK	6.2kg	
17-107-539-001	LUBRICATION HOSE ASSEMBLY, 2.0" PUMP TO FILTER	2.94kg	
00-735-781-066	HOSE ADAPTER, 2.000"-11.5X2.000-11.5X2.800", 0107-32-32 PARKER HANNIFIN		
17-107-535-001	NUMBER PLATE, PART NUMBER PLATE 18AWGX2"X5"		
00-615-613-149	SCREW, DRIVE, ROUND HEAD, #7X0.380"-ASME18.6.4-TYPE U-ST-BRASS PLTD		
00-611-271-422	SCREW, CAP, HEXAGONAL, 0.3125"-18UNC-2AX1.000"-ASMEB18.2.1-GR 2- UNPLTD		
00-651-001-160	WASHER, PLAIN, 0.312"IDX0.750"ODX0.062"-STL-UNPLTD		
00-611-271-570	SCREW, CAP, HEXAGONAL, 0.500"-13UNC-2AX5.500"-ASMEB18.2.1-GR 2- UNPLTD	0.21kg	
1003025021	NUT, HEXAGONAL, 0.375"-16UNC-2B-ASMEB18.2.6-GR A-UNPLTD		
1003025031	NUT, HEXAGONAL, 0.500"-13UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
00-651-001-229	WASHER, PLAIN, 0.438"IDX1.000"ODX0.078"-ASME B18.22.1 TY A-UNPLTD		
00-651-001-300	WASHER, PLAIN, 0.500"-ASMEB18.21.1-TYPE A-W-ST-UNPLTD	0.11kg	
1003064470	WASHER, LOCK, HELICAL SPRING, REGU, 0.375"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-203-139-001	SUPPORT BRACKET, LUBE OIL FILTER MOUNTING	1.89kg	
00-691-630-206	U-BOLT, 0.375"-16UNC-2BX2.500X2.875X4.000X1.750", U-200SG, 0-Z/GEDNEY		
50-422-091-140	PIPE, TBE 2.00" X 14.0", SCH40, ASTM A53		
00-711-451-263	PIPE NIPPLE, 1" NPTX1"-SCH40-ASTMA53-UNPLTD	0.32kg	
17-105-887-401	SPECIFICATION, LUBE SKID PREP FOR STORAGE OR SHIPMENT		
17-301-771-401	INSTRUCTION, LUBE SYSTEM FLUSH & TEST PROCEDURE INSTR'S.		
17-106-913-401	INSTRUCTION, MPS TEST PROCEDURE FOR CONTROL VALVE		
1003064476	WASHER, LOCK, HELICAL SPRING, REGU, 0.500"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
50-422-090-060	PIPE, TOE 2.00" X 6.0", SCH40, ASTM A53	0.95kg	
17-107-406-006	COUPLING, QUICK JOINT 2.00" #7404300	1.78kg	
17-203-346-001	COVER, MPS RESERVOIR CLEAN OUT G S HYDRAULICS	9.97kg	
17-203-347-001	GASKET, MPS RESERVOIR CLEAN OUT COVER	0.21kg	
NO2482872	COVER ASSEMBLY, 136799	3.15kg	
NO2482873	GASKET, V-6702 VESCOR	0.11kg	
17-303-503-002	PLATE, 0.18" x 22.90" x 28.90"	16.17kg	
17-303-503-003	ANGLE, 1.0" X 1.0" X .125" X 23.5" LG	0.95kg	
17-303-503-004	ANGLE, 1.0" X 1.0" X .125" X 17.5"	0.53kg	
60-197-370-020	BAR, 0.25" X 2.00" X 2.0" LG, AISI M1015/1020	0.11kg	
17-103-919-001	HANDLE, DOOR PULL, STANLEY MODEL NO. NH 482 SIZE NO. 3 (	12.5kg	
78-280-006-226	RUBBER, 0.375 X 1.500 X 23.500	0.11kg	
78-280-006-196	RUBBER, 0.375 X 1.500 X 20.500	0.11kg	
00-573-257-011	PLATE, STEEL, 0.1875"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-605-061	L SHAPE, L1.000X1.000X0.125"-ASTMA6-ASTMA36, HR		
00-573-605-061	L SHAPE, L1.000X1.000X0.125"-ASTMA6-ASTMA36, HR		
00-573-011-188	FLAT BAR, STEEL, 0.250X2.000"-ASTMA29-ASTMA575-M1020, HR		
00-437-098-304	PLATE, SPONGE RUBBER, 0.375"-ASTMD1056-TYPE R-RO-12	0.53kg	
00-437-098-304	PLATE, SPONGE RUBBER, 0.375"-ASTMD1056-TYPE R-RO-12	0.53kg	
17-202-850-002	PLATE, 0.25 X 9.0 X 6.0"	1.78kg	
00-619-531-093	STUD, WELDING, CFL 3/8-16 X 1 MS, 101010113 NELSON STUD WELDING		
01-101001	PLATE, STEEL, 0.250"-ASTMA6-ASTMA36, HR		
00-573-731-216	PIPE, SEAMLESS, 2.000X2.375X0.154"-ASTMA53-TYPE S-GR A- SCH40-UNP		
00-573-731-216	PIPE, SEAMLESS, 2.000X2.375X0.154"-ASTMA53-TYPE S-GR A- SCH40-UNP		
17-107-525-401	ASSEMBLY DRAWING, VALVE POSITION, DUAL PROXIMITY SWITCH ASM		
NO5228053	PROXIMITY SWITCH, 871TM-BH8N18-N3, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
17-107-515-002	CABLE, STRAIGHT 6 FEET, 889N-F3AFC-6F ROCKWELL AUTOMATION, TM: ALLEN-B	0.32kg	
17-107-523-001	BRACKET, PROXIMITY SWITCH BRACKET NORTHWOODS MFG., INC.	0.21kg	

00-691-632-009	U-BOLT, CLAMP, 0.312"-18 UNC-2A X 2.420"ID, 13 GAUGE +	0.21kg	
17-107-555-001	VISUAL MARKER, PROXIMITY FLAG	0.11kg	
17-107-526-402	ASSEMBLY DRAWING, TEMPERATURE TRANSMITTER REMOTE EFECTOR		
MM0244220	TRANSMITTER, TEMPERATURE, P/N U25166, IFM EFECTOR INC	0.21kg	
17-107-513-112	SENSOR, TEMPERATURE, TS2051, IMF ELECTRONIC	0.11kg	
17-107-513-301	CLAMP FASTENER, E10077, IMF ELECTRONIC	0.11kg	
17-107-513-111	FITTING, CORD GRIP 0.50 NPT, IMF EFECTOR E30025	0.11kg	
1046050032	THERMOWELL, 0.50 -14NPT X 70MM, N10013 (UT0009 & 700692), EFECTOR	0.11kg	
17-107-513-300	PROTECTION COVER, E30006, IFM ELECTRONIC		
17-107-513-305	CONNECTOR, CABLE, CONTROL MONITOR CABLE ASSEMBLY, EVCO08, IFM ELECTRONIC, TM: EFECTOR	0.21kg	
17-107-527-401	ASSEMBLY DRAWING, PRESSURE TRANSMITTER EFECTOR IFM EFECTOR INC.		
17-107-513-007	TRANSMITTER, PRESSURE, -14.5 TO 362.5 PSI, IFM EFECTOR, P/N U25169	0.63kg	
17-107-513-300	PROTECTION COVER, E30006, IFM ELECTRONIC		
17-107-513-305	CONNECTOR, CABLE, CONTROL MONITOR CABLE ASSEMBLY, EVCO08, IFM ELECTRONIC, TM: EFECTOR	0.21kg	
17-107-528-401	ASSEMBLY DRAWING, LEVEL TRANSMITTER ASM PIX		
17-107-513-210	LEVEL TRANSDUCER, S/B 17-107-528-803	0.53kg	
17-107-513-203	ADAPTER, E43013, 1" NPT D16 IFM ELECTRONIC	0.32kg	
17-107-513-310	PROTECTING COVER, E43910, IFM ELECTRONIC, TM: EFECTOR		
17-107-513-305	CONNECTOR, CABLE, CONTROL MONITOR CABLE ASSEMBLY, EVCO08	0.21kg	
00-573-257-011	PLATE, STEEL, 0.1875"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-731-216	PIPE, SEAMLESS, 2.000X2.375X0.154"-ASTMA53-TYPE S-GR A- SCH40-UNP		
00-573-731-216	PIPE, SEAMLESS, 2.000X2.375X0.154"-ASTMA53-TYPE S-GR A- SCH40-UNP		
17-107-414-001	PUMP, LUBE, BARE W/O SKID	52.4kg	
17-107-603-024	MOTOR, ELECTRIC, 4.0 KW, 1500RPM, 400V/50, 112M IMB3 TEFC IEC, GYRATORY QUALITY PER 17-107-416-402		
17-106-155-006	GEAR REDUCER, B SIZE, 5.06 TO 1 RATIO VIKING PUMP-IDEX CORP	17.64kg	
N03461002	HUB, TYPE L150, 685144-12109 LOVEJOY	2.52kg	
N03460996	COUPLING, INSERT, 685144-12001 L150 (SOX NBR SOLID) LOVEJOY	0.21kg	
N03461002	HUB, TYPE L150, 685144-12109 LOVEJOY	2.52kg	
N03461001	HUB, TYPE L100, 685144-11516 LOVEJOY	1.05kg	
N03460608	COUPLING PART, L100 11492 (SPIDER) LOVEJOY		
17-107-631-002	COUPLING, HALF, L100, 28MM BORE, 8 X 3.3 KEYWAY LOVEJOY P/N 685144-41331	0.53kg	
17-203-343-001	NUT, LOCK, 2-507-005-375-00, VIKING	0.11kg	
17-203-343-002	WASHER, LOCK, 2-807-018-375-00, VIKING		
17-203-343-003	END CAP, 2-140-035-722-00, VIKING	0.11kg	
17-203-343-004	SEAL, 2-283-014-378, VIKING		
17-203-343-005	SPACER, BRG - COLLAR (OUTER) - LUBE PUMP	0.11kg	
17-203-343-006	BALL BEARING, 2-055-021-375-00, VIKING	0.53kg	
17-203-343-007	SPACER, BRG COLLAR - (INNER) - LUBE PUMP		
17-203-343-008	RING, HALF ROUND - LUBE PUMP		
17-203-343-009	END CAP, 2-140-034-722-00, VIKING	0.11kg	
17-203-343-010	SEAL, LIP - LUBE PUMP VIKING P/N 2-283-023-378		
17-203-343-011	PLUG, 2-544-003-376, VIKING		
17-203-343-012	GREASE FITTING, STRAIGHT - LUBE PUMP	0.11kg	
17-203-343-013	BRACKET, AND BUSHING - LUBE PUMP	18.06kg	
17-203-343-014	CAP SCREW, 0.4375"-16UNCX1.125", 2-150-047-255-00 VIKING		
17-203-343-015	BUSHING, 2-116-006-880, VIKING	0.11kg	
17-203-343-016	SEAL, MECHANICAL - TEFLON VIKING P/N 2-477-003-999	0.32kg	
17-203-343-017	GASKET, 2-313-003-806-15, VIKING		
17-203-343-018	CASING, LUBE PUMP CASING, P/N 2-214-809-100 VIKING PUMP-IDEX CORP	9.24kg	
17-203-343-019	PLUG, 2-542-004-376-00, VIKING		
17-203-343-020	ROTOR, AND SHAFT - LUBE PUMP	8.09kg	
17-203-343-021	IDLER, AND BUSHING - LUBE PUMP	2.1kg	
17-203-343-022	BUSHING, 2-108-015-880-04, VIKING		
17-203-343-023	GASKET, HEAD, VIKING PUMP-IDEX CORP P/N 2-311-003-8		
17-203-343-024	PIN, LUBE PUMP IDLER PIN, P/N 2-435-012-291 VIKING PUMP-IDEX CORP	0.42kg	
17-203-343-025	HEAD, WITH LUBE IDLER PIN	5.78kg	
17-203-343-028	CAP SCREW, 0.437 UNC X 0.88 - LUBE PUMP		
17-203-343-029	GASKET, PUMP RELIEF VALVE - LUBE PUMP VIKING PUMP-IDEX CORP P/N 2-307-008-8		
17-203-343-030	CAP SCREW, 0.313 UNC X 0.62, LUBE PUMP PART, P/N 2150- 019-255, VIKING PART P/N FOR VIKING PUMP KK4		
17-203-343-031	VALVE, PRESSURE RELIEF, 3-795-506-00-XX VIKING	4.94kg	
17-203-343-401	ASSEMBLY DRAWING, PARTS LIST, KK4125 VIKING LUBE PUMP		
17-303-701-401	ASSEMBLY DRAWING, MPS SYSTEM ASSEMBLY PIX		
17-107-529-802	LEVEL SENSOR ASSEMBLY, N.O. SWITCH AND ACCESSORIES	0.42kg	
17-107-508-001	SHIM, MPS PUMPING UNIT MTG SHIM NORTHWOODS MFG., INC., QTE 12/16/03	0.95kg	
00-611-271-428	SCREW, CAP, HEXAGONAL, 0.3125"-18UNC-2AX1.750"-ASMEB18.2.1-GR 2- UNPLTD		
1003025016	NUT, HEXAGONAL, 0.3125"-18UNC-2B-ASMEB18.2.2-GR A- UNPLTD		
1003064467	WASHER, LOCK, HELICAL SPRING, , REGU, 0.3125"-ASMEB18.21.1-SAEJ403-UNPLTD		
00-651-001-160	WASHER, PLAIN, 0.312"IDX0.750"ODX0.062"ID-UNPLTD		
00-717-351-161	CONNECTOR, 16-12 F50X-S, PARKER HANNIFIN, TM: TRIPLE-LOK	0.21kg	
00-717-351-040	CONNECTOR, 4 F50X-S, PARKER HANNIFIN, TM: TRIPLE-LOK		

17-107-487-001	MPS CONTROL VALVE ASSEMBLY	4.73kg	
00-615-128-460	SCREW, CAP, HEXAGON SOCKET HEAD, 0.250"-20UNC-3AX4.500"-ASMEB18.3-		
1003025011	NUT, HEXAGONAL, 0.250"-20UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
00-651-001-125	WASHER, PLAIN, 0.250"IDX0.812"ODX0.062"-STL-UNPLTD		
1003064464	WASHER, LOCK, HELICAL SPRING,, REGU, 0.250"-ASMEB18.21.1-SAEJ403-C38-46-		
00-711-136-022	ADAPTER, 16-1 F50G-S PARKER HANNIFIN	0.32kg	
00-717-351-082	CONNECTOR, 8-12 F50X-S, PARKER HANNIFIN, TM: TRIPLE-LOK	0.11kg	
17-107-490-001	FILTER HEAD, SPIN-ON TYPE, 30 PSI BI-PASS, SAE #8 PORTS ZINGA INDUSTRIES NO. ZAF-08-30-3	0.21kg	
17-107-524-001	SWITCH, PRESSURE, SPDT, SET 25 PSI RAISING, 0.125 NPTM	0.11kg	
17-107-490-003	FILTER ELEMENT, SPIN-ON TYPE, 10 MICRON	0.73kg	
00-611-271-373	SCREW, CAP, HEXAGONAL, 0.250"-20UNC-2AX0.625"-ASMEB18.2.1-GR 2- UNPLTD		
MM0269637	CONNECTOR, 8 F50X-S, PARKER HANNIFIN, TM: TRIPLE-LOK	0.11kg	
00-711-451-255	PIPE NIPPLE, 1.000" NPTX2.000"-SCH40-ASTMA53-BLACK	0.11kg	
17-105-901-001	VALVE, BALL, 1 351T, METSO AUTOMATION, TM: JAMESBURY	0.95kg	
00-711-595-008	T CONNECTION, 1.000"-NPT-ASMEB16.3-ASTMA197-CL150- BLACK	0.42kg	
00-735-637-160	ELBOW, 16 CTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK	0.53kg	
00-711-379-004	ELBOW ADAPTER, 90° , STR, WOG, 0.500"-NPTI-ASTMA105-GR II- 3000LB, 384, LADISH CO		
00-735-791-032	CONNECTOR, 8-8 FTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK	1.05kg	
00-711-103-036	PIPE BUSHING, HEX, 1.00"NPTX 0.250"NPT, STEEL CRANE CO	0.11kg	
00-735-637-044	ELBOW, 4-4 CTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK	0.53kg	
17-107-540-004	HOSE ASSEMBLY, MPS - TANK TO CONTROL VALVE	1.89kg	
17-107-540-002	HOSE ASSEMBLY, MPS - VALVE PORT A TO PUMP	2.84kg	
17-107-540-003	HOSE ASSEMBLY, MPS - VALVE PORT B TO PUMP	2.84kg	
17-107-541-001	HOSE ASSEMBLY, MPS - VALVE TO FILTER	0.95kg	
17-107-541-002	HOSE ASSEMBLY, MPS - FILTER TO TANK	0.95kg	
17-107-542-002	HOSE ASSEMBLY, MPS - CASE DRAIN	0.32kg	
17-107-524-007	CABLE, DIN 43650A, MOLDED ASSY, 5M LONG, NO CIRCUIT		
17-107-529-401	ASSEMBLY DRAWING, LEVEL INDICATOR ASM PIX		
17-107-513-205	LEVEL SWITCH, NORMALLY OPEN, 20 TO 250 AC/DC IFM EFECTOR, KI0206	0.11kg	
17-107-513-207	THERMOWELL, 1.25 NPTM X M30 INTERNAL TEFLON	0.11kg	
17-107-513-309	CABLE, ANGLED 5 METER, IFM EFECTOR INC. , E18215	0.21kg	
17-107-487-003	MANIFOLD, MPS CONTROL VALVE ALUMINUM	3.57kg	
17-107-487-005	VALVE, CHECK, PILOT OPERATED, CARTRIDGE, VALVE NO. 2, PARKER P/N CP084P WITH SEAL KIT SK08	0.11kg	
17-107-487-017	PRESSURE RELIEF CARTRIDGE, 1090PSI VALVE, NO. 3-1 VICKERS #RV1-8-C-0-20/1090	0.21kg	
17-107-487-007	PRESSURE RELIEF CARTRIDGE, 650 PSI, VALVE NO. 3-2, PARKER P/N RAH081T20-65/4.6 W/SEAL KIT	0.21kg	
17-107-487-008	PRESSURE RELIEF CARTRIDGE, PRESET AT 500 PSI, VALVE NO. 3-3 PARKER P/N RAH081S10-50 W/SEAL KIT S	0.11kg	
17-107-487-009	VALVE, CHECK, CARTRIDGE 1PSI, VALVE NO. 4-1& 2 SUN HYDRAULIC P/N CXDA-XZN W/1 PSI	0.11kg	
17-107-487-010	VALVE, NEEDLE CARTRIDGE, VALVE NO. 5 PARKER P/N NVH081A W/ SEAL KIT SK08-	0.11kg	
17-107-487-013	NIPPLE, DIAGNOSTIC WITH CAP, PARKER P/N EMA3/7/16-20UNF-2A	0.11kg	
17-107-487-009	VALVE, CHECK, CARTRIDGE 1PSI, VALVE NO. 4-1& 2 SUN HYDRAULIC P/N CXDA-XZN W/1 PSI	0.11kg	
17-107-521-801	REPAIRING KIT, MPS CONTROL VALVE	1.05kg	
17-107-487-005	VALVE, CHECK, PILOT OPERATED, CARTRIDGE, VALVE NO. 2, PARKER P/N CP084P WITH SEAL KIT SK08	0.11kg	
17-107-487-017	PRESSURE RELIEF CARTRIDGE, 1090PSI VALVE, NO. 3-1 VICKERS #RV1-8-C-0-20/1090	0.21kg	
17-107-487-007	PRESSURE RELIEF CARTRIDGE, 650 PSI, VALVE NO. 3-2, PARKER P/N RAH081T20-65/4.6 W/SEAL KIT	0.21kg	
17-107-487-008	PRESSURE RELIEF CARTRIDGE, PRESET AT 500 PSI, VALVE NO. 3-3 PARKER P/N RAH081S10-50 W/SEAL KIT S	0.11kg	
17-107-487-009	VALVE, CHECK, CARTRIDGE 1PSI, VALVE NO. 4-1& 2 SUN HYDRAULIC P/N CXDA-XZN W/1 PSI	0.11kg	
17-107-487-010	VALVE, NEEDLE CARTRIDGE, VALVE NO. 5 PARKER P/N NVH081A W/ SEAL KIT SK08-	0.11kg	
17-107-487-011	SEAL KIT, CARTRIDGE PILOT OPERATED CHECK VALVE 2, NITRILE, P/N SK08-3		
17-107-487-012	SEAL KIT, CARTRIDGE RELIEF VALVES 3-2, 3-3 &, NEEDLE VALVE 5, PARKER NITRILE - SK08-2		
17-107-487-018	SEAL KIT, CARTRIDGE RELIEF VALVE 3-1 VICKERS P/N 02-165875		
17-107-487-019	SEAL KIT, CARTRIDGE CHECK VAVES 4-1 & 4-2		
17-107-492-003	PUMP, BARE 10.2 DISPLACEMENT, SAE #12 PORTS,, SAE #4 DRAIN, PARKER P/N PGM315A993VREB05-66	8.19kg	
17-107-603-025	MOTOR, ELECTRIC, 4.0 KW, 1500RPM, 400V/50, 112M IMB35 TEFC IEC, GYRATORY QUALITY PER 17-107-416-402	48.62kg	
17-107-492-010	HOUSING, BELL, 112M IEC MOTOR TO SAE A 2 BOLT PUMP BFS, P/N 1102-180MM-X-4.63		
17-107-492-011	COUPLING HUB, MOTOR HALF 112M IEC MOTOR	0.32kg	
17-107-492-007	COUPLING HUB, PUMP HALF, P/N L095-35747 LOVEJOY	4.73kg	
17-107-492-008	COUPLING PIECE, INSERT, FOR NEMA UNITS ONLY LOVEJOY, P/N L095-10968		
17-303-739-001	DECAL, LUBE TANK OIL INFO		
17-303-739-002	DECAL, PIPING BY CUSTOMER		

17-303-739-003	DECAL, PRIMARY LUBE PUMP		
17-303-739-004	DECAL, BACK-UP LUBE PUMP		
17-303-739-005	DECAL, PRIMARY LUBE FILTER AND REPLACEMENT, P/N		
17-303-739-006	DECAL, BACK-UP LUBE FILTER AND REPLACEMENT, P/N		
17-303-739-007	DECAL, HIGH LUBE LEVEL INDICATOR		
17-303-739-008	DECAL, LOW LUBE LEVEL INDICATOR		
17-303-739-009	DECAL, PRIMARY LUBE PUMP PRESSURE TRANSMITTER		
17-303-739-010	DECAL, BACK-UP LUBE PUMP PRESSURE TRANSMITTER		
17-303-739-011	DECAL, LUBE SKID DISCHARGE PRESSURE TRANSMITTER		
17-303-739-012	DECAL, LUBE OIL TANK TEMPERATURE TRANSMITTER		
17-303-739-013	DECAL, RETURN DRAIN TEMP TRANSMITTER AIR COOLED		
17-303-739-015	DECAL, MPS OIL TANK		
17-303-739-016	DECAL, MPS OIL TANK		
17-303-739-019	DECAL, MPS FILTER USE & REPLACEMENT P/N		
17-303-739-020	DECAL, HIGH LEVEL MPS OIL TANK		
17-303-739-021	DECAL, MPS PUMP ROTATION		
17-303-739-022	DECAL, LUBE OIL TANK LEVEL TRANSMITTER		
17-303-739-023	DECAL, LUBE PUMP ROTATION		
17-303-739-024	DECAL, PLUGGED MPS FILTER SWITCH		
17-303-739-025	DECAL, MPS TANK LOW LEVEL SWITCH		
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		
1029300400	WARNING DECAL, HAZARDOUS VOLTAGE...CONTACT (ENGLISH TEXT)		
1029300401	DECAL, WARNING, DISCONNECT & OVERCURRENT (ENGLISH), GS NORTH AMERICA, #H6010-XZWHPH		
N64350800	WARNING PLATE, 1146A-ISO WARNING ROTATING PART HAZARD COMMUNICATION SYSTEMS, IN		
1029300189	DECAL, METSO MARK, 5.57" X 16.65"		
1056364060	NAME PLATE, SERIAL&P/N, MADE IN USA W/O CE MARK (ENGLISH TEXT), GS HYDRAULICS P/N GS02201-002		
17-402-909-401	ASSEMBLY DRAWING, LUBE SKID DECALS, AIR COOLED, SINGLE MPS PIX		
17-502-277-501	DISTRIBUTION PANEL, LUBE SENSOR ENGLISH		
17-502-278-501	DISTRIBUTION PANEL, LUBE SKID 3-PHASE ENGLISH		
17-502-277-401	CUSTOMER INSTALLATION DRAWING, LUBE SENSOR ENCLOSURE EFECTOR		
MM0327316	ENCLOSURE, ELECTRICAL, A20H20BLP+A20P20 HOFFMAN	18.9kg	
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		
1029300400	WARNING DECAL, HAZARDOUS VOLTAGE...CONTACT (ENGLISH TEXT), GS NORTH AMERICA, P/N M03541-002		
17-502-278-401	CUSTOMER INSTALLATION DRAWING, LUBE SKID 3-PHASE ENCLOSURE		
MM0327316	ENCLOSURE, ELECTRICAL, A20H20BLP+A20P20 HOFFMAN	18.9kg	
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		
1029300400	WARNING DECAL, HAZARDOUS VOLTAGE...CONTACT (ENGLISH TEXT), GS NORTH AMERICA, P/N M03541-002		
1029300401	DECAL, WARNING, DISCONNECT & OVERCURRENT (ENGLISH), GS NORTH AMERICA, #H6010-XZWHPH		
00-573-115-270	ROUND BAR, STEEL, 1.500"-ASTMA6-G10180/190/210/220, HR, SPEC Q		
00-573-115-370	ROUND BAR, STEEL, 2.500"-ASTMA6-G10180/190/210/220, HR, SPEC Q		
17-303-663-401	ASSEMBLY DRAWING, NAME PLATE & WARNING SIGNS		
17-107-457-806	IDENTIFICATION PLATE, NAMEPLATE STAMPING SUPERIOR - ENGLISH		
26-206-911-001	WARNING PLATE, LOCKOUT CONTROLS, ENGLISH/SPANISH		
26-206-912-001	WARNING PLATE, STAND CLEAR, ENGLISH/SPANISH	0.11kg	
26-205-880-001	WARNING PLATE, GUARD IN PLACE - ENGLISH/SPANISH	0.11kg	
26-206-910-001	WARNING PLATE, LIFTING - ENGLISH/SPANISH		
17-107-586-001	PATENT PLATE, ENGLISH	0.21kg	
00-615-613-149	SCREW, DRIVE, ROUND HEAD, #7X0.380"-ASME18.6.4-TYPE U-ST-BRASS PLTD		
17-303-751-001	DECAL, METSO MARK		
17-303-752-001	DECAL, SUPERIOR TRADEMARK		
17-203-351-001	DECAL, ACCENT STRIPE		
1029300219	DECAL, RESPIRATOR WARNING DECAL (ENGLISH)+ SEE INFO		
17-303-077-004	NAME PLATE, NAMEPLATE-SUPERIOR METALLICS, INC.	0.21kg	
17-104-124-408	INSTRUCTION, STAMPING INSTRUCTIONS		
17-303-625-009	CYLINDRICAL BUSHING CASTING, BOTTOMSHELL BUSHING ROUGH, MACHINING, 65 & 3070	465.36kg	
00-573-047-550	FLAT BAR, 1.000X1.500"-ASTMA6-UNS G10180, COLD DRAWN, STQ		
00-711-153-008	PIPE END, 1.00", NPTI CAP, 3000 LB W.O.G. ASTM A105, UNPLTD	0.32kg	
50-422-061-480	PIPE, TBE 1.00" X 48.0", SCH40, ASTM A53	3.36kg	
00-573-731-210	PIPE, SEAMLESS, 1.000X1.315X0.133"-ASTMA53-TYPE S-GR A- SCH40-UNP		
17-203-226-002	PLATE, 0.50 X 3.00 X 4.0"	0.53kg	
60-065-610-016	TUBE, 2.00"OD X 0.28"W X 1.6", UNS-G10150, 180, 260	0.32kg	
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
00-573-760-830	TUBE, SMLSS, 2.000"ODX0.281"W-UNS G10150/10180/10260, CD		
17-400-969-501	BOTTOMSHELL SIDE LINER, LEFT HAND, ADJ PINIONSHAFT 65	126kg	
17-400-969-502	BOTTOMSHELL SIDE LINER, RIGHT HAND, ADJ PINIONSHAFT 65	126kg	
17-400-969-503	BOTTOMSHELL SIDE LINER, LEFT HAND INTERMEDIATE 65	202.65kg	
17-400-969-504	BOTTOMSHELL SIDE LINER, RIGHT HAND INTERMEDIATE 65	202.65kg	
17-400-969-505	BOTTOMSHELL SIDE LINER, RIGHT HAND ADJ NARROW ARM 65	145.95kg	

17-400-969-506	BOTTOMSHELL SIDE LINER,RIGHT HAND ADJ NARROW ARM 65	147kg	
17-400-969-507	BOTTOMSHELL SIDE LINER,RIGHT HAND, OPPOSITE PINIONSHAFT 65	147kg	
17-400-969-508	BOTTOMSHELL SIDE LINER,LEFT HAND, OPPOSITE PINIONSHAFT 65	144.9kg	
17-107-630-001	BOLT, 1.25-7UNCX9.00, ASMEB18.2.1, SAE GR 2, UNPLATED	1.68kg	
00-631-001-120	NUT, HEXAGONAL, 1.250"-7UNC-2B, ASMEB18.2.2, SAE GR 2, NOT PLATED	0.21kg	
00-631-141-120	NUT, JAM, HEXAGONAL, 1.250"-7UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.21kg	
17-201-116-001	SIDE LINER WEDGE, SLOTTED	4.73kg	
17-201-116-002	SIDE LINER WEDGE,PLAIN	9.77kg	
00-651-001-584	WASHER, 1.375"-AS1237-GR250-UNPL	0.95kg	
17-400-969-009	PLATE, 1.25" X 32.5" X 41.3" LG	226.7kg	
26-151-197-020	LUG, LIFTING,1500LB CAPACITY, .5"x2"x2.2"	0.32kg	
00-577-163-451	PLATE, STEEL, 1.25" X 32.5" X 41.3" LG		
17-400-969-009	PLATE, 1.25" X 32.5" X 41.3" LG	226.7kg	
26-151-197-020	LUG, LIFTING,1500LB CAPACITY, .5"x2"x2.2"	0.32kg	
17-400-969-009	PLATE, 1.25" X 32.5" X 41.3" LG	226.7kg	
26-151-197-020	LUG, LIFTING,1500LB CAPACITY, .5"x2"x2.2"	0.32kg	
17-400-969-009	PLATE, 1.25" X 32.5" X 41.3" LG	226.7kg	
26-151-197-020	LUG, LIFTING,1500LB CAPACITY, .5"x2"x2.2"	0.32kg	
17-400-969-009	PLATE, 1.25" X 32.5" X 41.3" LG	226.7kg	
26-151-197-020	LUG, LIFTING,1500LB CAPACITY, .5"x2"x2.2"	0.32kg	
17-400-969-009	PLATE, 1.25" X 32.5" X 41.3" LG	226.7kg	
26-151-197-020	LUG, LIFTING,1500LB CAPACITY, .5"x2"x2.2"	0.32kg	
00-573-011-045	FLAT BAR, STEEL, 1.500X4.000"-ASTMA29-ASTMA575-M1020, HR	0.53kg	
00-573-011-045	FLAT BAR, STEEL, 1.500X4.000"-ASTMA29-ASTMA575-M1020, HR	0.53kg	
07-343-568-006	DUST SEAL,COLLAR (FINISH)	380.1kg	
07-343-568-008	COLLAR CASTING,DUST SEAL, DUCTILE IRON	607.22kg	
00-573-257-111	PLATE, STEEL, 0.3125"-ASTMA6-ASTMA36, HR		
00-711-451-327	PIPE NIPPLE, 1.25" NPTX7.50-SCH40-ASTMA53-UNPLTD	0.63kg	
00-711-221-010	CROSS PIPE, 1.250"-NPTI-ASMEB16.3-A197-CL150-UNPLTD, BANDED	0.84kg	
00-711-451-301	TUBE NIPPLE, 1.25" NPTX1.12"-SCH40-ASTMA53-UNPLTD	0.11kg	
00-711-595-010	T CONNECTION, PIPE, 1.250"-NPTI-ASMEB16.3-A197-CL150- UNPLTD, BND	0.63kg	
00-711-497-010	PLUG, 1.250"NPT-ASMEB16.14-ASTMA126-CL A- ZNPLTD	0.32kg	
00-737-801-110	CHECK GAUGE, 1.250"-11.5NPT, 10PSI, 04055 GITS BROTHERS MAN.	0.21kg	
00-711-087-944	BUSHING,PIPE, HEX HD, 1.250X1.000"-ASMEB16.14- A126-BLACK	2.42kg	
00-711-451-251	PIPE NIPPLE, 1.00"NPTX1.50"-ASTMA53-SCH40-WELDED- UNPLTD	0.11kg	
00-711-011-008	PIPE COUPLING, 1.000" NPTX2.000"-SCH40-ASTMA53-BLACK	0.21kg	
17-402-790-801	ECCENTRIC ASSEMBLY,ECCENTRIC ASM. CONST.5065	2694.72kg	
17-402-743-001	ECCENTRIC SLEEVE,1.50 THROW 5065	581.7kg	
17-302-945-001	ECCENTRIC,STD UPPER COUNTERWEIGHT MK-II 65	1387.89kg	
17-302-958-001	ECCENTRIC GEAR,SPIRAL BEVEL, MK-II LWR CWT 65	928.73kg	
07-145-539-001	ECCENTRIC GEAR KEY,65	4.62kg	
00-615-142-611	SCREW, CAP, HEXAGON SOCKET HEAD,0.625"-11UNRC-3AX1.500"-ASMEB18.3-	0.11kg	
07-246-281-001	ECCENTRIC BUSHING KEY,65	1.47kg	
17-302-957-001	COUNTERWEIGHT ASSEMBLY, LOWER,MK-II, 65	288.75kg	
00-615-142-669	SCREW, CAP, HEXAGON SOCKET HEAD,0.750"-10UNRC-3AX6.000"-ASMEB18.3-	0.42kg	
00-651-016-411	HARDENED WASHER, 0.81X1.47X0.15"-ASTMF436-UNPLTD		
00-671-115-583	DOWEL PIN, 0.750X2.000"-ASMEB18.8.2-ST-UNPLTD	0.11kg	
17-203-275-501	COUNTERWEIGHT, UPPER,ASSEMBLY, MK-II 65	55.76kg	
00-615-138-561	CAP SCREW, HEXAGON SOCKET HEAD,WITH NYLON INS 0.500"-13UNRC-	0.11kg	
00-615-138-658	CAP SCREW, HEXAGON SOCKET HEAD WITH NYLON INS 0.750"-10UNRC-, 3AX3.250"-ASMEB18.3- ASTMA574-UNPLTD	0.21kg	
17-402-286-001	ECCENTRIC GEAR,SPIRAL BEVEL 65	928.73kg	
17-402-252-501	COUNTERWEIGHT ASSEMBLY,LOWER, SG4265	318.15kg	
17-402-252-002	FLAT BAR,.5" X 4.5" X 73.9"	22.37kg	
17-402-252-003	FLAT BAR,.5" X 2.75" X 62.9"	11.87kg	
17-402-252-004	PLATE,.50" x 4.40" x 4.50"	1.47kg	
17-402-252-005	PLATE,.50" x 4.50" x 5.60"	1.89kg	
17-402-252-006	PLATE,.50" x 25.06" x 49.70"	21.42kg	
00-371-881-010	LEAD,PIG, 60LB, ASTMB29		
17-402-252-008	PLATE, 2.50" x 4.40" x 5.00"	6.72kg	
17-202-765-001	COUNTERWEIGHT RING, LOWER,MACHINING SG4265	5.67kg	
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
00-573-257-631	PLATE, STEEL, 2.500"-ASTMA6-ASTMA36(UNS K02600), HR		
01-101001	PLATE, STEEL, 0.250"-ASTMA6-ASTMA36, HR		
17-402-788-001	COUNTERWEIGHT, UPPER,MK-II 65	44.1kg	
17-303-595-001	RETAINING RING,UPPER COUNTERWEIGHT	8.09kg	
17-203-286-001	COUNTERWEIGHT, UPPER,ROUGH MATERIAL AS SUPPLIED BY RUSSEL METALS	76.65kg	
17-303-595-001	UPPER COUNTERWEIGHT-MACHINING, J. T. RYERSON & SONS INC., Q10E686903040		
17-201-338-011	CYLINDRICAL BUSHING CASTING,ECCENTRIC CASTING ROUGH MACHINED, 65,& 3070, ITALBRONZE LTDA	861.11kg	
07-345-013-002	WEAR RING,ECCENTRIC WEARING RING (CASTING) ITALBRONZE LTDA	523.95kg	

17-303-562-801	SUBASSEMBLY,CONSTANTS, MPS CYLINDER SHIPPING COVER 65	303.87kg	
17-303-562-401	ASSEMBLY DRAWING,MPS CYLINDER ASM WITH SHIPPING COVERS 65		
17-501-860-503	MPS CYLINDER ASSEMBLY,W/ POSITION INDICATOR 65	4191.18kg	
17-303-143-501	MPS CYLINDER ASSEMBLY,HYDROSET COVER & PLUG ASM	273.84kg	
17-303-143-004	PLATE,1.37 X 3.75 X 3.75"	1.26kg	
60-222-370-080	STRIP STEEL,0.125"H X 1.00"W X 8.0"LG, HOT RLD, CARBON STEEL+	0.11kg	
00-711-497-008	PLUG, SQUARE HEAD SOLID,1.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.21kg	
00-711-497-012	PLUG, SQUARE HEAD SOLID,1.500"NPT-CL250-ASMEB16.14-ASTMA126-CL A-UNPLTD	0.42kg	
00-611-314-955	SCREW, CAP, HEXAGONAL,1.750"-5UNC-2AX7.500"-ASMEB18.2.1-GR 5- UNPLTD	3.15kg	
1003001101	NUT, HEXAGONAL, HEAVY,1.750"-5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	0.95kg	
17-201-787-035	O-RING,.250" X 50.75" I.D.,APPLETON PACKING & GASKET	0.21kg	
00-751-531-338	O-RING,3.500" O.D. X 3.125" I.D. X 0.188" PRECISION RUBBER PRODUCTS CORP. P/		
17-303-349-033	DECAL,MPS ASM SHIP. COVER DECAL DECAL 4265		
17-303-143-003	PLATE,0.75 X 58.8 X 58.8"	271.53kg	
17-303-143-005	BAR,3.0"DIA X 1.5"LG	0.95kg	
00-573-257-385	PLATE, STEEL,0.750"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-105-409	ROUND BAR, STEEL,3.000"-ASTMA6-AISIM1015/20, HOT ROLLED, MBQ		
00-573-257-531	PLATE, STEEL,1.375"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-501-904	STRIP STEEL,0.125" X 1.000" X MISC, CARBON STEEL, 0.15% MAX C		
17-501-860-801	SUBASSEMBLY,CONSTANTS, MPS CYLINDER ASM 65	4181.62kg	
17-107-495-004	POSITION INDICATOR,TRANSDUCER 400MM W/ MEASURING TUBE MAGTROL INC.	2.1kg	
17-203-302-001	ADAPTER,MPS TRANSDUCER,WEST ALLIS MACHINE CO.,EARL 3 WEE	1.26kg	
17-303-650-001	HOLDER,MEASURING TUBE,MILWAUKEE BEARING &,SHELLY - 3 WK	3.26kg	
17-107-498-001	PLUG,MEASURING TUBE	0.11kg	
17-203-309-001	PLUG,MEASURING TUBE ADVANCED MACHINING INC.	0.11kg	
65-751-532-026	O-RING,SMS1586-44.20X3.00-NBR70		
65-751-536-006	RING, SEAL,1.17"ID X .139 CROSS PARKER FLUID P/N 2.217		
00-711-087-052	BUSHING,PIPE, HEX HD, 1.500X0.500"-ASMEB16.14- A126-UNPLTD	0.21kg	
65-615-145-079	SCREW, CAP, HEXAGON SOCKET HEAD,ISO4762-M8X40-10.9-UNPLTD		
17-300-182-501	MPS CYLINDER,65, CAST	1652.7kg	
17-302-899-001	MPS CYLINDER BUSHING, LOWER,65	135.45kg	
07-250-231-501	MPS CYLINDER BUSHING, UPPER,65	126.21kg	
17-402-244-501	MPS PISTON AND PLUG ASSEMBLY,65/3070	641.55kg	
17-302-963-001	MPS CLAMP PLATE,WITH POSITION INDICATOR	158.55kg	
17-103-679-003	SEAL,WITHOUT FILLER GARLOCK	1.37kg	
17-402-218-501	MPS COVER PLATE,WITH POSITION INDICATOR, 65 JARP INDUSTRIES, INC.	659.61kg	
17-303-539-501	PISTON WEAR PLATE,ASSEMBLY, 75 SUPERIORS	86.73kg	
07-252-540-001	WASHER, STEP,65	101.85kg	
17-104-616-001	STEP WASHER RETAINING RING,WEST ALLIS MACHINE CO.,EARL - 10 DA	2.52kg	
00-751-531-474	O-RING,AS568-474-24.94X0.275"-NBR70	0.11kg	
17-106-891-002	GUARD,MPS COVER PLATE,NORTHWOODS MFG., INC.,QUOTE 17-106	18.06kg	
65-965-027-002	RING, SEAL,ED48X2/R11/2,PARKER HANNIFIN, TM: ERMETO ORIGIN	0.53kg	
65-751-532-091	O-RING,SMS1586-59.50X3.00-NBR70		
00-673-165-300	RING, RETAINING, EXTERNAL, ASMEB18.27.1-NA1-300, 3.000X0.093"-CS		
00-671-171-523	PIN, SPRING,0.500X3.000"-ASMEB18.8.2-ST 1-AISI1070/1095- UNPLTD	0.11kg	
00-711-509-006	PLUG,SQHD, 0.750"-NPTE-ASMEB16.14-CS-UNPLTD	0.11kg	
00-711-497-016	PLUG, SQUARE HEAD SOLID,2.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.63kg	
00-615-142-548	SCREW, CAP, HEXAGON SOCKET HEAD,0.500"-13UNRC-3AX1.500"-ASMEB18.3-	0.11kg	
00-615-142-651	SCREW, CAP, HEXAGON SOCKET HEAD 0.750"-10UNRC-3AX1.500"-ASMEB18.3-,ASTMA574-UNPLTD	0.21kg	
00-615-138-651	SCREW, CAP, HEXAGON SOCKET HEAD 0.750"-10UNC-3AX1.500"-ASMEB18.3-C36-43-,UNPLTD-NYL	0.11kg	
65-615-146-304	SCREW, CAP, HEXAGON SOCKET HEAD,M8X1.25X25-ASMEB18.3.1M-12.9-SC2 T1	0.21kg	
65-655-022-007	WASHER, SPRING,M12 X 13MM ID X 24MM OD, DIN 137, FORM B		
17-201-249-003	BOLT, SQUARE HEAD,1.750-5 UNC-2 X 12.00"LG, GR 5 ENDRIES INTERNATIONAL,QTE 2/27/03	4.62kg	
1003001101	NUT, HEXAGONAL, HEAVY,1.750"-5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	0.95kg	
1003004101	NUT, JAM, HEXAGONAL, HEAVY,1.750"-5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	0.53kg	
17-202-782-001	RETAINING RING,MPS SEAL	22.37kg	
00-615-142-468	SCREW, CAP, HEXAGON SOCKET HEAD,0.375"-16UNRC-3AX1.250"-ASMEB18.3-		
1003064470	WASHER, LOCK, HELICAL SPRING, REGU,0.375"-ASMEB18.21.1-SAEJ403-C38-46-,UNPLTD		
00-711-087-050	BUSHING,PIPE, HEX HD, 1.500X1.000"-ASMEB16.14- A126-UNPLTD	0.21kg	
17-300-182-003	CYLINDER,MPS CYLINDER	1952.69kg	
17-300-181-001	CYLINDER CASTING,MPS CYLINDER CASTING 65	2180.85kg	
17-302-899-003	CYLINDER BUSHING,HYDROSET LOWER-CASTING	266.7kg	
17-107-622-001	BUSHING,MPS CYLINDER FLANGE UPPER BUSHING 4265, 5065 SUPERIOR	32.34kg	
17-201-659-001	BUSHING,MPS CYLINDER BUSHING -UPPER, BUSHING SHELL,SUPERIOR	171.99kg	
26-205-990-001	DECAL, WARNING DECAL		
00-573-257-471	PLATE,1.250"-ASTMA6-ASTMA36-UNS K02600, HR		
00-573-257-471	PLATE,1.250"-ASTMA6-ASTMA36-UNS K02600, HR		
17-402-242-001	MPS PISTON AND PLUG ASSEMBLY,65/3070	635.88kg	
17-202-759-001	MPS PISTON AND PLUG,65	7.35kg	
00-615-142-613	SCREW, CAP, HEXAGON SOCKET HEAD 0.625"-11UNRC-3AX1.750"-ASMEB18.3-,ASTMA574-UNPLTD	0.11kg	
00-671-117-877	DOWEL PIN,2.000X4.000"-ASMEB18.8.2-60-62RH-SPEC SIZE-UNPLTD	1.78kg	

00-711-533-008	PIPE PLUG, 1.000"-NPTE-ANSIB16.14-SQ C-SUNK SOCKET	0.11kg	
07-343-571-005	PISTON, CASTING, CC-34182-C, ACM 201-30	772.8kg	
00-573-115-540	ROUND BAR, STEEL, 6.000" DIA. ASTM A6, G10180/190/210/220, HR SPL QL+	0.53kg	
00-573-257-715	PLATE, STEEL, 3.750"-ASTMA6-ASTMA36(UNS K02600), HR		
17-402-218-002	COVER PLATE, MPS CYL COVER PLATE - MACHINING	659.61kg	
65-625-100-026	COIL, HELI-COIL M8 -1.25X12 S.S. INSERTS		
17-202-741-501	CYLINDER, MPS CYLINDER COVER ASM 4265	813.96kg	
17-202-741-002	PLATE, 6.0X 35.5 X 35.5"	801.57kg	
17-202-741-003	TUBE, 12.5"OD X 10.5"ID X 3.3"LG	16.17kg	
00-573-761-978	TUBE, SMLSS, 12.500"ODX1.000"W-, UNSG10150/10180/10260, CD		
17-303-539-002	PISTON WEAR PLATE, MACHINING	86.73kg	
00-711-545-006	PLUG, 0.750"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET	0.11kg	
17-107-415-001	DECAL, STEP COMPONENTS DECAL		
17-303-631-004	PISTON, PLT ROUGH MACHINED BLANK	87.15kg	
00-573-257-281	PLATE, STEEL, 0.625"-ASTMA6-ASTMA36 (UNS K02600)		
01-101007	PLATE, STEEL, 1.000"-ASTMA6-ASTMA36, HR		
17-203-304-001	MEASURING PIPE, 26.00 MM O.D. X, 395.00 MM LG	0.21kg	
17-107-495-010	TUBE, MEASURING TUBE-POS IND 460 MM MAGTROL INC.	0.21kg	
00-573-257-561	PLATE, STEEL, 1.750"-ASTMA36(UNS K02600), HR		
00-573-761-035	MECHANICAL TUBING, SEAMLESS, CARBON STEEL, RO, 2.250X0.563"-ASTMA519-, UNSG10150/180/260, CD		
65-965-027-003	PLUG, STEEL PLUG-HEX SOC-1.0 BSP PL RITTER TECHNOLOGY LLC	0.53kg	
00-573-177-260	HEXAGONAL BAR, 1.4375"-UNSG11170/G11190, COLD FINISHED, STAN Q		
17-107-041-016	ELECTRIC CABLE, 9954, MIL-W-16878E/17 BELDEN	0.53kg	
17-107-041-014	TUBE, PLASTIC, FLEXIBLE, FLEXIBLE CONDUIT 0.50", 1/2UA ANACONDA SEALTITE INDUSTRIES		
17-107-041-015	CONNECTOR, 1.375", 5332, THOMAS & BETTS		
17-107-041-012	BUSHING REDUCTION, 1.50"NPT - 0.50"NPT (MACHINE CONTROL)		
1008009900	WIRE, 0.051", STAINLESS STEEL, 8860K65 MCMASTER-CARR	0.53kg	
17-107-041-011	CABLE TIE, HEAVY DUTY PLASTIC TIE STRAPS		
17-107-041-006	CONNECTOR, ANGLE		
17-107-573-401	CABLE, POSITION INDICATOR CABLE ASM PIX		
17-203-329-401	ASSEMBLY DRAWING, UNDER CRUSHER BIN LEVEL SENSOR PIX		
N05227920	CONNECTOR, 1A3006-34, BRAD HARRISON		
N05227921	CONNECTOR, 1R3000A20A120 BRAD HARRISON		
17-203-323-801	SUBASSEMBLY, ULTRASONIC LEVEL 110/220VAC	9.97kg	
17-303-675-501	GUARD, UNDER CRUSHER LEVEL SENSOR NORTHWOODS MFG., INC., NGC-2002-080	45.26kg	
00-615-142-472	SCREW, CAP, HEXAGON SOCKET HEAD, 0.375"-16UNRC-3AX1.750"-ASMEB18.3-		
65-655-022-006	WASHER, SPRING, DIN137B-M10-HRC43-50, UNPLTD		
00-615-142-548	SCREW, CAP, HEXAGON SOCKET HEAD, 0.500"-13UNRC-3AX1.500"-ASMEB18.3-	0.11kg	
65-655-022-007	WASHER, SPRING, M12 X 13MM ID X 24MM OD, DIN 137, FORM B		
N05228032	LEVEL DETECTOR CONTROLLER, XPS-30 SIEMENS	6.62kg	
MM0239581	LEVEL DETECTOR CONTROLLER, 7ML5004-1AA10-1A & 7ML1830-2AN (AC CNTLR & PRGR), SIEMENS (MILLTRONICS, INC.)	3.36kg	
17-303-797-001	AIMING KIT, 1.50NPT CONN, SIEMENS (MILLTRONICS, INC.), P/N 7ML1	2.42kg	
17-303-675-002	COVER PLATE, GUARD PLATE		
17-303-675-003	COVER PLATE, 1.00" x 16.00" x 16.00"		
01-101001	PLATE, STEEL, 0.250"-ASTMA6-ASTMA36, HR		
01-101007	PLATE, STEEL, 1.000"-ASTMA6-ASTMA36, HR		
17-403-007-401	ASSEMBLY DRAWING, TC1000-M MPS LOCAL PANEL ASM 110/220V ENGLISH		
17-403-009-401	ELECTRICAL DIAGRAM, TC1000-M ELECTRICAL SCHEMATIC 110/220VAC		
MM0226607	CABINET, ELECTRICAL, A-24H20CLP & A-24P20 HOFFMAN		
MM0261120	CURRENT METER, PAXP0010 + PAXCDS10 + PAXCDL10 (PAX SERIES), RED LION	0.32kg	
N05256616	RELAY, 700-HC24Z24, ROCKWELL AUTOMATION, TM: ALLEN-B		
N02495449	RELAY BASE, 700-HN103, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
MM0298724	RELAY, 700-HJD32Z24, ROCKWELL AUTOMATION, TM: ALLEN-B	0.32kg	
N02495452	RELAY BASE, 700-HN153, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
MM0261121	RELAY, 700-HLT12Z4X, (TERMINAL BLOCK, SPDT, 24VDC COIL), ROCKWELL AUTOMATION, TM: ALLEN-B		
1005126639	SWITCH, PUSH BUTTON, 800T-FXJ6A5, ROCKWELL AUTOMATION, TM: ALLEN-B	0.21kg	
N05255828	SWITCH, SELECTOR, 800T-J18KC7B, ROCKWELL AUTOMATION, TM: ALLEN-B	0.21kg	
1005126617	SWITCH, PUSH BUTTON, 800T-A2D1, ROCKWELL AUTOMATION, TM: ALLEN-B		
1005126675	RUBBER BOOT, 800H-N5H, FOR PUSHBUTTON, BLACK, ROCKWELL AUTOMATION, TM: ALLEN-B		
N05256587	LIGHT, 800TC-Q24R, RED, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
N05256585	LIGHT, 800TC-Q24G, GREEN, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
N05256588	LIGHT, 800TC-Q24B, BLUE, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
1056376661	NAME PLATE, REMOTE (ENGLISH TEXT)		
1056376673	IDENTIFICATION PLATE, POWER ON	0.53kg	
1056376674	NAME PLATE, PULL ON / PUSH OFF		
17-107-551-001	IDENTIFICATION PLATE, MAINTENANCE/LOCAL/REMOTE		
17-107-551-002	IDENTIFICATION PLATE, LOW LIMIT		
17-107-551-003	IDENTIFICATION PLATE, HIGH LIMIT		
17-107-551-004	IDENTIFICATION PLATE, RAISE		
17-107-551-005	IDENTIFICATION PLATE, LOWER		
17-107-551-006	IDENTIFICATION PLATE, "MAINSHAFT %"		
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		

1029300400	WARNING DECAL,HAZARDOUS VOLTAGE...CONTACT (ENGLISH TEXT),GS NORTH AMERICA,P/N M03541-002		
MM0261119	POWER SUPPLY,SDP2-24-100T, 50W, 24VDC SOLA/HEVI-DUTY	0.21kg	
17-402-844-001	PINION SHAFT,MK-II, DIRECT & V-BELT DRIVE 65	254.1kg	
17-402-286-002	PINION,SPIRAL BEVEL 65	116.55kg	
17-106-722-001	BEARING,DOUBLE ROW TAPERED ROLLER 65&75	31.92kg	
17-502-269-501	PINION SHAFT HOUSING,ASSEMBLY, MK-II 65	568.05kg	
07-245-101-001	LOCK NUT,SPACER, 1.7 X 5.125 ID X 7.00 OD	3.57kg	
17-302-968-001	LOCK NUT,SPACER, PINIONSHAFT DRIVE END TRACE A MATIC CORP.,QUOTE 31132 (RE	4.2kg	
00-611-271-609	SCREW, CAP, HEXAGONAL,0.625"-11UNC-2AX1.250"-ASMEB18.2.1-GR 2- UNPLTD		
1003064482	WASHER, LOCK, HELICAL SPRING, REGU,0.625"-ASMEB18.21.1-SAEJ403-C38-46-,UNPLTD		
00-611-271-616	SCREW, CAP, HEXAGONAL,0.625"-11UNC-2AX2.250"-ASMEB18.2.1-GR 2- UNPLTD	0.11kg	
17-107-395-002	SEAL, LABYRINTH,S/B 55-555- CONDITIONAL SUPERSEDE 65 & 75	0.63kg	
00-819-133-228	WASHER, LOCK,ASA # W- 28, ANSI B3.9, CARBON STEEL MOTION INDUSTRIES INC	0.32kg	
17-302-966-002	SEAL PLATE, PINION END,S/B 55-555, PINIONSHAFT 65 & 75	11.87kg	
17-402-388-501	SEAL PLATE, DRIVE END,PINIONSHAFT 65	22.37kg	
00-711-509-008	PLUG,SQHD, 1.000"-NPTE-ASMEB16.14-CS-UNPLTD	0.21kg	
17-202-048-033	KEY,SHEAVE END, 1.250" X 1.250" X 9.38"	1.99kg	
17-202-048-031	PINION KEY,1.250" X 1.250" X 5.00"	1.05kg	
00-673-165-500	RING, RETAINING, EXTERNAL,ASMEB18.27.1-NAI-500, 5.000X0.109"-CS	0.11kg	
00-617-245-738	SET SCREW,1.000"-8UNC-2AX6.000"-ASMEB18.6.2-SQ HEAD-UNPLTD	0.73kg	
00-733-437-502	CUP,OIL .312X .531,APPLICATION EQUIPMENT INC		
00-733-105-024	GREASE FITTING,0.125 NPT X 0.688 ALEMITE, P/N 1610-BL		
17-106-725-001	SEAL PLATE GASKET, DRIVE END,0.031 THICK,APPLETON PACKING & GASKET	0.11kg	
17-106-725-002	SEAL PLATE GASKET, DRIVE END,0.016 THICK,APPLETON PACKING & GASKET		
17-106-725-003	SEAL PLATE GASKET, DRIVE END,0.010 THICK,APPLETON PACKING & GASKET		
17-106-728-001	SEAL PLATE GASKET, PINION END,0.031 THICK,APPLETON PACKING & GASKET		
17-402-769-401	ASSEMBLY DRAWING,PINIONSHAFT & HSG ASM MK - II 65		
00-671-171-515	PIN, SPRING,0.50X1.50"-ASMEB18.8.2-ST 1-AISI1070/1095- UNPLTD		
00-819-133-228	WASHER, LOCK,ASA # W- 28, ANSI B3.9, CARBON STEEL MOTION INDUSTRIES INC	0.32kg	
17-107-483-001	SEAL, LIP,7.000X8.500X0.625", 70054 SKF, TM: CHICAGO RAWHIDE	0.42kg	
17-106-722-001	BEARING,DOUBLE ROW TAPERED ROLLER 65&75	31.92kg	
00-333-283-100	SEALING COMPOUND,518, 300ML, 518-45 LOCTITE	0.42kg	
703401956100	THREADLOCKER,24241, 250ML, MEDIUM STRENGTH LOCTITE	0.32kg	
17-107-477-004	BAR, ROUND,7.0" DIA X 67.5"LG PER DWG,J.T. RYERSON & SON INC.,QTE Q10E61450		
17-107-669-001	PINION FORGING,65 SUPERIOR GYRATORY		
17-502-269-002	PINION SHAFT HOUSING,MACH	641.02kg	
00-711-545-004	PLUG,0.500"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET		
00-711-545-006	PLUG,0.750"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET	0.11kg	
17-107-476-001	PIN,RETAINING, PINIONSHAFT BEARING P.E. 65 WEST ALLIS MACHINE CO.,EARL	0.21kg	
17-402-274-001	HOUSING,PINIONSHAFT HOUSING CSTG	729.64kg	
00-615-142-688	SCREW, CAP, HEXAGON SOCKET HEAD 0.875"-9UNRC-3AX2.000"-ASMEB18.3-,ASTMA574-UNPLTD		
00-573-259-581	PLATE,2.000"-ASTMA6-ASTMA36, HR, CUT EDGES, CMTR		
00-573-257-631	PLATE,STEEL,2.500"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-257-611	PLATE,2.250"-ASTMA6-ASTMA36-UNS K02600, HR		
68-424-057-136	FILTER,3.25 X 6.6 ID X 14.5 OD RING	32.34kg	
60-451-170-003	BAR, ROUND,0.250" DIA X 0.3"LG, AISI M1015/1020		
00-573-105-030	ROUND BAR, STEEL,0.250"-ASTMA6-AISIM1015/20, HR, MBQ		
17-402-895-401	ASSEMBLY DRAWING,PINIONSHAFT BRG TEMP & VIB SENSORS EFECTOR 65		
17-107-513-113	TEMPERATURE PROBE,1000 OHM, REUSABLE CONNECTOR,IFM ELECTRONIC, TM: EFECTOR U60137	0.32kg	
MM0244220	TRANSMITTER, TEMPERATURE,P/N U25166,IFM EFECTOR INC	0.21kg	
17-107-513-300	PROTECTION COVER,E30006,IFM ELECTRONIC		
17-107-513-111	FITTING,CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
17-106-253-004	SILICONE SEAL,OT-201-1/2 OMEGATHERM	0.11kg	
17-107-570-002	PIPE,0.38 SCH 40,1.5, UNTHREADED	0.63kg	
00-691-069-003	CLIP,0.375"-NPT, 3121-3-10,PARKER HANNIFIN, TM: PARKLAMP		
00-615-573-172	SCREW, SELF-THREADING,8-18 X 0.38, SLOTTED RNDHEAD, ANSI B18.6.4		
17-107-513-305	CONNECTOR, CABLE,CONTROL MONITOR CABLE ASSEMBLY, EVCO08,IFM ELECTRONIC, TM: EFECTOR	0.21kg	
17-107-513-111	FITTING,CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
17-107-513-301	CLAMP FASTENER,E10077,IFM ELECTRONIC	0.11kg	
17-402-895-401	ASSEMBLY DRAWING,PINIONSHAFT BRG TEMP & VIB SENSORS EFECTOR 65		
17-107-513-113	TEMPERATURE PROBE,1000 OHM, REUSABLE CONNECTOR,IFM ELECTRONIC, TM: EFECTOR U60137	0.32kg	
17-106-253-004	SILICONE SEAL,OT-201-1/2 OMEGATHERM	0.11kg	
17-107-513-111	FITTING,CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
MM0244220	TRANSMITTER, TEMPERATURE,P/N U25166,IFM EFECTOR INC	0.21kg	
17-107-513-300	PROTECTION COVER,E30006,IFM ELECTRONIC		
17-107-513-305	CONNECTOR, CABLE,CONTROL MONITOR CABLE ASSEMBLY, EVCO08,IFM ELECTRONIC, TM: EFECTOR	0.21kg	

17-107-513-301	CLAMP FASTENER,E10077, IFM ELECTRONIC	0.11kg	
17-402-895-401	ASSEMBLY DRAWING, PINIONSHAFT BRG TEMP & VIB SENSORS EFECTOR 65		
17-106-817-001	VIBRATION SENSOR,SHOCK PULSE TRANSDUCER SPM INSTRUMENT INC. , P/N 40100	0.11kg	
17-107-545-001	DISPLAY UNIT,VIBRATION, PINIONSHAFT BRGS, SPM INSTRUMENT INC. ,BDM-40, 15-24 VD	0.42kg	
17-106-817-007	ELECTRIC CABLE, 45300-15, SPM INSTRUMENT	0.32kg	
17-107-546-001	CONNECTOR, VIBRATION SENSOR SCREW TYPE, SPM INSTRUMENT INC. ,QTE 7/9/02 P/N 93		
17-107-547-001	SEALING COVER, 81018		
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
17-107-570-002	PIPE, 0.38 SCH 40 X 28.5, UNTHREADED	0.63kg	
00-691-069-003	CLIP, 0.375"-NPT, 3121-3-10, PARKER HANNIFIN, TM: PARKLAMP		
00-615-573-172	SCREW, SELF-THREADING, 8-18 X 0.38, SLOTTED RNDHEAD, ANSI B18.6.4		
17-106-817-005	ELECTRIC CABLE, PVC ASM W/ TNC CONNECTORS, 13FT LG SPM INSTRUMENT P/N 45300-13	0.21kg	
17-107-089-001	HOSE ASSEMBLY, WITH ONE END, 0.38 ID X 6.0 FEET LONG KUNDINGER FLUID POWER INC	0.95kg	
00-711-595-003	T CONNECTION, PIPE, 0.375"-NPTI-ASMEB16.3-CL150-UNPLTD, BANDED	0.11kg	
00-711-497-003	PLUG, 0.375"-NPT-ANSIB16.14-SQ HEAD, SOLID		
00-711-087-035	BUSHING, PIPE, HEX HD, 1.000X0.375"-ASMEB16.14- A126-UNPLTD	0.11kg	
00-711-451-101	PIPE NIPPLE, 0.375" NPTX1.000"-SCH40-ASTMA53-UNPLTD		
00-711-595-008	T CONNECTION, 1.000"-NPTE-ASMEB16.3-ASTMA197-CL150- BLACK	0.42kg	
00-711-451-259	TUBE NIPPLE, 1.000" NPTX3.000"-SCH40-ASTMA53-BLACK	0.21kg	
00-711-087-035	BUSHING, PIPE, HEX HD, 1.000X0.375"-ASMEB16.14- A126-UNPLTD	0.11kg	
00-735-791-033	CONNECTOR, 6-8 FTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK		
17-107-089-002	HOSE ASSEMBLY, WITH ONE END, 0.50 ID X 6.0 FEET LONG KUNDINGER FLUID POWER INC	0.95kg	
00-735-781-037	HOSE COUPLING, 0.375 X .500 SAE (JIC) 37° SWIVEL REUSABLE PARKER-HANNIFIN CORP. PART NO. 2064	0.11kg	
00-735-781-636	HOSE COUPLING, 20642-8-8, PARKER HANNIFIN	0.21kg	
00-735-791-033	CONNECTOR, 6-8 FTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK		
00-735-791-033	CONNECTOR, 6-8 FTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK		
17-107-528-802	LEVEL SENSOR ASSEMBLY, TRANSMITTER, 4-20mA	0.53kg	
17-303-715-401	ASSEMBLY DRAWING, PINIONSHAFT OIL LEVEL TRANSMITTER ASM 65		
17-303-715-501	STANDPIPE, ASM PINIONSHAFT HSG OIL LEVEL 65	21kg	
00-711-369-003	ELBOW, STR, 90DEG-0.375"-NPTI-ASMEB16.3-CL150- UNPLTD, BND	0.21kg	
17-107-528-401	ASSEMBLY DRAWING, LEVEL TRANSMITTER ASM PIX		
17-107-513-209	LEVEL TRANSMITTER, U25164, IFM ELECTRONIC, TM: EFECTOR	0.42kg	
17-107-513-203	ADAPTER, E43013, 1" NPT D16 IFM ELECTRONIC	0.32kg	
17-107-513-310	PROTECTING COVER, E43910, IFM ELECTRONIC, TM: EFECTOR		
17-107-513-305	CONNECTOR, CABLE, CONTROL MONITOR CABLE ASSEMBLY, EVCO08, IFM ELECTRONIC, TM: EFECTOR	0.21kg	
17-104-208-012	SIGHT GLASS, OIL LEVEL	0.32kg	
17-203-328-501	PIPE ASSEMBLY, SIGHT GAUGE, PINIONSHAFT HSG OIL LEVEL	4.2kg	
00-711-141-024	CAP, 3.000"-NPTI-ASMEB16.3-CL150-UNPLTD, BANDED	1.16kg	
00-711-011-024	PIPE COUPLING, 3.000" NPT-SCH40-1000PSI-ASTMA53- UNPLTD	1.68kg	
00-711-103-101	BUSHING, HEX HEAD, 3.00"-NPTE X 1.00"-NPTI-ASTMA105-GR2- UNP, FIG. 600	1.26kg	
00-691-630-316	U-BOLT, 0.375"-16UNC-2BX3.625X4.000X5.250X1.750", U-300SG, 0-Z/GEDNEY	0.21kg	
17-303-672-501	BRACKET, SITE GAUGE, NORTHWOODS MFG., INC., NW QUOTE 2/	11.97kg	
00-711-451-101	PIPE NIPPLE, 0.375" NPTX1.000"-SCH40-ASTMA53-UNPLTD		
00-711-595-003	T CONNECTION, PIPE, 0.375"-NPTI-ASMEB16.3-CL150-UNPLTD, BANDED	0.11kg	
00-711-497-003	PLUG, 0.375"-NPT-ANSIB16.14-SQ HEAD, SOLID		
17-303-715-401	ASSEMBLY DRAWING, PINIONSHAFT OIL LEVEL TRANSMITTER ASM 65		
17-203-328-002	PIPE, TBE 3.00"X14.5"LG, SCH 40	4.3kg	
00-715-351-030	FITTING, BUTTWLD, 3.00-36.00" RUN, 0.375" OUTL, A105-CL3000, BONNEY FORGE, TM: THREDOLET	0.53kg	
00-573-721-221	PIPE, WLD, 3.000X3.500X0.264"-A120-SCH40, PL ENDS, UNPLT		
17-303-672-003	CHANNEL, C3 X 4.1 X 11.0 LONG		
17-303-672-002	CHANNEL, C7 X 9.8 X 25.0 LONG		
17-303-538-002	MAIN SHAFT STEP, MACHINING	100.8kg	
00-711-545-006	PLUG, 0.750"-NPTE-ASMEB16.14-ASTMA105-GR2 C-SUNK SOCKET	0.11kg	
17-107-415-001	DECAL, STEP COMPONENT DECAL		
07-244-104-004	MAIN SHAFT STEP, CASTING, SUPERIOR ITALBRONZE LTDA	135.77kg	
17-203-250-002	BURNING RING, BAR (1.25"X84.8") MACHINING	47.67kg	
60-456-130-024	BAR, ROUND, 1.0"DIA X 2.4"LG, AISI M1015/1020	0.21kg	
00-573-143-211	BAR, ROUND, 1.000"DIA X MISC LG, UNS G10150/G10220 +		
17-301-711-001	HEADNUT, CSTG-OUTER & LUJ 65	165.9kg	
17-201-057-001	DUST SEAL, UPPER DUST SEAL RETAINER, CAST'G	466.73kg	
17-402-270-401	CUSTOMER INSTALLATION DRAWING, HYD SHELL SEPARATOR ASSEMBLY		
17-106-709-001	COLLAR, FOR HYDRAULIC CYLINDER SEPARATOR	4.83kg	
17-106-715-001	CYLINDER, HYDRAULIC, SINGLE ACTING, 50TON CAPACITY, 10,000PSI ENERPAC MODEL NO. RC-504	20.58kg	
17-106-715-002	MANIFOLD, HYDRAULIC 6 PORTS 10,000PSI, 0.375 NPT PORTS, ENERPAC MODEL NO., A-66	0.84kg	
17-106-715-003	PUMP, HAND, 0.375"-NPTE, 10000PSI, 140 CU/IN, P-80 ENERPAC	11.45kg	
17-106-715-004	HIGH-PRESSURE HOSE, 6FT, 10000PSI, 0.38NPTF-MX0.38-M COUPLER, HC-9206, ENERPAC	1.16kg	

17-106-715-005	HIGH-PRESSURE HOSE, 10FT, 10000PSI, 0.38NPTF-MX0.38-M COUPLER, HC-9210, ENERPAC	1.68kg	
17-106-715-006	HIGH-PRESSURE HOSE, 20FT, 10000PSI, 0.38NPTF-MX0.38-M COUPLER, HC9220, ENERPAC	2.94kg	
17-106-716-001	BRACKET, HYDRAULIC MANIFOLD BRKT NORTHWOODS MFG., INC., QTE 4/2/03	1.05kg	
00-611-271-373	SCREW, CAP, HEXAGONAL, 0.250"-20UNC-2AX0.625"-ASMEB18.2.1-GR 2- UNPLTD		
00-651-001-160	WASHER, PLAIN, 0.312"IDX0.750"ODX0.062"-STL-UNPLTD		
1003064464	WASHER, LOCK, HELICAL SPRING, REGU, 0.250"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
00-735-353-009	CLAMP, HOSE SUPPORT, 0.52" OD - 0.59" OD PARKER-HANNIFIN NO. CL-9		
00-611-455-519	SCREW, SELF-THREADING, 0.375X0.750"-ASMEB18.6.4-TYPE B-UNPLTD		
17-106-715-007	HIGH-PRESSURE HOSE, 20FT, 10000PSI, 0.38NPTF-MX0.38NPTF-M, H-9220, ENERPAC	3.15kg	
00-573-139-564	ROUND BAR, STEEL, 7.250"-ASTMA6-UNSG10450/G11440, HOT ROLLED, SPEC Q		
01-101001	PLATE, STEEL, 0.250"-ASTMA6-ASTMA36, HR		
00-573-115-300	ROUND BAR, STEEL, 1.750"-ASTMA6-G10180/190/210/220, HR, SPEC Q		
07-247-888-003	PIPE, 3.00"DIA, X 1.00"LG, SCH40	1.47kg	
07-247-888-005	PLATE, 6.75"DIA X .75"THK	1.47kg	
00-573-721-222	PIPE, WLD, 3.000X3.500X0.216"-A53-SCH40, PL ENDS, UNPLT		
00-573-257-385	PLATE, STEEL, 0.750"-ASTMA6-ASTMA36(UNS K02600), HR		
07-247-850-089	HOSE ASSEMBLY, 1.50 ID X 86 JIC SWIVEL BOTH ENDS PARKER F811-06-06-24-24-24-86.00	4.73kg	
17-203-259-501	BRACKET, SPIDER LUBE HOSE BRACKET ASM NORTHWOODS MFG., INC., NGC2003-064	1.26kg	
00-735-791-096	CONNECTOR, 24 FTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK	1.05kg	
17-203-259-002	FLAT BAR, .38" X 3" X 7"	0.95kg	
00-711-011-012	PIPE COUPLING, 1.500" NPT-SCH40-1000PSI-ASTMA53- UNPLTD	0.32kg	
00-573-011-023	FLAT BAR, STEEL, 0.125X1.000"-ASTMA29-ASTMA575-M1020, HR	0.53kg	
17-107-513-212	LEVEL SWITCH, CAP PROX SW, 20-250VAC/DC, N.O. (PROGRAMMED KI0054)	0.53kg	
17-203-330-001	BRACKET, SPIDER BEARING CAVITY LEVEL SWITCH NORTHWOODS MFG., INC.	0.32kg	
17-107-513-311	CABLE, OIL RESISTANT, IFM EFECTOR E18202	0.53kg	
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
00-711-451-207	TUBE NIPPLE, 0.750" NPTX2.500"-SCH40-ASTMA53-BLACK	0.11kg	
00-711-595-006	T CONNECTION, PIPE, 0.750"-NPTI-ASMEB16.3-CL150-UNPLTD, BANDED	0.32kg	
00-711-087-025	BUSHING, OUTSIDE HEAD, 0.750X0.500"NPT-CL150-ASMEB16.14- ASTMA395-UNPLTD		
00-611-271-722	SCREW, CAP, HEXAGONAL, 1.000"-8UNC-2AX2.000"-ASMEB18.2.1-GR 2- UNPLTD	0.32kg	
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-402-906-401	LEVEL SENSOR ASSEMBLY, SUPER SPIDER BUSH PIX		
17-107-513-312	CABLE END, MALE 3-WIRE CABLE END		
MM0343534	SENSOR, KI0054, IFM ELECTRONIC, TM: EFECTOR	0.11kg	
MM0343904	HEAT SHRINKABLE TUBE, FP-301-1 1/2"-6"-BLACK 3M		
17-107-558-501	PUMP ASSEMBLY, SPIDER LUBE BARREL & HOSES, GS NORTH AMERICA LLC OR EQUIV	30.45kg	
17-107-559-516	HYDRAULIC POWER UNIT, 400V/50HZ IEC		
17-402-888-401	CUSTOMER INSTALLATION DRAWING, SPIDER LUBE SYSTEM OUTLINE		
17-107-531-002	HOSE ASSEMBLY, SUPPLY, BARREL PUMP TO SPIDER ARM 65FT	9.03kg	
17-107-531-006	HOSE ASSEMBLY, HYD POWER UNIT TO BARREL PUMP	1.26kg	
17-107-531-007	HOSE ASSEMBLY, BARREL PUMP TO HYD POWER UNIT	1.89kg	
17-107-560-001	PUMP UNIT, SPIDER BARREL PUMPING UNIT	17.64kg	
17-203-374-401	ASSEMBLY DRAWING, BARREL PUMP AND HOSE PIX		
N02125718	BREATHER, P562584, ABB-10-N DONALDSON, TM: LHA	0.32kg	
N02125314	GAUGE, SNA-127-B-S-0-12 STAUFF	0.32kg	
17-107-603-026	MOTOR, ELECTRIC, 1.5 KW, 1500RPM, 400V/50, 90L FLANGE TEFC IEC, GYRATORY QUALITY PER 17-107-416-402	47.67kg	
N03460987	HUB, TYPE L090, 685144-41463 LOVEJOY	0.32kg	
N03460988	HUB, TYPE L090, 685144-26087 LOVEJOY	0.32kg	
N03460986	COUPLING PART, TYPE L090, 685144-10968 (INSERT SOX OPEN CENTER), LOVEJOY		
N03460990	ADAPTER, PUMP/MOTOR, V1002-130MM-X-4.38 BSF		
17-107-560-002	PUMP, SPIDER LUBE POWER UNIT - BARE	2.1kg	
N02125719	STRAINER, SE. 75112111 PARKER HANNIFIN	0.11kg	
N02125135	GAUGE, PRESSURE, SPG-063-02000-5-S-N04-0 STAUFF	0.21kg	
17-107-641-001	SWITCH, PRESSURE, DPDT PRESET AT 400PSI DEC.	1.16kg	
N02482114	VALVE, PRESSURE RELIEF, RD102S18, CARTRIDGE, SET AT 1500 PSI PARKER	0.32kg	
N02482071	VALVE BODY, B10-2-A8T, PARKER HANNIFIN	0.53kg	
17-107-560-003	FILTER ELEMENT, 10MIC MICROGLASS, GS NORTH AMERICA LLC PARKER FILTE	0.73kg	
N02125881	GAUGE, 12AT-9341-36 PSI PARKER	0.11kg	
1056364060	NAME PLATE, SERIAL&P/N, MADE IN USA W/O CE MARK (ENGLISH TEXT), GS HYDRAULICS, P/N GS02201-002		
17-203-340-401	ASSEMBLY DRAWING, SPIDER LUBE LOCAL/REMOTE ASM ENGLISH		
N05256503	CABINET, ELECTRICAL, A606CHNF HOFFMAN		
1005126617	SWITCH, PUSH BUTTON, 800T-A2D1, ROCKWELL AUTOMATION, TM: ALLEN-B		
1005126675	RUBBER BOOT, 800H-N5H, FOR PUSHBUTTON, BLACK ROCKWELL AUTOMATION, TM: ALLEN-B		
17-107-554-001	IDENTIFICATION PLATE, LEGEND - "RUN"		
N05255827	SWITCH, SELECTOR, 800TC-H17A, ROCKWELL AUTOMATION, TM: ALLEN-B	0.21kg	

1056376662	NAME PLATE, LOCAL, ENGLISH TEXT, ABLE ENGRAVERS, PER NORDBERG DWG		
17-203-339-401	CUSTOMER INSTALLATION DRAWING, SPIDER LUBE LOCAL/REMOTE SWITCH BOX ENGLISH		
17-203-333-401	SPIDER LUBRICATION SYSTEM, MOUNTING AND CLEARANCE/ REMOTE SWITCH		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
17-201-865-002	SPIDER BUSHING, CASTING	598.5kg	
17-302-959-401	COVER INSTALLATION, SPIDER VENT COVER ASM 65		
17-302-956-501	COVER ASSEMBLY, SPIDER VENT	31.39kg	
00-795-265-025	BREATHER, 10935AL, 3.125" DIA X 3.312", 0.75" NPT, PLATED, CRENLO	0.21kg	
00-333-321-024	SEALING COMPOUND, FORM-A-GASKET NO. 2, 80011, 2C, 110Z PERMATEx	0.42kg	
00-611-271-548	SCREW, CAP, HEXAGONAL, 0.500"-13UNC-2AX1.500"-ASMEB18.2.1-GR 2- UNPLTD		
1003064476	WASHER, LOCK, HELICAL SPRING, REGU, 0.500"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
00-711-509-016	PIPE PLUG, SQHD, SOLID, 2.000"-NPT-ASMEB16.14-CS- UNPLTD	0.73kg	
17-302-956-002	PLATE, STEEL, SHEET, 11GA X 32.6" X 32.6" LG	12.92kg	
17-302-956-003	PLATE, STEEL, SHEET, 11GA X 8.63" DIA	0.95kg	
17-302-956-004	PLATE, 0.50 X 35.5 X 35.5"	12.39kg	
17-302-956-005	PIPE, 8.00" X 4.5" LG, SCH 40	5.25kg	
00-711-075-006	HALF COUPLING, PIPE, 3000LB H/P SCD NPT 3/4", 03692208 BLACKWOODS		
17-103-919-001	HANDLE, DOOR PULL, STANLEY MODEL NO. NH 482 SIZE NO. 3 (	12.5kg	
00-711-075-016	HALF COUPLING, PIPE, 2.000"-NPT-ASTMA53-CL150-UNPLTD		
00-573-405-401	SHEETS, 11GAXMISCX MISC, HR CARBON STL, COMM QUAL		
00-573-405-401	SHEETS, 11GAXMISCX MISC, HR CARBON STL, COMM QUAL		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
00-573-731-232	PIPE, SEAMLESS, 8.000X8.625X0.322"-ASTMA53-TYPE S-GR A- SCH40-UNP		
00-573-257-385	PLATE, STEEL, 0.750"-ASTMA6-ASTMA36(UNS K02600), HR		
17-403-025-401	ASSEMBLY DRAWING, DUAL OCS-2500 COOLER SKID WITH DRIP PAN		
17-403-024-501	COOLER ASSEMBLY, OCS-2500 MASTER COOLER SKID DRIP PAN 400V/50 IEC		
17-403-024-502	COOLER ASSEMBLY, OCS-2500 SLAVE COOLER SKID DRIP PAN 400V/50 IEC		
1004501053	GASKET, 3.000", V-7 VELLUMOID		
1002775841	SCREW, CAP, HEXAGONAL, 0.625"-11UNC-2AX3.000"-ASMEB18.2.1-GR 5- UNPLTD	0.21kg	
1003025041	NUT, HEXAGONAL, 0.625"-11UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
1003064482	WASHER, LOCK, HELICAL SPRING, REGU, 0.625"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
1001597270	THREAD FLANGE, REDUCING 3.00" X 2.00", 125PSI, CAST IRON	2.62kg	
17-303-876-508	PIPE ASSEMBLY, CONNECTION, GS P/N M07457-207		
1026950074	PIPE UNION, NH1650X300X0650 EATON, TM: AEROQUIP	4.41kg	
1001598527	FLANGE, 3.000", BLIND, ASTM A181, ASMEB16.5, 150 PSI	5.35kg	
17-107-588-021	COOLER, OIL, OCS-2500D 400V/50HZ, IEC FRAME MOTOR GYRATORY QUALITY	333.38kg	
17-403-024-401	ASSEMBLY DRAWING, OCS-2500 MASTER COOLER SKID WITH DRIP PAN		
17-403-024-801	SUBASSEMBLY, OCS-2500 MASTER COOLER SKID CONSTANTS		
17-107-603-028	MOTOR, ELECTRIC, 11 KW, 1000RPM, 400V/50, 180L IEC IMB3 FOOT MTG, GYRATORY QUALITY PER 17-107-416-402	152.46kg	
MM0206219	COOLER, AIR COOLER W/O MOTOR, OCS2500D, FOR 180L OR 180M, GS HYDRAULICS	771.75kg	
17-403-026-501	COOLER BASE, OCS-2500 WITH DRIP PAN GS P/N M07457-100		
N02123139	VALVE, BALL, F-510-CS-R-66-FS (3") NIBCO	19.74kg	
N02482863	VALVE, PRESSURE RELIEF, ACD10F300AR, PARKER HANNIFIN, TM: FULFLO	4.83kg	
1026950074	PIPE UNION, NH1650X300X0650 EATON, TM: AEROQUIP	4.41kg	
1001860227	FLANGE, SLIP-ON WELDING, 3.000"-CL150- ASMEB16.5-ASTMA181-GR 1	4.3kg	
1001860229	FLANGE, SLIP-ON WELDING, 4.000"-CL150-ASMEB16.5-ASTMA181-GR 1	5.25kg	
1004501053	GASKET, 3.000", V-7 VELLUMOID		
1004501063	GASKET, 4.000", V-9 VELLUMOID		
17-303-876-501	PIPE ASSEMBLY, COOLER OUTLET GS P/N M07457-200		
17-303-876-505	PIPE ASSEMBLY, INLET, MASTER COOLER GS P/N M07457-204		
17-303-876-504	PIPE ASSEMBLY, OUTLET, GS P/N M07457-203		
17-303-876-503	PIPE ASSEMBLY, OUTLET, MASTER COOLER GS P/N M07457-202		
17-303-876-502	PIPE ASSEMBLY, COOLER INLET GS P/N M07457-201		
17-303-876-506	PIPE ASSEMBLY, INLET, GS P/N M07457-205		
17-303-876-507	PIPE ASSEMBLY, COOLER, GS P/N M07457-206		
1019704393	U-BOLT, 0.50-13UNCX5.000"X3.500"X1.500"-ASTMA197- UNPLTD		
1001558643	PLUG, SQUARE HEAD SOLID, 0.500"NPT-ASMEB16.14-ASTMA197- UNPLTD	0.11kg	
1001606980	VALVE, BALL, .50" FNPT, PADLOCKING TYPE, P/N 75-103-02 APOLLO OR EQUIVALENT	0.32kg	
1001540575	ELBOW, FEM STR PIPE, 90DEG, 0.50"NPT, ASMEB16.3	0.11kg	
1001551364	NIPPLE, LONG RH, .5"NPTX1.5", ASTMA53, GR A, BLK WRT STL		
1001598127	FLANGE, 3" NPTF, 150 PSI, ASME B16.5, ASTMA181 GR 1 P/N R17	4.73kg	
1001598129	FLANGE, THD RDUCG, 4" NPT, 150 PSI, ASMEB16.3, P/N R17	11.23kg	
1078020091	PIPE SUPPORT	2.62kg	
1002776101	SCREW, CAP, HEXAGONAL, 0.750"-10UNC-2AX3.500"-ASMEB18.2.1-GR 5- UNPLTD	0.32kg	
1003064488	WASHER, LOCK, HELICAL SPRING, REGU, 0.750"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
1003025051	NUT, HEXAGONAL, 0.750"-10UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
1002775841	SCREW, CAP, HEXAGONAL, 0.625"-11UNC-2AX3.000"-ASMEB18.2.1-GR 5- UNPLTD	0.21kg	
1002775831	SCREW, CAP, HEXAGONAL, 0.625"-11UNC-2AX2.500"-ASMEB18.2.1-GR 5- UNPLTD	0.11kg	
00-611-314-615	SCREW, CAP, HEXAGONAL, 0.625"-11UNC-2AX2.000"-ASMEB18.2.1-GR 5- UNPLTD	0.11kg	
1003062702	SQUARE WASHER, 0.625"-ASMEB18.23.1-TYPE A-MALLEABLE IRON-UNPLTD		

1003064482	WASHER, LOCK, HELICAL SPRING,, REGU, 0.625"-ASMEB18.21.1-SAEJ403-C38-46-		
1003025041	NUT, HEXAGONAL, 0.625"-11UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
1003064476	WASHER, LOCK, HELICAL SPRING,, REGU, 0.500"-ASMEB18.21.1-SAEJ403-C38-46-		
1003025031	NUT, HEXAGONAL, 0.500"-13UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
17-403-024-401	ASSEMBLY DRAWING, OCS-2500 MASTER COOLER SKID WITH DRIP PAN		
1000103105	L SHAPE, L2.000X2.000X0.250"-ASTMA6-ASTMA36, HR		
17-107-588-021	COOLER, OIL, OCS-2500D 400V/50HZ, IEC FRAME MOTOR GYRATORY QUALITY	333.38kg	
17-403-024-402	ASSEMBLY DRAWING, OCS-2500 SLAVE COOLER SKID WITH, DRIP PAN		
17-403-024-802	SUBASSEMBLY, OCS-2500 SLAVE COOLER SKID CONSTANTS		
17-403-026-501	COOLER BASE, OCS-2500 WITH DRIP PAN GS P/N M07457-100		
N02123139	VALVE, BALL, F-510-CS-R-66-FS (3") NIBCO	19.74kg	
1026950074	PIPE UNION, NH1650X300X0650 EATON, TM: AEROQUIP	4.41kg	
1001860227	FLANGE, SLIP-ON WELDING, 3.000"-CL150- ASMEB16.5-ASTMA181-GR 1	4.3kg	
1001860229	FLANGE, SLIP-ON WELDING, 4.000"-CL150-ASMEB16.5-ASTMA181-GR 1	5.25kg	
1004501053	GASKET, 3.000", V-7 VELLUMOID		
1004501063	GASKET, 4.000", V-9 VELLUMOID		
17-303-876-501	PIPE ASSEMBLY, COOLER OUTLET GS P/N M07457-200		
17-303-876-502	PIPE ASSEMBLY, COOLER INLET GS P/N M07457-201		
17-303-876-503	PIPE ASSEMBLY, OUTLET, MASTER COOLER GS P/N M07457-202		
17-303-876-510	PIPE ASSEMBLY, OUTLET, SLAVE COOLER GS, P/N M07458-201		
17-303-876-509	PIPE ASSEMBLY, COOLER, GS P/N M07458-200		
1019704393	U-BOLT, 0.50-13UNCX5.000"X3.500"X1.500", 3043T47 MCMMASTER-CARR		
1001606980	VALVE, BALL, .50" FNPT, PADLOCKING TYPE, P/N 75-103-02 APOLLO OR EQUIVALENT	0.32kg	
1001540575	ELBOW, FEM STR PIPE, 90DEG, 0.50"NPT, ASMEB16.3	0.11kg	
1001551364	NIPPLE, LONG RH, .5"NPTX1.5", ASTMA53, GR A, BLK WRT STL		
1001598127	FLANGE, 3" NPTF, 150 PSI, ASME B16.5, ASTMA181 GR 1 P/N R17, LADISH	4.73kg	
1001598129	FLANGE, THD RDCG, 4" NPT, 150 PSI, ASMEB16.3, P/N R17, LADISH OR EQUIVALENT	11.23kg	
1002775841	SCREW, CAP, HEXAGONAL, 0.625"-11UNC-2AX3.000"-ASMEB18.2.1-GR 5- UNPLTD	0.21kg	
1002775831	SCREW, CAP, HEXAGONAL, 0.625"-11UNC-2AX2.500"-ASMEB18.2.1-GR 5- UNPLTD	0.11kg	
00-611-314-615	SCREW, CAP, HEXAGONAL, 0.625"-11UNC-2AX2.000"-ASMEB18.2.1-GR 5- UNPLTD	0.11kg	
1003062702	SQUARE WASHER, 0.625"-ASMEB18.23.1-TYPE A-MALLEABLE IRON-UNPLTD		
1003064482	WASHER, LOCK, HELICAL SPRING, REGU, 0.625"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
1003025041	NUT, HEXAGONAL, 0.625"-11UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
1078020091	PIPE SUPPORT www.LulanPanda.com	2.62kg	
1003064476	WASHER, LOCK, HELICAL SPRING,, REGU, 0.500"-ASMEB18.21.1-SAEJ403-C38-46-		
1003025031	NUT, HEXAGONAL, 0.500"-13UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
1001558643	PLUG, SQUARE HEAD SOLID, 0.500"NPT-CL300-ASMEB16.14-ASTMA197- UNPLTD	0.11kg	
17-403-024-402	ASSEMBLY DRAWING, OCS-2500 SLAVE COOLER SKID WITH, DRIP PAN		
17-402-933-501	LUBRICATING ASSEMBLY, SUB-ASSY/30GPM SPLIT FLOW W/STD ERECTOR XMITTERS	85.05kg	
17-402-933-401	ASSEMBLY DRAWING, 30 GPM SPLIT FLOW EFECTOR TRANSMITTERS, PIX ONLY		
MM0244220	TRANSMITTER, TEMPERATURE, P/N U25166, IFM EFECTOR INC	0.21kg	
17-107-513-112	SENSOR, TEMPERATURE, TS2051, IMF ELECTRONIC	0.11kg	
1046050032	THERMOWELL, 0.50 -14NPT X 70MM, P/N UT0013 (UT0009 & 700692), EFECTOR	0.11kg	
17-107-513-300	PROTECTION COVER, E30006, IFM ELECTRONIC		
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
17-107-513-110	FITTING, TEMP COMP FITTING EFECTOR E30024	0.11kg	
17-107-513-301	CLAMP FASTENER, E10077, IFM ELECTRONIC	0.11kg	
17-107-513-006	TRANSMITTER, PRESSURE, U25171, IFM ELECTRONIC, TM: EFECTOR	0.32kg	
17-107-513-006	TRANSMITTER, PRESSURE, U25171, IFM ELECTRONIC, TM: EFECTOR	0.32kg	
17-107-513-300	PROTECTION COVER, E30006, IFM ELECTRONIC		
17-107-513-300	PROTECTION COVER, E30006, IFM ELECTRONIC		
17-107-513-305	CONNECTOR, CABLE, CONTROL MONITOR CABLE ASSEMBLY, EVCO08, IFM ELECTRONIC, TM: EFECTOR	0.21kg	
17-107-513-305	CONNECTOR, CABLE, CONTROL MONITOR CABLE ASSEMBLY, EVCO08, IFM ELECTRONIC, TM: EFECTOR	0.21kg	
17-203-370-801	HOSE ASSEMBLY, MICRO HOSE ASM	0.42kg	
17-203-370-801	HOSE ASSEMBLY, MICRO HOSE ASM	0.42kg	
17-402-933-401	ASSEMBLY DRAWING, 30 GPM SPLIT FLOW EFECTOR TRANSMITTERS, PIX ONLY		
17-106-229-035	FLOWMETER, 20 GPM, 4-20mA TRANSDUCER, 1/2" NPT PORTS, NEFF ENGINEERING OF, Q2106540	4.51kg	
17-106-229-047	FLOWMETER, 30 GPM, 4-20mA TRANSMITTER, 1/2" NPT PORTS, NEFF ENGINEERING P/N Q2106540	4.62kg	
17-203-399-502	SEPARATOR, SEDIMENT 1.000 NPTI	1.47kg	
17-203-399-502	SEPARATOR, SEDIMENT 1.000 NPTI	1.47kg	
17-402-931-501	MOUNTING BRACKET, SPLIT FLOW ASM EFECTOR TRANSMITTERS	64.26kg	
00-691-630-155	U-BOLT, 1.50", 0.3125"-18 THREAD, U-150SG O-Z/GEDNEY	0.11kg	
17-402-928-501	FLOW DIVIDER VALVE, 30 GPM SPLIT FLOW ASSEMBLY	22.57kg	
00-711-451-283	PIPE NIPPLE, 1.000" NPTX9.000"-SCH40-ASTMA53-BLACK	0.53kg	
00-711-451-263	PIPE NIPPLE, 1" NPTX4"-SCH40-ASTMA53-UNPLTD	0.32kg	
00-611-271-466	SCREW, CAP, HEXAGONAL, 0.375"-16UNC-2AX1.000"-ASMEB18.2.1-GR 2- UNPLTD		
00-651-001-214	WASHER, PLAIN, 0.375"-ASMEB18.21.1-TYPE A-N-ST-UNPLTD		
1003025021	NUT, HEXAGONAL, 0.375"-16UNC-2B-ASMEB18.2.6-GR A-UNPLTD		

MM0320977	SEPARATOR, SEDIMENT, 1.000" NPTI, 777S/1 WATTS	1.26kg	
MM0320973	SCREEN ELEMENT, REPLACEMENT 1.00-20 MESH, 1077653 WATTS		
00-711-497-006	PIPE PLUG, 0.750"-NPT-ANSI B16.14-SQ HEAD, SOLID	0.11kg	
17-402-928-801	SUBASSEMBLY, SPLIT FLOW MANIFOLD CONSTANTS		
17-402-928-011	RESTRICTION, ORIFICE, 15 GPM, FOR 30 GPM SPLIT FLOW MANIFOLD	0.11kg	
17-402-928-014	ADAPTER FLANGE, INLET 1.50 NPTF ANCHOR W43-32-24-U		
17-402-928-016	ADAPTER FLANGE, OUTLET 1.00 NPTF ANCHOR W43-24-16-U		
17-203-377-001	MANIFOLD, SPLIT FLOW ASSEMBLY 4.50 X 6.00, X 13.25	12.81kg	
17-402-928-006	VALVE, PRESSURE RELIEF, SET 26PSI, PARKER P/N RAH201S10SP	0.63kg	
17-402-928-007	PRESSURE COMPENSATION VALVE, FLOW CONTROL VALVE VICKERS, P/N DPS2-20-F-F-0-10	0.73kg	
17-402-928-008	PLUG, #16 SAE, HOLLOW HEX, GS HYDRAULICS OR EQUIV		
17-402-928-009	PLUG, #6 SAE, HOLLOW HEX, GS HYDRAULICS OR EQUIV		
17-402-928-010	PLUG, #2 SAE, HOLLOW HEX, GS HYDRAULICS OR EQUIV		
17-402-928-023	SEAL KIT, RELIEF VALVE, PARKER SK20-2 NITRILE, CVH201P25		
17-402-928-018	SEAL KIT, DIFF-PRESS VALVE, VICKERS 02-113153 NITRIL, CART DPS2-20		
17-402-928-019	CAP SCREW, SOCKET HEAD 0.500-13UNC x 2.00	0.11kg	
17-402-928-020	O-RING, 2.25 ID X 0.139		
17-402-928-021	CAP SCREW, SOCKET HEAD 0.500-13UNC x 2.00	0.11kg	
17-402-928-022	O-RING, 1.88 ID X 0.139, O-RING #225 OUTLET FLANGE		
17-203-370-401	HOSE ASSEMBLY, 48" LG 1/4 MNPT X #6 SAE M - PRESSURE TRANSMITTER, MICRO HOSE WITH STAUFF TEST PORTS		
17-105-860-007	ELBOW, 90 DEG .250" NPTF, MALE, ZN PLTD DAYCO P/N 5500-4-4		
00-711-356-004	ELBOW ADAPTER, 90°, 6-1/4 AOEG-S PARKER HANNIFIN		
MM0375111	PRESSURE MEASURING HOSE, SMS-20/N1/4-1219MM-B STAUFF	0.53kg	
MM0231116	ADAPTER, SMK 20-1/4NPT-VD STAUFF	0.11kg	
N02416012	ADAPTER, SMD 20-1/4 NPT-P STAUFF	0.53kg	
17-502-276-401	ASSEMBLY DRAWING, CRUSHER SENSOR ENCLOSURE ENGLISH MOUNTING AND CLEARANCE		
MM0226606	CABINET, ELECTRICAL, A-30H24CLP & A30P24 HOFFMAN		
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		
1029300400	WARNING DECAL, HAZARDOUS VOLTAGE... CONTACT (ENGLISH TEXT), GS NORTH AMERICA, P/N M03541-002		
04-093244	BAR, GROUND, PK15GTA, SCHNEIDER ELECTRIC, TM: SQUARE D	0.11kg	
17-502-270-401	INSTALLATION DRAWING, BALANCE CYLINDER PIPING SMART MACHINE 65		
17-202-619-002	BALANCE CYLINDER, AIR/OIL, 8.00 DIA BORE, 20.00 STROKE, 3.00 INLET, JOHNSON HYDRAULICS, INC.	221.55kg	
17-202-786-501	PIPE ASSEMBLY, UPPER	7.14kg	
17-303-714-501	PIPE ASSEMBLY, FLANGE TO MPS CHECK VALVE	50.09kg	
17-202-930-501	PIPE ASSEMBLY, LOWER - MPS COVER TO FLANGE	17.64kg	
17-402-312-501	MPS CHECK VALVE, ASSEMBLY, 3.00 PIPE, 600 PSI	16.8kg	
07-150-070-015	GASKET, 0.06 X 3.50 ID X 5.00 OD APPLETON PACKING & GASKET		
00-719-437-112	FLANGE, SLIP-ON WELDING, 3.000"-ASME B16.5-ASTMA105-CL600- UNPLTD, FCD, DRILLD	1.37kg	
17-105-775-001	FLANGE, 3.00 PIPE, 4 BOLT SQ, SOCKET WELD, O-RING, 3000PSI, MAIN MFG. PRODUCTS	3.89kg	
00-751-531-914	O-RING, AS568-236-3.234X0.139"-NBR70		
17-107-438-001	VALVE, PRESSURE RELIEF, 750PSI, SIMONE ENGINEERING INC	3.46kg	
00-733-371-305	OIL CUP, STYLE CP, 1.00"-11.5-NPT, 01305 GITS BROTHERS MAN.	0.11kg	
00-711-451-251	PIPE NIPPLE, 1.00"NPT X 1.50"-ASTMA53-SCH40-WELDED- UNPLTD	0.11kg	
17-105-786-001	CLAMP, 3.00 PIPE, W/COVER PLATE, STAUFF CORPORATION, P/N 7889-S-PP	1.58kg	
17-302-972-501	SUPPORT BRACKET, BALANCE CYLINDER 65	81.9kg	
17-202-787-001	BRACKET INSTALLATION, UPPER, BALANCE CYLINDER 65	3.99kg	
17-202-787-002	BRACKET INSTALLATION, LOWER, BALANCE CYLINDER 65	3.89kg	
00-633-083-112	NUT, HEXAGONAL, HEAVY, 0.750"-10UNC-3B, 41NU-120 M. LEAN-FOGG, TM: ESNA	0.11kg	
17-202-784-501	BRACKET, PIPE CLAMP BRKT	3.15kg	
00-651-001-412	WASHER, PLAIN, 0.750"-ASME B18.21.1-GR 2- UNPLTD		
00-611-271-657	SCREW, CAP, HEXAGONAL, 0.750"-10UNC-2A X 9.00-ASME B18.2.1-GR 2- UNPLTD	0.21kg	
00-611-271-728	SCREW, CAP, HEXAGONAL, 1.000"-8UNC-2A X 9.00-ASME B18.2.1-GR 2- UNPLTD	0.53kg	
00-615-142-691	SCREW, CAP, HEXAGON SOCKET HEAD 0.875"-9UNRC-3AX2.750"-ASME B18.3-, ASTMA574-UNPLTD	0.32kg	
00-611-271-635	SCREW, CAP, HEXAGONAL, 0.625"-11UNC-2AX7.000"-ASME B18.2.1-GR 2-, UNPLTD	0.32kg	
17-300-396-015	STUD, 0.750-10UNC-2A X 9.00, THREADED 2.00 BOTH ENDS	0.53kg	
1003025041	NUT, HEXAGONAL, 0.625"-11UNC-2B-ASME B18.2.2-GR A-UNPLTD		
00-631-001-112	NUT, HEXAGONAL, 0.750"-10UNC-2B-ASME B18.2.2-GR 2-UNPLTD	0.11kg	
00-631-001-116	NUT, HEXAGONAL, 1.000"-8UNC-2B-ASME B18.2.2-GR 2-UNPLTD	0.11kg	
1003064482	WASHER, LOCK, HELICAL SPRING, REGU, 0.625"-ASME B18.21.1-SAEJ403-C38-46-, UNPLTD		
00-655-009-048	WASHER, LOCK, HELICAL SPRING, REGU, 0.875"-ASME B18.21.1-SAEJ403-C38-46-, UNPLTD		
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASME B18.21.1-SAEJ403-C38-46-, UNPLTD		
17-103-834-009	GAUGE, PRESSURE, DUAL SCALE 0-200 PSI, 4.0 DIA WIKA, P/N 213.40	1.26kg	
00-711-087-913	BUSHING, INSIDE HEAD, 1.250X0.250"NPT-CL150-ASME B16.14-ASTMA197-UNPLTD	0.11kg	
17-107-605-801	AIR BLEED SCREW, BLEEDER AND BUSHING ASM 0.250 GEER HYDRAULICS		

00-711-451-052	PIPE NIPPLE, 0.25" NPTX1.25"-SCH40-ASTMA53-UNPLTD		
00-711-591-002	T CONNECTION, PIPE 0.25" NPT-ASMEB16.4-CLASS 125, BANDED	0.11kg	
17-107-524-003	SWITCH, PRESSURE, 1/4 NPT MALE SPDT, W/DIN 43650A CONNECTOR	0.21kg	
00-711-103-036	PIPE BUSHING, HEX, 1.00"NPTX 0.250"NPT, STEEL CRANE CO	0.11kg	
00-711-451-052	PIPE NIPPLE, 0.25" NPTX1.25"-SCH40-ASTMA53-UNPLTD		
17-107-527-802	TRANSMITTER, PRESSURE, ASSEMBLY, 0 TO 1000 PSI EFECTOR 4-20mA	0.53kg	
17-107-524-006	CONNECTOR CABLE, 0.50 CONDUIT, DIN 43650, FORM A		
17-105-429-801	REPAIRING KIT, BALANCE CYLINDER SEALS 8.00 BORE	0.42kg	
17-102-891-802	REPAIRING KIT, BALANCE CYLINDER PISTON 8.00 BORE ANKER - HOLTH PISTON REPAIR KIT	48.3kg	
17-202-619-007	TIE-ROD KIT, 50.00 IN LONG WITH TWO NUTS, FOR 20.00 STROKE CYL+	3.26kg	
17-202-619-008	TIE-ROD KIT, 48.25 IN LONG WITH TWO NUTS, FOR 20.00 STROKE CYL+	3.26kg	
17-202-619-009	VALVE, AIR 0.12 NPT FOR BALANCE CYLINDERS JOHNSON HYDRAULICS, P/N AC-125		
17-105-775-001	FLANGE, 3.00 PIPE, 4 BOLT SQ, SOCKET WELD, O-RING, 3000PSI, MAIN MFG. PRODUCTS	3.89kg	
50-422-430-085	PIPE, TOE 3.00" X 8.5", SCH80, ASTM A53 WEST ALLIS MACHINE CO.		
17-202-929-002	BEND, PIPE BEND, CHICAGO PIPE BENDING, QTE 102509	26.25kg	
00-719-437-112	FLANGE, SLIP-ON WELDING, 3.000"-ASMEB16.5-ASTMA105-CL600- UNPLTD, FCD, DRLLD	1.37kg	
50-422-433-155	PIPE, CBE 3.00" X 15.5", SCH80, ASTM A53 WEST ALLIS MACHINE CO.	6.2kg	
50-422-434-150	PIPE, COE/TOE 3.00" X 15.0", SCH80, ASTM A53 WEST ALLIS MACHINE CO.	6.2kg	
00-715-113-112	ELBOW, 90D-BTTWLD, 3.000"-ASMEB16.9-ASTMA234- GR WPB-UNPLT	2.94kg	
00-715-183-112	ELBOW ADAPTER, 45°, BWLD, XSTR, 3.000"-ASMEB16.9-ASTMA234- GR WPB-UNPLT	1.58kg	
00-715-351-069	FITTING, BUTTWLD, 3.00-3.50" RUN, 1.00" OUTL, A105- CL3000, BONNEY FORGE, TM: THREDOLET	0.53kg	
00-715-315-224	RING, 3.0" NOM PIPE, WLDNG, XSTRG, GROOVE TYPE, NOT PLTD	0.11kg	
17-106-921-001	CURVED PIPE, FORMED, 3.00" X 65.20" LG, SCH 80	26.67kg	
60-044-100-050	PIPE, 3.00"DIA X 5.0" LG, SCH 80, ASTM A53+	1.89kg	
50-422-432-127	PIPE, COE 3.00" X 12.7", SCH80, ASTM A53		
50-422-433-047	PIPE, CBE 3.00" X 4.7", SCH80, ASTM A53		
50-422-434-060	PIPE, COE/TOE 3.00" X 6.0", SCH80, ASTM A53 WEST ALLIS MACHINE CO.		
17-105-775-002	FLANGE, 4 BOLT SQ COMPANION 3.0" PIPE MAIN MFG. PRODUCTS, INC.	4.3kg	
00-715-113-112	ELBOW, 90D-BTTWLD, 3.000"-ASMEB16.9-ASTMA234- GR WPB-UNPLT	2.94kg	
00-715-183-112	ELBOW ADAPTER, 45°, BWLD, XSTR, 3.000"-ASMEB16.9-ASTMA234- GR WPB-UNPLT	1.58kg	
00-715-315-224	RING, 3.0" NOM PIPE, WLDNG, XSTRG, GROOVE TYPE, NOT PLTD	0.11kg	
17-402-314-501	HOUSING, MPS CHECK VALVE 3.00 PIPE, 600 PSI	15.23kg	
17-201-787-058	O-RING, .094" X 4.75" I.D.		
17-303-011-001	SEAL, MPS CHECK VALVE, 3.00 PIPE, 600 PSI	0.95kg	
17-202-837-001	SPRING, CHECK VALVE 3.00 1500 PSI	0.53kg	
17-202-838-001	VALVE DISC, MPS CHECK 3.00 600 PSI	0.53kg	
17-105-056-402	VALVE, CHECK, PRESSURE TEST-MPS CHK VALVE		
17-402-314-002	PLATE, 3.50" x 8.50" x 8.50"	14.28kg	
17-202-838-001	VALVE DISC, MPS CHECK 3.00 600 PSI	0.53kg	
17-105-056-401	VALVE, CHECK, PRESSURE TEST-MPS CHK VALVE		
00-573-257-701	PLATE, STEEL, 3.500"-ASTMA6-ASTMA36, HR		
00-577-319-485	BAR, ROUND, 4.250"-UNS G41400/G41420, HOT ROLLED, HEAT TREATED		
00-573-257-471	PLATE, 1.250"-ASTMA6-ASTMA36-UNS K02600, HR		
17-302-972-002	PLATE, 0.5 X 14.0 X 58.0"	54.81kg	
68-098-111-193	PLATE, TRIA 12.0" X 20.2" X .38" THK	6.2kg	
68-098-041-073	PLATE, TRIA 5.0" X 8.2" X .37" THK, ASTM A36, UNS K2600	0.95kg	
17-302-972-005	PLATE, 0.38 X 8.5 X 12.0"	5.25kg	
17-302-972-006	CHANNEL BAR, CHANNEL 12.0 X 25.0 X 16.5"	16.17kg	
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
01-101003	PLATE, STEEL, 0.375"-ASTMA6-ASTMA36, HR		
01-101003	PLATE, STEEL, 0.375"-ASTMA6-ASTMA36, HR		
01-101003	PLATE, STEEL, 0.375"-ASTMA6-ASTMA36, HR		
00-573-627-289	CHANNEL, C12X25.0LB/FT-ASTMA6-ASTMA36-UNS K02600, HOT ROLLED		
00-573-257-385	PLATE, STEEL, 0.750"-ASTMA6-ASTMA36-UNS K02600, HR		
00-573-257-385	PLATE, STEEL, 0.750"-ASTMA6-ASTMA36-UNS K02600, HR		
17-202-784-002	ANGLE, 5" X 5" X .38" X 7"	2.84kg	
68-098-016-031	PLATE, TRIA .38" X 2.5" X 4.0", ASTM A36 UNS K02600	0.53kg	
00-573-605-530	L SHAPE, L5.000X3.500X0.375"-ASTMA6-ASTMA36, HR		
01-101003	PLATE, STEEL, 0.375"-ASTMA6-ASTMA36, HR		
00-771-521-102	VALVE, BLEEDER, 0.125"-NPT, 0832140000 PARKER HANNIFIN		
00-711-087-009	BUSHING, PIPE, HEX HD, 0.250X0.125"-ASMEB16.14- A197-BLACK		
17-107-527-401	ASSEMBLY DRAWING, PRESSURE TRANSMITTER EFECTOR IFM EFECTOR INC.		
17-107-513-008	TRANSMITTER, PRESSURE, 0-1000 PSI, 4-20mA SIGNAL IFM EFECTOR, P/N U25168	0.32kg	
17-107-513-300	PROTECTION COVER, E30006, IFM ELECTRONIC		
17-107-513-305	CONNECTOR, CABLE, CONTROL MONITOR CABLE ASSEMBLY, EVCO08, IFM ELECTRONIC, TM: EFECTOR	0.21kg	
17-203-324-401	ASSEMBLY DRAWING, OVERPRESSURE DUST BLOWER SMART SYSTEM PIX	42.84kg	
17-107-488-003	AIR INLET, BLOWER ELBOW WITH FILTER SEMLER INDUSTRIES INC.	8.72kg	
17-107-488-004	REDUCTION ADAPTER, AIR BLOWER OUTLET 5.0 X 1.0 NPT MALE SEMLER INDUSTRIES INC., QUOTE 64171	1.68kg	

17-107-488-010	SWITCH, PRESSURE,VACUUM, PLUGGED FILTER,SEMLER INDUSTRIES INC.,QUOTE 64221	2.52kg	
17-107-488-012	HOSE ASSEMBLY,VACUUM SWITCH TO BLOWER FILTER SEMLER INDUSTRIES INC.,QUOTE 64221	0.11kg	
00-611-271-382	SCREW, CAP, HEXAGONAL,0.250"-20UNC-2AX1.500"-ASMEB18.2.1-GR 2- UNPLTD		
1003025011	NUT, HEXAGONAL,0.250"-20UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
00-651-001-125	WASHER, PLAIN,0.250"IDX0.812"ODX0.062"-STL-UNPLTD		
1003064464	WASHER, LOCK, HELICAL SPRING, REGU,0.250"-ASMEB18.21.1-SAEJ403-C38-46-,UNPLTD		
17-107-493-027	BLOWER,400V/50HZ, IEC FRAME MOTOR	29.51kg	
17-107-488-002	FILTER ELEMENT,AIR BLOWER,SEMLER INDUSTRIES INC. 852516 MIC	0.73kg	
17-107-603-027	MOTOR, ELECTRIC,1.1 KW, 3000RPM, 400V/50, 80B IMB3 TEFC IEC GYRATORY QUALITY PER 17-107-416-402	38.12kg	
17-107-493-016	HOUSING,BLOWER W/BASE, 6 INLET & 5 OUTLET CINCINNATI FAN P/N PB10A4 MODEL PB-	8.19kg	
17-107-493-012	WHEEL,BLOWER 50HZ 2850RPM	2.84kg	
00-611-271-736	SCREW, CAP, HEXAGONAL,1.000"-8UNC-2AX5.500"-ASMEB18.2.1-GR 2- UNPLTD	0.63kg	
00-631-001-116	NUT, HEXAGONAL,1.000"-8UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
00-691-525-095	EYE BOLT,0.375"-16UNC-2AX1.250"-ASMEB18.15-T1- A489-UNPLTD	0.11kg	
00-691-531-184	EYE BOLT,0.500"-13UNC-2AX1.500"-ASMEB18.15-T2- A489-UNPLTD	0.21kg	
00-691-531-302	EYE BOLT,0.750"-10UNC-2AX2.000"-ASMEB18.15-T2- A489-UNPLTD	0.53kg	
00-691-531-412	EYE BOLT,1.000"-8UNC-2AX3.000"-ASMEB18.15-T2-A489- UNPLTD	1.16kg	
00-691-531-517	EYE BOLT,1.250"-7UNC-2AX3.000"-ASMEB18.15-T2-A489- UNPLTD	2.31kg	
17-106-407-009	WRENCH, SOCKET,0.750" HEX KEY, 0.750" DRIVE, LAW124A SNAP-ON TOOLS CORPORATION	0.84kg	
17-106-407-010	WRENCH, SOCKET,0.625 HEX HEAD KEY, 0.750 DRIVE SNAP-ON TOOLS CORPORATION	0.63kg	
65-936-009-010	HEXAGONAL KEY,DIN911-6		
17-106-407-008	WRENCH,HEX HEAD, 1.000X5.625", IMA323 SNAP-ON TOOLS CORPORATION	1.47kg	
00-935-147-250	WRENCH, SOCKET,6PT, IMPACT, 3.125", 1.500" DRIVE, SIM1005 SNAP-ON TOOLS CORPORATION	5.99kg	
17-103-757-005	WRENCH, HIT BOX,4.625", DX1148A,SNAP-ON TOOLS CORPORATION	17.96kg	
17-103-757-006	WRENCH, HIT BOX,2.750", DX188A,SNAP-ON TOOLS CORPORATION	6.72kg	
17-103-757-013	WRENCH, HIT BOX,1.875", DX160A,SNAP-ON TOOLS CORPORATION	1.89kg	
17-103-757-017	WRENCH, HIT BOX,2.625", DX184A,SNAP-ON TOOLS CORPORATION	5.35kg	
00-673-247-160	PLIERS, SNAP RING,0700-12,WALDES TRUARC	0.21kg	
00-673-247-150	PLIERS, SNAP RING,1000-12,WALDES KOHINOOR	0.42kg	
00-673-247-087	PLIERS, SNAP RING,1200-17,WALDES TRUARC	0.53kg	
07-144-803-501	WRENCH,SPANNER WRENCH	1.26kg	
07-247-368-501	STOP PLATE,MPS PISTON, 65	7.67kg	
17-105-881-512	GUIDING ROD,ASSEMBLY, 1.750-5UNC X 70.50	21.95kg	
17-105-881-504	GUIDING ROD,ASSEMBLY, 1.000-8UNC X 32.00	3.68kg	
17-201-978-001	WEDGE,SHELL SPLITTING,RENCO MACHINE CO. INC.	1.47kg	
17-202-513-801	GUIDING ROD,ASSEMBLY MAINSHAFT STEP	8.09kg	
00-691-531-242	EYE BOLT,0.625"-11UNC-2AX1.750"-ASMEB18.15-T2- A489-UNPLTD	0.32kg	
17-107-059-001	WRENCH, OPEN END,12 PC SET, 0.250" - 1.625", P/N 4403,SEARS CRAFTSMAN, SEE DWG. 17-107-05	6.3kg	
17-103-757-011	WRENCH, HIT BOX,3.750", DX1120A,SNAP-ON TOOLS CORPORATION	11.97kg	
17-107-059-002	WRENCH,2-PC ADJUSTABLE WRENCH SET, 8" & 12", 9-44651,CRAFTSMAN	1.05kg	
17-107-059-003	HEXAGONAL KEY,WRENCH SET 15PC 5/64 THRU 3/4 ENDRIES INTERNATIONAL	2.84kg	
07-149-510-002	CHARGING AND GAUGING ASSEMBLY,GREER HYD MODEL ACG P/N A-768-212-3	1.47kg	
07-144-803-001	WRENCH,PINSHAFT SPACER SPANNER WRENCH NORTHWOODS MFG, INC,QTE 4/18/03	0.95kg	
00-671-115-445	DOWEL,0.375X1.000"-ASMEB18.8.2-CS-UNPLTD		
1000159100	PLATE, STEEL,0.500"-ASTMA6-ASTMA36, HR		
07-247-368-003	PLATE,0.5" X 7.8" X 17.5"LG	8.09kg	
07-247-368-004	FLAT BAR,1" X 1" X 8"	1.05kg	
01-101004	PLATE, STEEL,0.500"-ASTMA6-ASTMA36, HR		
00-573-055-210	SQUARE BAR,1.000"-ASTMA29-ASTMA575-M1020, HR A101A575-M1020, HR		
17-202-370-014	THREADED ROD,1.75"-5 UNC X 32.0"LG	22.89kg	
00-651-001-683	WASHER, PLAIN,1.750"-ASMEB18.21.1-TYPE A-W-ST-UNPLTD	0.21kg	
1003001101	NUT, HEXAGONAL, HEAVY,1.750"-5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	0.95kg	
60-054-660-035	PIPE,2.00"DIA X 36"LG, SCH40, ASTM A120+		
17-202-369-401	ROD ASSEMBLY,LOWERING ROD ASM PIX		
00-619-401-960	STUD,1.750"-5UNC-2A X MISC, CONT THD, PER IFI +		
00-573-721-218	PIPE,WLD, 2.000X2.375X0.154"-A53-SCH40, PL ENDS, UNPLT		
17-202-370-004	THREADED ROD,1.00"-8 UNC X 32.0"LG	2.94kg	
04-001358	WASHER, PLAIN,1.000"-ASMEB18.21.1-TYPE A-W-ST-UNPLTD	0.11kg	
00-631-001-116	NUT, HEXAGONAL,1.000"-8UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
60-054-640-035	PIPE,1.25"DIA X 3.5"LG, SCH40, ASTM A120+ RUSSEL METALS,QTE 02033441	0.32kg	
17-202-369-401	ROD ASSEMBLY,LOWERING ROD ASM PIX		
00-573-721-212	PIPE,WLD, 1.250X1.660X0.140"-A120-SCH40-PLA ENDS-UNPLTD		
17-202-370-007	THREADED ROD,.750"-10 UNC-2A X 24.0"LG WEST ALLIS MACHINE CO.,QTE 4/29/03	1.47kg	
17-106-093-501	BAR,MAINSHAFT STEP LOWERING BAR ASM NORTHWOODS MFG., INC.,QTE 4/2/03	6.72kg	
00-631-001-112	NUT, HEXAGONAL,0.750"-10UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
00-631-141-112	NUT, JAM, HEXAGONAL,0.750"-10UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
00-651-001-412	WASHER, PLAIN,0.750"-ASMEB18.21.1-TYPE A-W-ST-UNPLTD		
00-619-401-918	STUD,0.750"-10UNC-ASME B18.31.2-AISIC1015/22- UNPLTD	0.11kg	

17-106-093-002	FLAT BAR, 2" X 2" X 12"	6.3kg	
60-340-220-016	SQUARE BAR, 0.25" X 0.25" X 1.6" LG, AISI M1015/1020+		
00-573-055-340	SQUARE BAR, 2.000"-ASTMA6-AISIM1015/20, HR, MBQ		
00-573-055-032	SQUARE BAR, 0.250"-ASTMA6-AISIM1015/20, HR, MBQ		
N05228038	PROXIMITY SWITCH, BI10-G30-YOX TURCK	0.21kg	
N05228037	ROTATION DETECTOR, MS25-UI/24VDC TURCK	0.32kg	
1093100648	PLC ASSEMBLY, TC1000-C AUTOMATION SYSTEM	129.57kg	
1093100649	ELECTRICAL DIAGRAM, TC1000-C AUTOMATION SYSTEM		
1093100049	COMPUTER, DELL, TC1000-C AUTOMATION SYSTEM	21kg	
1031407504	AUTOMATION PROGRAM, HMI SOFTWARE (RS VIEW RUNTIME) WITH 1500 TAGS	0.21kg	
MM0212277	CABINET, ELECTRICAL, FOR TC1000-C AUTOMATION	117.6kg	
MM0246118	CONTROL UNIT INSTALLATION, 1756-A13, (CONTROLLOGIX RACK 13 SLOTS) ROCKWELL AUTOMATION, TM: ALLEN-B	1.99kg	
N02495166	POWER SUPPLY, 1756-PA72/C, ROCKWELL AUTOMATION, TM: ALLEN-B	1.16kg	
N02495164	CONTROL CARD, 1756-5555 (55M12), ROCKWELL AUTOMATION, TM: ALLEN-B		
MM0246114	INPUT MODULE, 1756-1B16 (CONTROLLOGIX 16INPUTS 24VDC) ROCKWELL AUTOMATION, TM: ALLEN-B	0.21kg	
N02495168	CONTROL CARD, 1756-OW16I (ISOLATED CONTACT MODULE) ROCKWELL AUTOMATION, TM: ALLEN-B	0.53kg	
N02495169	INPUT MODULE, 1756-1A16I, ROCKWELL AUTOMATION, TM: ALLEN-B	5.46kg	
N02495170	CONTROL CARD, 1756-1F16, ROCKWELL AUTOMATION, TM: ALLEN-B	0.21kg	
N02495171	CONTROL CARD, 1756-OF4, ROCKWELL AUTOMATION, TM: ALLEN-B	0.42kg	
N02495175	CONTROL CARD, 1756-N2, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
1093100650	PLC, PROGRAM		
1031409033	POWER SUPPLY, SDP1-24-100T, 31W, 24VDC SOLA/HEVI-DUTY	0.21kg	
N02495178	ELECTRIC SWITCH, P/N 9300-RADES, ROCKWELL AUTOMATION, TM: ALLEN-B	0.63kg	
N02495172	ETHERNET MODULE, 1756-ENBT, ROCKWELL AUTOMATION, TM: ALLEN-B	20.06kg	
17-502-132-501	BOTTOMSHELL, ASSEMBLY, FLARED MK-II 65	27053.15kg	
17-501-859-501	TOPSHELL, 4265, OR LOWER 5065	25985.4kg	
17-502-172-501	TOPSHELL, UPPER, ASSEMBLY	13097.49kg	
17-502-170-501	SPIDER, SUPER, LUJ MK-II 5065	22789.62kg	
17-202-644-402	ASSEMBLY INSTRUCTION, FIT & CHECK INSTRUCTIONS (G/A)		
17-502-132-003	BOTTOMSHELL, MACHINING 65	26713.15kg	
17-200-308-501	BOTTOMSHELL HUB LINER, UPPER 65	49.35kg	
17-200-307-501	BOTTOMSHELL HUB LINER, UPPER RIGHT HAND 65	71.4kg	
17-200-306-501	BOTTOMSHELL HUB LINER, UPPER LEFT HAND 65	65.73kg	
17-100-832-001	BOTTOMSHELL HUB LINER, LOWER CENTER 65	42kg	
17-100-831-001	BOTTOMSHELL HUB LINER, LOWER 65	63kg	
17-100-831-001	BOTTOMSHELL HUB LINER, LOWER 65	63kg	
00-711-075-002	HALF COUPLING, PIPE, 0.250"-NPTI-ASTMA53-CL150-UNPLTD		
00-711-497-002	PLUG, SQUARE HEAD SOLID, 0.250"-NPTE-ASMEB16.14-A126-CL150-BLACK		
00-711-497-004	PLUG, SQUARE HEAD SOLID, 0.500"NPT-CL250-ASMEB16.14-ASTMA126-CL A-ZNPLTD	0.11kg	
00-711-545-006	PLUG, 0.750"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET	0.11kg	
17-106-713-001	BLOCK, PINION ADJUSTING		
17-500-217-001	BOTTOMSHELL, CASTING, FLARED	28719.18kg	
17-200-306-002	PLATE, 1.00 X 18.25 X 44.50	65.73kg	
26-151-197-013	LUG, LIFTING, 660# CAPACITY	0.11kg	
00-577-163-401	PLATE, STEEL, 1.000"-AR360		
01-101003	PLATE, STEEL, 0.375"-ASTMA6-ASTMA36, HR		
00-573-055-340	SQUARE BAR, 2.000"-ASTMA6-AISIM1015/20, HR, MBQ		
17-500-258-001	TOPSHELL, CASTING 65	32148.38kg	
60-197-330-020	BAR, 0.25" X 1.00" X 2.0" LG, AISI M1015/1020		
17-107-419-001	IDENTIFICATION PLATE, TOPSHELL, POSITION TAG	1.37kg	
00-573-011-150	FLAT BAR, STEEL, 0.250X1.000"-ASTMA575-M1020, HR		
17-502-172-002	TOPSHELL, UPPER, MACHINING		
60-197-330-020	BAR, 0.25" X 1.00" X 2.0" LG, AISI M1015/1020		
17-502-172-003	TOPSHELL, CASTING	14288.19kg	
17-502-170-002	MACHINING, SPIDER, SUPER LUJ MK-II 5065	22784.9kg	
50-419-030-140	PIPE, TOE 1.00" X 14.0", SCH40, ASTM A53		
00-711-011-012	PIPE COUPLING, 1.500" NPT-SCH40-1000PSI-ASTMA53- UNPLTD	0.32kg	
17-502-170-003	SPIDER CASTING	23456.37kg	
17-303-533-501	MAINSHAFT, SLEEVE & DOWEL ASSY, 5065 SUPERIOR	20781.18kg	
17-402-740-501	MAIN SHAFT, WITH PERMANENT EYEBOLT ASM	20263.01kg	
17-301-737-001	MAIN SHAFT SLEEVE, THREADED 65	462kg	
00-671-117-703	DOWEL PIN, 1.25X3.0"-ASME B18.8.2-60-62RH-SPEC SIZE	0.53kg	
17-201-036-001	SUPPORT RING, SPLASH CURTAIN, NORTHWOODS MFG., INC., NGC-2002-060	14.28kg	
17-201-860-001	MAIN SHAFT SLEEVE CLAMP RING, 65	36.65kg	
00-651-016-926	WASHER, HARDENED, CIRCULAR, 1.500"-ASMEB18.2.6-TYPE 1-C38-45-UNPLTD	0.11kg	
00-615-142-835	SCREW, CAP, HEXAGON SOCKET HEAD, 1.500"-6UNRC-2AX3.500"-ASMEB18.3-	1.37kg	
00-337-271-092	BEARING LUBRICATION	0.63kg	
17-402-740-002	MAIN SHAFT	20227.31kg	
68-034-016-031	PLATE, RECT 2.5" X 4.0" X 1.00" THK, ASTM A36, UNS K2600	1.47kg	
17-301-638-001	MAIN SHAFT EYE BOLT, 65, 30-70, 24-60	32.87kg	
07-146-448-401	INSTRUCTION, WORK OPERATIONS, COLD ROLLING PROCEDURE		
07-146-448-402	INSTRUCTION, WORK OPERATIONS, COLD ROLLING PRECEDURE		
01-101007	PLATE, STEEL, 1.000"-ASTMA6-ASTMA36, HR		

17-105-022-003	ROUND BAR, STEEL, 6.50-ASTMA6-AISI4340, HEAT TREATED		
17-301-738-001	SLEEVE, MAINSHAFT SLV THRD RGH MACHINING	559.65kg	
01-101009	PLATE, STEEL, 1.500"-ASTMA6-ASTMA36, HR		
07-349-665-001	NARROW ARM LINER,BOTTOMSHELL 65	182.91kg	
17-200-630-001	PINION SHAFT ARM LINER,LEFT HAND 65	154.77kg	
17-200-629-001	PINION SHAFT ARM LINER,RIGHT HAND 65	156.45kg	
17-502-262-004	MANTLE,PARTIALLY CORRUGATED 1 PC 5065 XT520	7843.5kg	1691mm * 1691mm * 2799mm
17-402-738-001	SPIDER RIM LINER,5065 SPIDER RIM LINER	547.68kg	
17-502-173-001	SPIDER ARM SHIELD,5065	2833.85kg	
07-244-052-001	SPIDER CAP,65	1423.8kg	
17-402-412-001	CONCAVE SEGMENT, LOWER,5.50 OSS X 1.50 THROW 65, XT610,WT. PER SOROCABA 12/4/12 MEASURE	168kg	
17-402-412-002	KEY, CONCAVE SEGMENT, LOWER,5.50 OSS X 1.50 THROW 65	166.74kg	
07-544-837-007	CONCAVE SEGMENT, 2ND TIER,LOWER MIDDLE, XT610	111.93kg	
07-544-837-008	KEY, CONCAVE SEGMENT, 2ND TIER,XT610, SG4265	99.12kg	
17-401-129-003	CONCAVE SEGMENT, 3RD TIER,MANGANESE 65	88.1kg	
17-401-129-004	KEY, CONCAVE SEGMENT, 3RD TIER,MANGANESE 65	73.81kg	
17-401-129-005	CONCAVE SEGMENT, 4TH TIER,MANGANESE 5065 ONLY	95.24kg	
17-401-129-006	KEY, CONCAVE SEGMENT, 4TH TIER,MANGANESE 5065	90.51kg	
17-402-748-001	CONCAVE SEGMENT, 5TH TIER,MANGANESE 5065	152.46kg	
17-402-748-002	KEY, CONCAVE SEGM, 5TH TIER,MANGANESE 5065	142.91kg	
1000861507	CAST STEEL,AUSTENITIC MANGANESE STEEL, HEAT TREATED, XT520,PER 30APR14 STANDARD	1.05kg	
17-103-679-003	SEAL,WITHOUT FILLER GARLOCK	1.37kg	
17-103-705-001	SPIDER BUSHING SEAL,22.000X24.008X1.250", 526338 SDS1 S/B SKF, TM: CHICAGO RAWHIDE	3.78kg	
17-105-973-001	FILTER ELEMENT,SYNTHETIC MEDIA W/ RUBBER LIP,PER FLEETGUARD INC. OR NELSON	2.94kg	
17-105-429-801	REPAIRING KIT,BALL AND CYLINDER SEALS 8.00 BORE	0.42kg	
17-107-490-003	FILTER ELEMENT,SPIN-ON TYPE, 10 MICRON	0.73kg	
17-107-488-002	FILTER ELEMENT,AIR BLOWER,SEMLER INDUSTRIES INC. 852516 MIC	0.73kg	