

As a trusted Chinese manufacturer and sourcing partner, LulanPanda delivers high-quality industrial equipment and components at highly competitive prices. With over two decades of expertise in producing cone crushers and spare parts, we have established robust partnerships with certified factories across China, ensuring both precision engineering and cost efficiency for global clients.

Core Offerings

- Cone Crushers & Spare Parts: Specialized manufacturing since 2003, offering OEM-compliant solutions.
- Extended Product Range: Drill bits, electric lifts, and diverse industrial machinery components.
- Custom Sourcing: Leverage our nationwide supplier network to procure any Made-in-China product tailored to your specifications.

Why Partner With Us?

- ✓ Quality Assurance: Rigorous ISO-compliant production standards.
- ✓ Cost Advantage: Factory-direct pricing with no intermediaries.
- ✓ End-to-End Service: From product development to logistics support.

Let's Collaborate

Whether you require standard equipment or customized industrial solutions, our team is committed to optimizing your supply chain. Contact us today to discover how we can add value to your operations.

Metso 60X110 Gyratory Crusher parts list

Part Number	Description	Weight	Packing
S60110103-601	SHIPMENT ASSEMBLY, MILWAUKEE SUPPLIED SHIP LIST, S/N S60110103 PHELPS DODGE MORENCI	73410.75kg	
S60110103-901	SHIPMENT ASSEMBLY, SHELLS AND MAINSHAFT SHIP DIRECT LIST S/N S60110103 PHELPS DODGE MORENCI	450678.9kg	
S60110103-902	SHIPMENT ASSEMBLY, WEARS SHIP DIRECT LIST, S/N S60110103 PHELPS DODGE MORENCI	91373.1kg	
S60110103-903	SHIPMENT ASSEMBLY, CONTRACT DRIVE MOTOR SHIP DIRECT LIST, S/N S60110103 PHELPS DODGE MORENCI		
S60110103-599	SHIPMENT ASSEMBLY, 90GPM LUBE AND MPS SYSTEM 460V/60HZ, AIR COOLED, S/N S60110103 PHELPS DODGE MORENCI		
17-501-704-402	CROSS-SECTIONAL DRAWING, SECTIONAL ELEVATION SINGLE DRIVE FILLER BLKS60110, SPIDER W/ FILLER BLOCKS		
17-402-468-401	ASSEMBLY DRAWING, LOWER SECTION ASM, TWO PIECE BOTTOMSHELL, 60-110		
60-454-510-600	BAR, ROUND, 2.25"DIA X 60.00"LG, UNS G10180-G10220	33.6kg	
60-454-510-600	BAR, ROUND, 2.25"DIA X 60.00"LG, UNS G10180-G10220	33.6kg	
68-063-019-041	PLATE, RECT 3.00" X 2.8" X 5.0", ASTM A36 UNS K02600	5.78kg	
68-053-011-051	PLATE, RECT 2.00" X 2.00" X 6.0", ASTM A36 UNS K02600	3.26kg	
07-149-858-001	LUG, ARM LINER HOLDING	4.09kg	
17-203-016-501	BOLT ASSEMBLY, 3.000-4UNC-2A X 22.88 LONG	28.35kg	
1003001131	NUT, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	4.73kg	
00-631-161-148	NUT, JAM, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	2.62kg	
17-303-663-801	IDENTIFICATION PLATE ASSEMBLY, NAME PLATE & WARNING SIGNS		
17-302-034-001	BOTTOMSHELL BUSHING, 60-109/110E, 1000830668 / ACM 3032 BRONZE	1705.2kg	
07-248-837-001	BOTTOMSHELL BUSHING KEY, 60-110, WEST ALLIS MACHINE CO.	12.39kg	
00-671-171-523	PIN, SPRING, 0.500X3.000"-ASMEB18.8.2-ST 1-AISI1070/1095- UNPLTD	0.11kg	
00-711-509-008	PLUG, SQHD, 1.000"-NPTE-ASMEB16.14-CS-UNPLTD	0.21kg	
17-402-970-401	INSTALLATION DRAWING, BOTTOMSHELL SIDE LINER BOLT THRU DESIGN 60-110		
17-403-021-801	BOTTOMSHELL SIDE LINER, ASSEMBLY BOLT THRU DESIGN 60-110	7334.46kg	
17-402-478-501	DUST COLLAR, STANDARD UPPER COUNTERWEIGHT, 60- 110	2151.45kg	
07-351-997-015	STUD, 1.000-8UNC-3A X 4.50	0.53kg	
00-631-001-116	NUT, HEXAGONAL, 1.000"-8UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
00-671-171-523	PIN, SPRING, 0.500X3.000"-ASMEB18.8.2-ST 1-AISI1070/1095- UNPLTD	0.11kg	
17-303-224-501	SPLASH RING, STANDARD UPPER COUNTERWEIGHT, 60- 110	207.9kg	
00-615-085-615	SCREW, CAP, HEXAGON SOCKET, FLAT, COUNTERSUNK H, 0.625"-11UNRC-	0.11kg	
17-300-944-002	GASKET, DUST COLLAR, 2 PIECE 60110, 2 HALVES	0.53kg	
07-351-997-025	STUD, 1.250-7UNC-3A X 6.62 PITTSBURGH WELDING	1.05kg	
00-631-001-120	NUT, HEXAGONAL, 1.250"-7UNC-2B, ASMEB18.2.2, SAE GR 2, NOT PLATED	0.21kg	
1003064512	WASHER, LOCK, HELICAL SPRING, REGU, 1.250"-ASMEB18.21.1-SAEJ403-C38-46-	0.11kg	
00-631-141-120	NUT, JAM, HEXAGONAL, 1.250"-7UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.21kg	
07-248-934-501	BOLT ASSEMBLY, JOINT STUD	62.37kg	
1003001151	NUT, HEXAGONAL, HEAVY, 4.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	9.97kg	
1003004151	NUT, JAM, HEXAGONAL, HEAVY, 4.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	6.2kg	
17-202-783-502	AIR INLET, OVERPRESSURE DUST SYSTEM	2.62kg	

17-303-217-401	CUSTOMER INSTALLATION DRAWING,ECCENTRIC ASSEMBLY, STANDARD UPPER CWT 110		
17-403-177-505	ECCENTRIC ASSEMBLY, 2.00" THROW STANDARD UPPER CWT. 60110	17229.45kg	
07-346-871-001	WEAR RING,ECCENTRIC, 60-110	259.35kg	1780mm * 1780mm * 161mm
07-346-860-002	ECCENTRIC SUPPORT PLATE,60110	1671.29kg	
00-615-142-784	SCREW, CAP, HEXAGON SOCKET HEAD 1.250"-7UNRC-2AX3.000"-ASMEB18.3-,ASTMA574-UNPLTD	0.73kg	
1003064512	WASHER, LOCK, HELICAL SPRING, REGU,1.250"-ASMEB18.21.1-SAEJ403-C38-46-,UNPLTD	0.11kg	
17-201-787-041	O-RING,.250" X 90.00" I.D.	0.42kg	
17-402-466-401	CUSTOMER INSTALLATION DRAWING,MPS CYLINDER FAB CYLINDER ASSEMBLY 60-110		
17-303-884-501	MPS CYLINDER ASSEMBLY,WITH SHIPPING COVER, WITH PROBE 60110	20828.85kg	
17-300-396-003	STUD,3.000-4UNC-2A X 14.75, THREADED 3.00 AND 6.13	13.97kg	
1003001131	NUT, HEXAGONAL, HEAVY,3.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	4.73kg	
00-631-161-148	NUT, JAM, HEXAGONAL, HEAVY,3.000"-4UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	2.62kg	
17-201-787-041	O-RING,.250" X 90.00" I.D.	0.42kg	
17-107-040-510	CABLE,TC1000-M	7.77kg	
17-203-329-801	LEVEL SENSOR ASSEMBLY,UNDER CRUSHER BIN 110/220VAC ASM	66.67kg	
17-403-007-501	TC1000-M,MPS LOCAL CONTROL PANEL 110/220V, ENGLISH	32.87kg	
17-303-841-401	ASSEMBLY DRAWING,PINIONSHAFT HOUSING ASSEMBLY, 60-110		
17-303-841-501	PINION SHAFT ASSEMBLY,60110 S/B 17-403-274-501 WITH ENPRO SEAL P.E.	3076.5kg	
17-202-743-502	COVER PLATE,PINIONSHAFT HOUSING OPENING 60-110	142.91kg	
1003064512	WASHER, LOCK, HELICAL SPRING, REGU,1.250"-ASMEB18.21.1-SAEJ403-C38-46-,UNPLTD	0.11kg	
00-611-271-780	SCREW, CAP, HEXAGONAL,1.250"-7UNC-2AX2.000"-ASMEB18.2.1-GR 2- UNPLTD	0.63kg	
00-711-497-004	PLUG, SQUARE HEAD SOLID,0.500"NPT-CL250-ASMEB16.14-ASTMA126-CL A-ZNPLTD	0.11kg	
00-611-273-714	SCREW, CAP, HEXAGONAL,0.875"-9UNC-2AX9.000"-ASMEB18.2.1-GR 2- FT-UNPLTD	0.73kg	
00-631-001-114	NUT, HEXAGONAL,0.875"-9UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
17-103-823-001	PINION SHAFT GASKET,HOUSING 2 PIECE, 0.06 THK X 28 I.D. X 44 O.D.+	0.73kg	
17-203-019-003	GASKET,0.016 THK PINIONSHAFT HOUSING 60-110 APPLETON PACKING & GASKET	0.32kg	
17-203-019-002	GASKET,0.030 THK PINIONSHAFT HOUSING 60-110	0.95kg	
17-203-019-001	GASKET,0.060 THK PINIONSHAFT HOUSING 60-110		
17-402-988-402	CUSTOMER INSTALLATION DRAWING,PINIONSHAFT BEARING SENSOR ROSEMOUNT DISPLAY 60110		
17-402-988-804	BEARING, RTD, PINION END,PINIONSHAFT ROSEMOUNT WITH DISPLAY		
17-402-988-805	BEARING, RTD, DRIVE END,PINIONSHAFT ROSEMOUNT WITH DISPLAY		
17-402-988-803	VIBRATION SENSOR,PINIONSHAFT BEARINGS		
17-303-832-801	TRANSMITTER ASSEMBLY,PINIONSHAFT HOUSING OIL LEVEL		
00-617-245-795	SET SCREW,1.250"-7UNC-2AX6.500"-ASMEB18.6.2-SQ HEAD-UNPLTD	1.16kg	
17-402-465-401	ASSEMBLY DRAWING,MAINSHAFT ASSEMBLY 60-110		
00-331-751-401	ANTIFRICTION COATING,MOLD RELEASE 225, 1LB RAM CHEMICALS	0.53kg	
00-333-351-001	ANTIFRICTION COATING,ANTI-SEIZE COMPOUND, 1-LB BOSTIK CHEMICAL, P/N NS-160	0.63kg	
17-303-541-501	MAIN SHAFT STEP,WITH WEAR INDICATOR SG60110 ITALBRONZE LTDA	364.35kg	
07-248-906-001	BOLT, HEXAGONAL,1.00" X 2.50"LG.,MACH BOLT	0.42kg	
00-573-801-345	WIRE, STEEL,GA 16 SW (0.0625"D) X MISC, ROUND, UNS NO. G10080,XXXX		
07-248-909-001	PLUG,MAINSHAFT STEP RETAINER	39.06kg	
1095059940	BACKING COMPOUND,Wf ULTRA PERFORMANCE, 22LB, P/N 241- 22PM,COPPS INDUSTRIES	11.55kg	
17-303-213-001	HEADNUT,MACHINING 60-110	773.85kg	
17-402-464-017	BAR, ROUND,2.25" DIA X 2.2" LG	1.16kg	
17-202-238-001	DUST SEAL RING,1 PIECE, 60-110,WILLSUP INC.,QTE 10/1/03	119.6kg	
07-249-039-501	RETAINING RING,LOWER DUST SEAL, 60-110	731.85kg	
00-615-142-784	SCREW, CAP, HEXAGON SOCKET HEAD 1.250"-7UNRC-2AX3.000"-ASMEB18.3-,ASTMA574-UNPLTD	0.73kg	
1003064512	WASHER, LOCK, HELICAL SPRING, REGU,1.250"-ASMEB18.21.1-SAEJ403-C38-46-,UNPLTD	0.11kg	
17-302-758-001	SPLASH CURTAIN,60-110	10.08kg	
17-201-095-001	SPLASH CURTAIN CLAMP,60-110	0.95kg	
00-611-271-548	SCREW, CAP, HEXAGONAL,0.500"-13UNC-2AX1.500"-ASMEB18.2.1-GR 2- UNPLTD		
00-633-083-108	NUT, HEXAGONAL, HEAVY,.500"-13UNJC-3B, ELASTIC STOP, ACP 5/16" X 1/2" GRACE CORP, ESNA DIVISION, TYPE N		
17-402-417-801	HYDRAULIC SHELL SEPARATOR,ASSEMBLY, 60-110		
60-454-540-750	BAR, ROUND,2.75"DIA X 75.00"LG, UNS G10180-G10220	61.01kg	
60-454-540-750	BAR, ROUND,2.75"DIA X 75.00"LG, UNS G10180-G10220	61.01kg	
00-611-483-558	BOLT, SQUARE HEAD,1.250"-7UNC-2AX19.000"-ASMEB18.2.1-GR 2- FT-UNPLTD	3.57kg	
00-631-001-120	NUT, HEXAGONAL,1.250"-7UNC-2B, ASMEB18.2.2, SAE GR 2, NOT PLATED	0.21kg	
00-651-001-581	WASHER, PLAIN,1.250"-ASMEB18.21.1-TYPE A-W-ST-UNPLTD	0.11kg	
00-631-141-120	NUT, JAM, HEXAGONAL,1.250"-7UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.21kg	
07-829-924-001	SPRING,COMPRESSION, 3.00" X 5.31"	2.42kg	
07-248-874-503	BOLT, SQUARE HEAD,ASSEMBLY 2.50-4UNC-2A X 43.0 LONG	31.92kg	
1003001121	NUT, HEXAGONAL, HEAVY,2.500"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	1.58kg	
07-125-202-001	SPRING,COMPRESSION, 5.375 DIA X 16.25 LONG	44.31kg	
07-248-374-501	SPRING RETAINER,ASSEMBLY	24.26kg	
00-671-191-459	PIN, COTTER, EXTENDED PRONG,0.375X3.500"-ASMEB18.8.1-ST-UNPLTD	0.11kg	

07-248-421-002	SUPPORT RING, ARM SHIELD SPRING RETAINER 60110 NORTHWOODS MFG., INC., NGC-2002-059	7.67kg	
17-107-531-002	HOSE ASSEMBLY, SUPPLY, BARREL PUMP TO SPIDER ARM 65FT	9.03kg	
07-347-630-803	HOSE ASSEMBLY, LUBE SUPPLY, INTERNAL SPIDER ARM		
17-303-677-801	OIL LEVEL INDICATOR, SPIDER BEARING CAVITY		
00-711-497-006	PIPE PLUG, 0.750"-NPT-ANSI B16.14-SQ HEAD, SOLID	0.11kg	
00-611-271-609	SCREW, CAP, HEXAGONAL, 0.625"-11UNC-2AX1.250"-ASME B18.2.1-GR 2- UNPLTD		
1003064482	WASHER, LOCK, HELICAL SPRING, REGU, 0.625"-ASME B18.21.1-SAE J403-C38-46-, UNPLTD		
17-107-599-803	SPIDER LUBRICATION SYSTEM, 460V/60HZ NEMA		
17-203-340-501	SWITCH BOX, SPIDER LUBE LOCAL/REMOTE ASM ENGLISH	2.52kg	
17-300-396-019	STUD, 4.000-4 UNC-2A X 22.00, THREADED 4.00 AND 9	35.7kg	
1003001151	NUT, HEXAGONAL, HEAVY, 4.000"-4UNC-2B-ASME B18.2.2-GR A-UNPLTD	9.97kg	
1003004151	NUT, JAM, HEXAGONAL, HEAVY, 4.000"-4UNC-2B-ASME B18.2.2-GR A-UNPLTD	6.2kg	
17-202-069-502	JOINT BOLT, 4.000-4 UNC-2B X 36.50"	68.15kg	
1003001151	NUT, HEXAGONAL, HEAVY, 4.000"-4UNC-2B-ASME B18.2.2-GR A-UNPLTD	9.97kg	
1003004151	NUT, JAM, HEXAGONAL, HEAVY, 4.000"-4UNC-2B-ASME B18.2.2-GR A-UNPLTD	6.2kg	
60-345-280-640	SQUARE BAR, 0.75" X 0.75" X 64.0" LG, UNS G10180	5.04kg	
17-202-069-501	JOINT BOLT, 4.000-4 UNC-2B X 32.00"	61.95kg	
1003001151	NUT, HEXAGONAL, HEAVY, 4.000"-4UNC-2B-ASME B18.2.2-GR A-UNPLTD	9.97kg	
1003004151	NUT, JAM, HEXAGONAL, HEAVY, 4.000"-4UNC-2B-ASME B18.2.2-GR A-UNPLTD	6.2kg	
17-502-176-401	ASSEMBLY DRAWING, SPIDER ASSEMBLY 60-110		
17-303-225-001	SPIDER BUSHING, S/B 17-303-969-801, ALL THROW 60110	1849.37kg	
00-615-142-736	SCREW, CAP, HEXAGON SOCKET HEAD, 1.000"-8UNRC-3AX5.500"-ASME B18.3-	0.73kg	
00-651-016-988	WASHER, HARDENED, CIRCULAR, 1.000"-ASME B18.2.6-TYPE 1-C38-45-UNPLTD		
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASME B18.21.1-SAE J403-C38-46-		
17-103-705-009	SPIDER BUSHING SEAL, S/B 17-107-676-004 DIA., 37.5" SHAFT X 39.5" BORE	4.3kg	
17-103-949-018	SPIDER SEAL SCRAPER, 60-110 SUPERIOR	1.47kg	
17-303-229-801	SPIDER VENT COVER, ASSEMBLY 60110	101.01kg	
07-249-240-001	SUPPORT RING, CONCAVE 60110	75.7kg	
1095059940	BACKING COMPOUND, WF ULTRA PERFORMANCE, 22LB, P/N 241- 22PM	11.55kg	
17-105-973-001	FILTER ELEMENT, SYNTHETIC MEDIA W/ RUBBER WASHER FLEETGUARD INC. OR NELSON DIV NELS	2.94kg	
17-107-588-008	COOLER, OIL, OCS-3100D 460V/60HZ, NEMA FRAME MOTOR, GYRATORY QUALITY	838.22kg	
17-107-588-008	COOLER, OIL, OCS-3100D 460V/60HZ, NEMA FRAME MOTOR, GYRATORY QUALITY	838.22kg	
17-107-585-801	COOLER EQUIPMENT, RELIEF & ADAPTERS OCS2000 THRU OCS3100	23.84kg	
17-402-979-802	FLOWMETER, STATION 90 GPM, ROSEMOUNT WITH DISPLAY		
17-303-880-503	DISTRIBUTION PANEL, CRUSHER SENSOR MORENCI S60110103		
17-402-981-802	PIPE ASSEMBLY, BALANCE CYLINDER PIPING ROSEMOUNT 60110	1452.67kg	
17-303-659-501	BLOWER, OVERPRESSURE SMART ASM, 460V/60 NEMA		
17-105-703-803	TOOL LIST, 60110		
1093100029	ROTATION SPEED MONITOR, ASSEMBLY	5.67kg	
17-106-258-005	FLOATING SHAFT ASSEMBLY, DIRECT DRIVE 1160T50, 73.5 BSD, 6.250 BORE		
17-403-028-501	DRIVE GUARD, FLOATING SHAFT 1160T50 73.50 BSD 60110		
1004821528	PAINT, BEIGE, 1 QT CAN, PER SPEC 11004821512 + DOLAN PAINT CO.	1.26kg	
17-103-798-401	SPECIFICATION, PAINT SPEC-FINISH (METSO BEIGE)		
17-105-819-401	SPECIFICATION, GEN PACK & STORAGE SPEC PIECE PARTS/ASM		
17-105-859-401	SPECIFICATION, PREP FOR STORAGE OR SHIPMENT SUP ASM		
17-105-884-401	SPECIFICATION, SPECIAL PACKING & PRESERV SPEC		
17-107-337-401	INSTRUCTION, SUPERIOR CRUSHER STD SHIP MODE		
17-303-878-501	IDENTIFICATION PLATE ASSEMBLY, SSTEEL TAGGING ASM S60110103 METSO SUPPLIED		
17-502-316-403	CUSTOMER INSTALLATION DRAWING, 90 GPM LUBE INSTALLATION AIR COOLED ROSEMOUNT		
17-502-317-504	LUBRICATION AND MPS SYSTEM, 90 GPM, 460V/60HZ NEMA, ROSEMOUNT WITH DISPLAY		
17-502-319-803	STICKERS, 90 GPM LUBE DECAL ASM ENGLISH, ROSEMOUNT		
17-107-587-030	WIRING, 90 GPM LUBE SKID, ENGLISH, ROSEMOUNT		
17-106-980-401	INSTRUCTIONS, SHIPPING, LUBE SYSTEM		
17-103-798-401	SPECIFICATION, PAINT SPEC-FINISH (METSO BEIGE)		
17-105-819-401	SPECIFICATION, GEN PACK & STORAGE SPEC PIECE PARTS/ASM		
17-105-859-401	SPECIFICATION, PREP FOR STORAGE OR SHIPMENT SUP ASM		
17-105-884-401	SPECIFICATION, SPECIAL PACKING & PRESERV SPEC		
17-107-337-401	INSTRUCTION, SUPERIOR CRUSHER STD SHIP MODE		
17-303-880-501	DISTRIBUTION PANEL, LUBE SENSOR MORENCI S60110103		
17-303-880-502	DISTRIBUTION PANEL, LUBE 3 PHASE MORENCI S60110103		
17-303-879-501	IDENTIFICATION PLATE ASSEMBLY, SSTEEL TAGGING ASM S60110103 GS SUPPLIED		
17-502-317-402	ASSEMBLY DRAWING, 90 GPM LUBE AND MPS SYSTEM ROSEMOUNT PIX 60110		
17-502-317-802	SUBASSEMBLY, 90 GPM LUBE SYSTEM CONSTANTS ROSEMOUNT W/ DISPLAY		
17-107-414-003	PUMP ASSEMBLY, LUBE 40 GPM 460V/60 NEMA	221.87kg	
17-107-414-006	PUMP ASSEMBLY, LUBE 50 GPM 460V/60 NEMA	223.34kg	
17-402-993-801	SUBASSEMBLY, MPS SYSTEM CONSTANTS S60110		
17-107-492-033	MPS PUMPING UNIT, 460V/60HZ NEMA HI-FLO	96.6kg	
17-106-833-002	IMMERSSION HEATER, 460V 2KW FOR THERMOWELL	4.73kg	
17-502-317-402	ASSEMBLY DRAWING, 90 GPM LUBE AND MPS SYSTEM ROSEMOUNT PIX 60110		

17-403-031-501	TANK WELDING,LUBE AND MPS, ROSEMOUNT TRANSMITTERS MOD 60110	63.31kg	
17-107-528-801	LEVEL SENSOR ASSEMBLY,TRANSMITTER, 4-20mA	0.53kg	
17-303-857-501	COVER ASSEMBLY,LUBE TANK INSPECTION	24.26kg	
17-104-208-007	SIGHT GLASS,LIQUID LEVEL FLUSH MOUNT, 36.0 IN BETWEEN CENTERS	0.73kg	
17-106-478-001	LATCH,CAM LATCH,ARNOLD ASSOCIATED, RAMSEY PRO-LIN	0.21kg	
00-795-265-015	BREATHER, FILLER,PBS-40-5-N12, P563368 DONALDSON, TM: LHA	0.32kg	
17-201-812-002	OIL STRAINER,RETURN SIEVE	3.04kg	
17-107-526-808	TRANSMITTER, TEMPERATURE,ASM, ROSEMOUNT WITH DISPLAY HART COMM 15002F		
17-107-429-022	TRANSMITTER, PRESSURE,ROSEMOUNT 3051S HART -14.7-150PSI, 4-20MA, 1/2" NPT, 1/2" DISPLAY	2.62kg	
17-105-901-003	VALVE, BALL,2 351T,METSO AUTOMATION, TITAN JAMESBURY	2.42kg	
17-107-525-804	POSITION SYSTEM,VALVE, DUAL PROXIMITY SWITCH ASM		
17-202-537-002	FILTER, OIL,CANISTER AND DUAL FILTER ASM	52.4kg	
17-106-148-001	BRACKET INSTALLATION,FILTER ASM NELSON, P/N 52733	2.1kg	
17-202-850-501	MOUNTING PLATE,LUBE OIL FILTER MOUNTING	1.89kg	
00-773-117-016	VALVE, CHECK,2.00"-NPT, CL125, FIGURE 37 CRANE CO	2.42kg	
N02482872	COVER ASSEMBLY,136799	3.15kg	
N02482873	GASKET,V-6702 VESCOR	0.11kg	
17-203-391-501	HOSE ASSEMBLY,MICRO 0.50 NPTM X 0.25 NPT - PRESSURE TRANSMITTER	2.84kg	
17-107-539-002	LUBRICATION HOSE ASSEMBLY,2.00 MED PRESSURE		
00-735-781-066	HOSE ADAPTER,2.000"-11.5X2.000-11.5X2.800", 0107-32-32 PARKER HANNIFIN		
17-107-406-006	COUPLING,QUICK JOINT 2.00" #7404300	1.78kg	
50-422-090-060	PIPE,TOE 2.00" X 6.0", SCH40, ASTM A53	0.95kg	
50-422-090-438	PIPE,TOE 2.00" X 43.8", SCH40, ASTM A53		
00-711-699-016	PIPE UNION,OCT ENDS, GRND JOINT, 2.0"-NPTI-A197- CL150, 463,ANVIL INTERNATIONAL	1.26kg	
00-711-595-016	T CONNECTION,2.000"-NPTE-ASMEB16.3-ASTMA197-CL150- BLACK	1.47kg	
00-711-595-008	T CONNECTION,1.000"-NPTE-ASMEB16.3-ASTMA197-CL150- BLACK	0.42kg	
00-711-563-032	PIPE PLUG,BAR OR SLTD, 4.000"-NPTE-ASMEB16.14- A126-SOLID,BLK	6.2kg	
00-711-497-016	PLUG, SQUARE HEAD SOLID,2.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.63kg	
00-711-497-006	PIPE PLUG,0.750"-NPT-ANSI B16.14-SQ HEAD, SOLID	0.11kg	
00-711-497-002	PLUG, SQUARE HEAD SOLID,0.250"-NPTE-ASMEB16.14-A126-CL150-BLACK		
50-422-091-095	PIPE,TBE 2.00" X 9.5", SCH40, ASTM A53		
00-711-451-417	PIPE NIPPLE,2.000X5.000"-ASTMA53-SCH40-UNPLTD, WELDED		
50-422-091-032	PIPE,TBE 2.00" X 3.2", SCH40, ASTM A53		
00-711-451-409	PIPE NIPPLE,2" NPTX3"-SCH40-ASTMA53-UNPLTD		
00-711-451-401	PIPE NIPPLE,2" NPTX2"-SCH40-ASTMA53-UNPLTD		
00-711-451-263	PIPE NIPPLE,1" NPTX4"-SCH40-ASTMA53-UNPLTD	0.32kg	
00-711-451-255	PIPE NIPPLE,1.000" NPTX2.000"-SCH40-ASTMA53-BLACK	0.11kg	
00-711-369-016	PIPE ELBOW,2.00"-NPT-ASMEB16.3-STRT-90DEG-CL150- UNPLTD-BANDED		
00-711-315-016	ELBOW,90DEG-2.000"-NPTI-ASMEB16.3-CL150- UNPLTD, BANDED		
00-711-141-020	CAP,PIPE 2.50 NPT, CLASS 150 BLACK, BANDED, ASMEB16.3	0.53kg	
00-711-087-101	BUSHING,PIPE, HEX HD, 3.000X1.000"-ASMEB16.14- A126-BLACK	0.11kg	
00-711-087-071	BUSHING,PIPE, HEX HD, 2.000X0.250"-ASMEB16.14- A126-BLACK		
00-711-087-033	BUSHING,1.000X0.750"NPT-CL150-ASMEB16.14- ASTMA197-BLACK	0.11kg	
00-711-011-020	COUPLING,2.500"-NPTIX3.125"-SCH40-ASTMA53-BLACK		
00-711-011-008	PIPE COUPLING,1.000" NPTX2.000"-SCH40-ASTMA53-BLACK	0.21kg	
17-107-535-001	NUMBER PLATE,PART NUMBER PLATE 18AWGX2"X5"		
00-615-613-149	SCREW, DRIVE, ROUND HEAD,#7X0.380"-ASME18.6.4-TYPE U-ST-BRASS PLTD		
00-611-271-570	SCREW, CAP, HEXAGONAL,0.500"-13UNC-2AX5.500"-ASMEB18.2.1-GR 2- UNPLTD	0.21kg	
04-024946	NUT, HEXAGONAL,0.500"-13UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
00-651-001-300	WASHER, PLAIN,0.500"-ASMEB18.21.1-TYPE A-W-ST-UNPLTD	0.11kg	
1003064476	WASHER, LOCK, HELICAL SPRING, REGU,0.500"-ASMEB18.21.1-SAEJ403-C38-46-,UNPLTD		
1003025021	NUT, HEXAGONAL,0.375"-16UNC-2B-ASMEB18.2.6-GR A-UNPLTD		
00-651-001-229	WASHER, PLAIN,0.438"IDX1.000"ODX0.078"-ASME B18.22.1 TY A-UNPLTD		
1003064470	WASHER, LOCK, HELICAL SPRING, ,REGU,0.375"-ASMEB18.21.1-SAEJ403-C38-46-		
17-105-887-401	SPECIFICATION,LUBE SKID PREP FOR STORAGE OR SHIPMENT		
17-106-913-401	INSTRUCTION,MPS TEST PROCEDURE FOR CONTROL VALVE		
17-301-771-401	INSTRUCTION,LUBE SYSTEM FLUSH & TEST PROCEDURE INSTR'S.		
17-107-528-401	ASSEMBLY DRAWING,LEVEL TRANSMITTER ASM PIX		
17-107-513-210	LEVEL TRANSDUCER,S/B 17-107-528-803	0.53kg	
17-107-513-203	ADAPTER,E43013, 1" NPT D16 IFM ELECTRONIC	0.32kg	
17-107-513-310	PROTECTING COVER,E43910,IFM ELECTRONIC, TM: EFECTOR		
17-107-513-305	CONNECTOR, CABLE,CONTROL MONITOR CABLE ASSEMBLY, EVC008	0.21kg	
17-303-857-002	PLATE,0.19"THK X 29.56"LG X 29.56"WIDTH, ASTM A36 INFO	20.48kg	
17-303-857-003	ANGLE,1.0"LEGX1.0"LEGX .125"THK X 23.5"LG, ASTM A36 INFO	0.95kg	
60-197-370-020	BAR,0.25" X 2.00" X 2.0" LG, AISI M1015/1020	0.11kg	
17-103-919-001	HANDLE,DOOR PULL,STANLEY MODEL NO. NH 482 SIZE NO. 3 (	12.5kg	
17-303-857-006	STRIP, RUBBER,.38" THK X 1.50" WIDTH X 26.5" LG, ASTM D1056 INFO		
17-303-857-007	STRIP, RUBBER,.38" THK X 1.50" WIDTH X 23.5" LG, ASTM D1056 INFO		
00-573-257-011	PLATE, STEEL,0.1875"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-605-061	L SHAPE,L1.000X1.000X0.125"-ASTMA6-ASTMA36, HR		
00-573-011-188	FLAT BAR, STEEL,0.250X2.000"-ASTMA29-ASTMA575-M1020, HR		

00-437-098-304	PLATE, SPONGE RUBBER, 0.375"-ASTMD1056-TYPE R-RO-12	0.53kg	
00-437-098-304	PLATE, SPONGE RUBBER, 0.375"-ASTMD1056-TYPE R-RO-12	0.53kg	
17-107-526-403	ASSEMBLY DRAWING, TEMPERATURE TRANSMITTER REMOTE ROSEMOUNT		
17-203-356-503	TRANSMITTER ASSEMBLY, TEMPERATURE, ROSEMOUNT W/ DISPLAY HART & ADAPTER, HART COMMUNICATION, -40 TO 302F	3.26kg	
17-107-513-112	SENSOR, TEMPERATURE, TS2051, IMF ELECTRONICS	0.11kg	
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR	0.11kg	
1046050032	THERMOWELL, 0.50 -14NPT X 70MM, P/N UT0013 (UT0009 & 700692), EFECTOR	0.11kg	
17-203-356-003	ADAPTER, PLUG ADAPTER		
17-107-429-020	TRANSMITTER, TEMPERATURE, ROSEMOUNT 3144P HART -40 TO 302F, LED, DISPLAY	3.26kg	
17-403-130-402	ASSEMBLY DRAWING, VALVE POSITION, DUAL PROXIMITY SWITCH ASM		
N05228053	PROXIMITY SWITCH, 871TM-BH8N18-N3, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
17-107-523-001	BRACKET, PROXIMITY SWITCH BRACKET NORTHWOODS MFG., INC.	0.21kg	
17-107-555-001	VISUAL MARKER, PROXIMITY FLAG	0.11kg	
00-691-632-009	U-BOLT, CLAMP, 0.312"-18 UNC-2A X 2.420"ID, 13 GAUGE +	0.21kg	
MM0330242	DISTRIBUTION BOX, 8RKF30-5M, 8 PORT TURCK	2.73kg	
MM0330234	CABLE, RSM RKM 30-1M TURCK	2.31kg	
MM0330236	CABLE, RSM RKM 30-2M TURCK	4.62kg	
17-202-850-002	PLATE, 0.25 X 9.0 X 6.0"	1.78kg	
00-619-531-093	STUD, WELDING, CFL 3/8-16 X 1 MS, 101010113 NELSON STUD WELDING		
01-101001	PLATE, STEEL, 0.250"-ASTMA6-ASTMA36, HR		
MM0375017	MEASURING HOSE, SMS-20 - 3048MM-B STAUFF	0.53kg	
MM0231116	ADAPTER, SMK 20-1/4NPT-VD STAUFF	0.11kg	
00-711-447-102	ELBOW, 1/4 CD-S, PARKER HANNIFIN	0.11kg	
00-711-103-018	BUSHING, HEX HEAD, 0.50"-NPT X 0.25"-NPTI-ASTMA105-GR2- UNP, FIG. 600, LADISH CO		
N02416012	ADAPTER, SMD 20-1/4 NPT-P STAUFF	0.53kg	
1001551328	NIPPLE, LONG RH, .25"NPTX1.5", ASTMA53, GR A, BLK WRT STL		
00-573-731-216	PIPE, SEAMLESS, 2.000X2.375X0.154"-ASTMA53-TYPE S-GR A- SCH40-UNP		
00-573-731-216	PIPE, SEAMLESS, 2.000X2.375X0.154"-ASTMA53-TYPE S-GR A- SCH40-UNP		
17-107-414-001	PUMP, LUBE, BARE W/O SKID	52.4kg	
17-107-602-014	MOTOR, ELECTRIC, 7.50HP, 1800RPM, 213T, TEFC, 460V/60, NEMA GYRATORY QUALITY PER 17-107-416-401	86.1kg	
1059640276	REDUCER, B SIZE, 5.06:1 , 3-551-004-506 VIKING	16.17kg	
17-103-753-009	COUPLING, PUMP TO REDUCER, L150 1.125 x 1.125 BORE VIKING PUMP-IDEX CORP.	2.42kg	
17-103-753-010	COUPLING, REDUCER TO MOTOR (W/7.5 HP-1800 RPM MOTOR), VIKING PUMP-IDEX CORP.	2.42kg	
17-203-343-001	NUT, LOCK, 2-507-005-375-00, VIKING	0.11kg	
17-203-343-002	WASHER, LOCK, 2-807-018-375-00, VIKING		
17-203-343-003	END CAP, 2-140-035-722-00, VIKING	0.11kg	
17-203-343-004	SEAL, 2-283-014-378, VIKING		
17-203-343-005	SPACER, BRG - COLLAR (OUTER) - LUBE PUMP	0.11kg	
17-203-343-006	BALL BEARING, 2-055-021-375-00, VIKING	0.53kg	
17-203-343-007	SPACER, BRG COLLAR - (INNER) - LUBE PUMP		
17-203-343-008	RING, HALF ROUND - LUBE PUMP		
17-203-343-009	END CAP, 2-140-034-722-00, VIKING	0.11kg	
17-203-343-010	SEAL, LIP - LUBE PUMP VIKING P/N 2-283-023-378		
17-203-343-011	PLUG, 2-544-003-376, VIKING		
17-203-343-012	GREASE FITTING, STRAIGHT - LUBE PUMP	0.11kg	
17-203-343-013	BRACKET, AND BUSHING - LUBE PUMP	18.06kg	
17-203-343-014	CAP SCREW, 0.4375"-16UNCX1.125", 2-150-047-255-00 VIKING		
17-203-343-015	BUSHING, 2-116-006-880, VIKING	0.11kg	
17-203-343-016	SEAL, MECHANICAL - TEFLON VIKING P/N 2-477-003-999	0.32kg	
17-203-343-017	GASKET, 2-313-003-806-15, VIKING		
17-203-343-018	CASING, LUBE PUMP CASING, P/N 2-214-809-100 VIKING PUMP-IDEX CORP	9.24kg	
17-203-343-019	PLUG, 2-542-004-376-00, VIKING		
17-203-343-020	ROTOR, AND SHAFT - LUBE PUMP	8.09kg	
17-203-343-021	IDLER, AND BUSHING - LUBE PUMP	2.1kg	
17-203-343-022	BUSHING, 2-108-015-880-04, VIKING		
17-203-343-023	GASKET, HEAD, VIKING PUMP-IDEX CORP P/N 2-311-003-8		
17-203-343-024	PIN, LUBE PUMP IDLER PIN, P/N 2-435-012-291 VIKING PUMP-IDEX CORP	0.42kg	
17-203-343-025	HEAD, WITH LUBE IDLER PIN	5.78kg	
17-203-343-028	CAP SCREW, 0.437 UNC X 0.88 - LUBE PUMP		
17-203-343-029	GASKET, PUMP RELIEF VALVE - LUBE PUMP VIKING PUMP-IDEX CORP P/N 2-307-008-8		
17-203-343-030	CAP SCREW, 0.313 UNC X 0.62, LUBE PUMP PART, P/N 2150- 019-255, VIKING PART P/N FOR VIKING PUMP KK4		
17-203-343-031	VALVE, PRESSURE RELIEF, 3-795-506-00-XX VIKING	4.94kg	
17-203-343-401	ASSEMBLY DRAWING, PARTS LIST, KK4125 VIKING LUBE PUMP		
17-107-414-001	PUMP, LUBE, BARE W/O SKID	52.4kg	
17-107-602-014	MOTOR, ELECTRIC, 7.50HP, 1800RPM, 213T, TEFC, 460V/60, NEMA GYRATORY QUALITY PER 17-107-416-401	86.1kg	
17-103-753-007	REDUCER, SIZE B, 4.19 TO 1 RATIO FOR K124R PUMP UNIT, VIKING PUMP	23.84kg	
17-103-753-009	COUPLING, PUMP TO REDUCER, L150 1.125 x 1.125 BORE VIKING PUMP-IDEX CORP.	2.42kg	

17-103-753-010	COUPLING, REDUCER TO MOTOR (W/7.5 HP-1800 RPM MOTOR), VIKING PUMP-IDEX CORP.	2.42kg	
17-402-993-401	ASSEMBLY DRAWING, MPS SYSTEM ASM 60110	59.54kg	
17-107-529-802	LEVEL SENSOR ASSEMBLY, N.O. SWITCH AND ACCESSORIES	0.42kg	
00-611-271-472	SCREW, CAP, HEXAGONAL, 0.375"-16UNC-2AX1.750"-ASMEB18.2.1-GR 2- UNPLTD		
1003064470	WASHER, LOCK, HELICAL SPRING, REGU, 0.375"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
00-651-001-214	WASHER, PLAIN, 0.375"-ASMEB18.21.1-TYPE A-N-ST-UNPLTD		
1003025021	NUT, HEXAGONAL, 0.375"-16UNC-2B-ASMEB18.2.6-GR A-UNPLTD		
17-107-540-005	HOSE ASSEMBLY, MPS - TANK TO CONTROL VALVE		
17-105-901-001	VALVE, BALL, 1 351T, METSO AUTOMATION, TM: JAMESBURY	0.95kg	
17-107-540-006	HOSE ASSEMBLY, MPS - VALVE PORT A TO PUMP	3.04kg	
17-107-540-007	HOSE ASSEMBLY, MPS - VALVE PORT B TO PUMP		
17-107-541-003	HOSE ASSEMBLY, MPS - VALVE TO FILTER		
17-107-541-002	HOSE ASSEMBLY, MPS - FILTER TO TANK	0.95kg	
17-107-542-003	HOSE ASSEMBLY, MPS - CASE DRAIN	0.32kg	
17-107-487-020	MPS CONTROL VALVE ASSEMBLY, HI-FLOW	5.46kg	
17-107-490-001	FILTER HEAD, SPIN-ON TYPE, 30 PSI BI-PASS, SAE #8 PORTS ZAF-08-30-3	0.21kg	
17-107-524-001	SWITCH, PRESSURE, SPDT, SET 25 PSI RAISING, 0.125 NPTM	0.11kg	
17-107-490-003	FILTER ELEMENT, SPIN-ON TYPE, 10 MICRON	0.73kg	
00-711-136-022	ADAPTER, 16-1 F50G-S PARKER HANNIFIN	0.32kg	
00-717-351-040	CONNECTOR, 4 F50X-S, PARKER HANNIFIN, TM: TRIPLE-LOK		
MM0269637	CONNECTOR, 8 F50X-S, PARKER HANNIFIN, TM: TRIPLE-LOK	0.11kg	
00-717-351-082	CONNECTOR, 8-12 F50X-S, PARKER HANNIFIN, TM: TRIPLE-LOK	0.11kg	
00-717-351-161	CONNECTOR, 16-12 F50X-S, PARKER HANNIFIN, TM: TRIPLE-LOK	0.21kg	
00-735-637-044	ELBOW, 4-4 CTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK	0.53kg	
MM0316281	ELBOW, SWIVEL, 4.4.2103, PARKER HANNIFIN, TM: TRIPLE-LOK	0.11kg	
00-735-791-032	CONNECTOR, 8-8 FTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK	1.05kg	
00-711-315-008	ELBOW, 90DEG-1.000"-NPTI-ASMEB16.3-CL150- UNPLTD, BANDED	0.32kg	
00-711-607-008	T CONNECTION, 1.000"-NPTI-ASTMA105-GR2-WOG-3000LB, 381	1.58kg	
00-711-103-036	PIPE BUSHING, HEX, 1.00"NPTX 0.250"NPT, STEEL CRANE CO	0.11kg	
00-711-451-255	PIPE NIPPLE, 1.000" NPTX2.000"-SCH40-ASTMA53-BLACK	0.11kg	
00-711-379-004	ELBOW ADAPTER, 90°, STR, WOG, 0.500"-NPTI-ASTMA105-GR II- 3000LB, 384, LADISH CO		
00-615-128-460	SCREW, CAP, HEXAGON SOCKET HEAD 0.250"-20UNRC-3AX4.500"-ASMEB18.3-, ASTMA574-UNPLTD		
1003025011	NUT, HEXAGONAL, 0.250"-20UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
00-651-001-125	WASHER, PLAIN, 0.250"IDX0.812"ODX0.062"-STL-UNPLTD		
1003064464	WASHER, LOCK, HELICAL SPRING, , REGU, 0.250"-ASMEB18.21.1-SAEJ403-C38-46-		
00-611-271-373	SCREW, CAP, HEXAGONAL, 0.250"-20UNC-2AX0.625"-ASMEB18.2.1-GR 2- UNPLTD		
17-107-524-007	CABLE, DIN 43650A, MOLDED ASSY, 5M LONG, NO CIRCUIT		
17-107-529-401	ASSEMBLY DRAWING, LEVEL INDICATOR ASM PIX		
17-107-513-205	LEVEL SWITCH, NORMALLY OPEN, 20 TO 250 AC/DC IFM EFECTOR, KI0206	0.11kg	
17-107-513-207	THERMOWELL, 1.25 NPTM X M30 INTERNAL TEFLON	0.11kg	
17-107-513-309	CABLE, ANGLED 5 METER, IFM EFECTOR INC. , EI8215	0.21kg	
17-107-487-021	VALVE, CHECK, PILOT OPERATED, VALVE NO. 2 PARKER CPH124	0.21kg	
17-107-487-022	VALVE, PRESSURE RELIEF, CARTRIDGE 1090PSI VALVE NO. 3-1 VICKERS RV1-10-S-0-18/10.9	0.32kg	
17-107-487-023	VALVE, PRESSURE RELIEF, CARTRIDGE 650 PSI, VALVE NO. 3-2 PARKER RAH101T20N-65/4.6	0.11kg	
17-107-487-024	VALVE, PRESSURE RELIEF, CARTRIDGE ADJUSTABLE PRE-SET 500PSI VALVE NO. 3-3, PARKER RAH101S20N-50	0.11kg	
17-107-487-025	VALVE, CHECK, CARTRIDGE 1PSI, VALVE NO. 4-1 & 4-2 SUN CXFA-XZN	0.21kg	
17-107-487-025	VALVE, CHECK, CARTRIDGE 1PSI, VALVE NO. 4-1 & 4-2 SUN CXFA-XZN	0.21kg	
17-107-487-010	VALVE, NEEDLE CARTRIDGE, VALVE NO. 5 PARKER P/N NVH081A W/ SEAL KIT SK08-	0.11kg	
17-107-487-013	NIPPLE, DIAGNOSTIC WITH CAP, PARKER P/N EMA3/7/16-20UNF-2A	0.11kg	
17-107-487-026	MANIFOLD, MPS CONTROL VALVE GS P/N XM05084		
17-107-521-802	REPAIRING KIT, MPS CONTROL VALVE S60110		
17-107-487-402	CIRCUIT DIAGRAM, CONTROL VALVE AND REPLACEMENT PARTS, 60-110		
17-203-314-402	ASSEMBLY DRAWING, MPS CONTROL VALVE HI-FLOW GS HYDRAULICS GS05084		
17-303-646-402	VALVE, HIGH FLOW MPS VALVE/ ALUM 6061-T6 4.50X4.50X5.00, S60110		
17-107-487-021	VALVE, CHECK, PILOT OPERATED, VALVE NO. 2 PARKER CPH124	0.21kg	
17-107-487-022	VALVE, PRESSURE RELIEF, CARTRIDGE 1090PSI VALVE NO. 3-1 VICKERS RV1-10-S-0-18/10.9	0.32kg	
17-107-487-023	VALVE, PRESSURE RELIEF, CARTRIDGE 650 PSI, VALVE NO. 3-2 PARKER RAH101T20N-65/4.6	0.11kg	
17-107-487-024	VALVE, PRESSURE RELIEF, CARTRIDGE ADJUSTABLE PRE-SET 500PSI VALVE NO. 3-3, PARKER RAH101S20N-50	0.11kg	
17-107-487-025	VALVE, CHECK, CARTRIDGE 1PSI, VALVE NO. 4-1 & 4-2 SUN CXFA-XZN	0.21kg	
17-107-487-010	VALVE, NEEDLE CARTRIDGE, VALVE NO. 5 PARKER P/N NVH081A W/ SEAL KIT SK08-	0.11kg	
17-107-487-011	SEAL KIT, CARTRIDGE PILOT OPERATED CHECK VALVE 2, NITRILE, P/N SK08-3		
17-107-487-027	SEAL KIT, CHECK VALVE NO. 2, METSO P/N 17-107-487-021, PARKER SEAL KIT SK12-3		
17-107-487-028	SEAL KIT, RELIEF VALVE 3-1, METSO P/N 17-107-487-022, VICKERS 565803		

17-107-487-029	SEAL KIT, RELIEF VALVES #3-2&3, METSO P/N 17-107- 487-023/024, PARKER P/N SK10-2N		
17-107-487-030	SEAL KIT, CHECK VALVE NO. 4-1&2, METSO P/N 17-107- 487-025, SUN P/N 990-203-007		
17-107-492-026	PUMP, MPS BARE 25.4 CC, SAE#12 PORTS, SAE#4 DRAIN, PARKER P/N PGM315A993VREB12-66	9.55kg	
17-107-602-030	MOTOR, ELECTRIC, 7.50HP, 1800RPM, 213TC, TEFC, 460V/60, NEMA, GYRATORY QUALITY PER 17-107-416-401	85.68kg	
17-107-492-037	HOUSING, BELL, VESCOR, P/N 3356	3.89kg	
17-107-492-029	COUPLING ASSEMBLY, NEMA MOTOR TO MPS PUMP 60110		
17-303-739-002	DECAL, PIPING BY CUSTOMER		
17-303-739-007	DECAL, HIGH LUBE LEVEL INDICATOR		
17-303-739-008	DECAL, LOW LUBE LEVEL INDICATOR		
17-303-739-016	DECAL, MPS PUMP		
17-303-739-019	DECAL, MPS FILTER USE METSO REPLACEMENT P/N		
17-303-739-020	DECAL, HIGH LEVEL MPS OIL TANK		
17-303-739-021	DECAL, MPS PUMP ROTATION		
17-303-739-022	DECAL, LUBE OIL TANK LEVEL TRANSMITTER		
17-303-739-023	DECAL, LUBE PUMP ROTATION		
17-303-739-024	DECAL, PLUGGED MPS FILTER SWITCH		
17-303-739-025	DECAL, MPS TANK LOW LEVEL SWITCH		
17-303-739-026	DECAL, CRUSHER LUBE OIL TANK 60110		
17-303-739-027	DECAL, MPS LUBE OIL TANK 60110		
17-303-739-028	DECAL, PRIMARY FILTER LOWER LUBE LINE		
17-303-739-029	DECAL, BACKUP FILTER LOWER LUBE LINE		
17-303-739-030	DECAL, PRIMARY FILTER UPPER LUBE LINE		
17-303-739-031	DECAL, BACKUP FILTER UPPER LUBE LINE		
17-303-739-032	DECAL, LOWER LUBE LINE PRIMARY PRESSURE TRANSMITTER		
17-303-739-033	DECAL, LOWER LUBE LINE BACKUP PRESSURE TRANSMITTER		
17-303-739-034	DECAL, UPPER LUBE LINE PRIMARY PRESSURE TRANSMITTER		
17-303-739-035	DECAL, UPPER LUBE LINE BACKUP PRESSURE TRANSMITTER		
17-303-739-036	DECAL, LOWER LUBE LINE DISCHARGE PRESSURE TRANSMITTER		
17-303-739-037	DECAL, UPPER LUBE LINE DISCHARGE PRESSURE TRANSMITTER		
17-303-739-038	DECAL, LOWER LUBE LINE PRIMARY PUMP		
17-303-739-039	DECAL, LOWER LUBE LINE BACKUP PUMP		
17-303-739-040	DECAL, UPPER LUBE LINE PRIMARY PUMP		
17-303-739-041	DECAL, UPPER LUBE LINE BACKUP PUMP		
17-303-739-042	DECAL, RETURN DRAIN LINE TEMPERATURE TRANSMITTER 60110		
17-303-739-043	DECAL, LUBE RESERVOIR TEMPERATURE TRANSMITTER 60110		
17-107-535-001	NUMBER PLATE, PART NUMBER PLATE 18AWGX2"X5"		
1029300189	DECAL, METSO MARK, 5.57" X 16.65"		
1029300400	WARNING DECAL, HAZARDOUS VOLTAGE...CONTACT (ENGLISH TEXT), GS NORTH AMERICA, P/N M03541-002		
1029300401	DECAL, WARNING, DISCONNECT & OVERCURRENT (ENGLISH), GS NORTH AMERICA, #H6010-XZWHPH		
N64350800	WARNING PLATE, 1146A-ISO WARNING ROTATING PART HAZARD COMMUNICATION SYSTEMS, IN		
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		
17-502-319-403	ASSEMBLY DRAWING, 90 GPM LUBE DECAL PIX ROSEMOUNT TRANSMITTERS		
17-403-014-504	DISTRIBUTION PANEL, LUBE SENSOR ENCLOSURE AIR ENGLISH ROSEMOUNT		
17-403-015-501	DISTRIBUTION PANEL, LUBE 3-PHASE LV JUNCTION BOX STD PANEL ENGLISH		
17-403-014-404	ASSEMBLY DRAWING, LUBE SENSOR ENCLOSURE AIR, ROSEMOUNT TRANSMITTER		
17-203-365-005	CABINET, ELECTRICAL, 24.0 X 24.0 X 8.0 STEEL NEMA 4 WITH BACK PANEL		
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		
1029300400	WARNING DECAL, HAZARDOUS VOLTAGE...CONTACT (ENGLISH TEXT), GS NORTH AMERICA, P/N M03541-002		
17-403-015-401	CUSTOMER INSTALLATION DRAWING, LUBE 3-PHASE LV JUNCTION BOX STD PANEL		
17-203-365-005	CABINET, ELECTRICAL, 24.0 X 24.0 X 8.0 STEEL NEMA 4 WITH BACK PANEL		
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		
1029300400	WARNING DECAL, HAZARDOUS VOLTAGE...CONTACT (ENGLISH TEXT), GS NORTH AMERICA, P/N M03541-002		
1029300401	DECAL, WARNING, DISCONNECT & OVERCURRENT (ENGLISH), GS NORTH AMERICA, #H6010-XZWHPH		
17-303-880-001	IDENTIFICATION PLATE, LUBE SENSOR ENCLOSURE MORENCI S60110103		
17-403-014-504	DISTRIBUTION PANEL, LUBE SENSOR ENCLOSURE AIR ENGLISH ROSEMOUNT		
17-303-880-002	IDENTIFICATION PLATE, LUBE 3 PHASE SENSOR MORENCI S60110103		
17-403-015-501	DISTRIBUTION PANEL, LUBE 3-PHASE LV JUNCTION BOX STD PANEL ENGLISH		
1087167202	ROPE, STEEL, 7X7, 0.09375", 3461T45 MCMASTER-CARR	0.42kg	
1072984001	WIRE ROPE SHEAVE, OVAL, .09"DIA, TYPE 304 STN STL, P/N 3755T14, MCMASTER-CARR		
17-303-879-801	SUBASSEMBLY, SET OF SSTEEL TAGS S60110103 GS SUPPLIED		
00-573-115-360	ROUND BAR, STEEL, 2.250"-ASTMA6-G10180/190/210/220, HR, SPEC Q		
01-101014	PLATE, STEEL, 3.000"-ASTMA6-ASTMA36, HR		
01-101011	PLATE, STEEL, 2.000"-ASTMA6-ASTMA36, HR		
01-101019	PLATE, STEEL, 4.000"-ASTMA6-ASTMA36, HR		

17-203-016-002	BAR, ROUND, 3.0" DIA X 26.38" LG	25.2kg	
17-203-016-003	NUT, HEAVY HEX NUT 3.00 X 4-16 UNC	5.25kg	
00-611-314-629	SCREW, CAP, HEXAGONAL, 0.625"-11UNC-2AX5.500"-ASMEB18.2.1-GR 5- UNPLTD	0.32kg	
1003025041	NUT, HEXAGONAL, 0.625"-11UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
1003064482	WASHER, LOCK, HELICAL SPRING, REGU, 0.625"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
00-573-115-400	BAR, ROUND, 3.000" DIA X MISC LG, UNS G10180, 190, 210, 220 +		
1003001131	NUT, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	4.73kg	
17-303-663-401	ASSEMBLY DRAWING, NAME PLATE & WARNING SIGNS		
17-107-457-806	IDENTIFICATION PLATE, NAMEPLATE STAMPING SUPERIOR - ENGLISH		
26-206-911-001	WARNING PLATE, LOCKOUT CONTROLS, ENGLISH/SPANISH		
26-206-912-001	WARNING PLATE, STAND CLEAR, ENGLISH/SPANISH	0.11kg	
26-205-880-001	WARNING PLATE, GUARD IN PLACE - ENGLISH/SPANISH	0.11kg	
26-206-910-001	WARNING PLATE, LIFTING - ENGLISH/SPANISH		
17-107-586-001	PATENT PLATE, ENGLISH	0.21kg	
00-615-613-149	SCREW, DRIVE, ROUND HEAD, #7X0.380"-ASME18.6.4-TYPE U-ST-BRASS PLTD		
17-303-751-001	DECAL, METSO MARK		
17-303-752-001	DECAL, SUPERTOR TRADEMARK		
17-203-351-001	DECAL, ACCENT STRIPE		
1029300219	DECAL, RESPIRATOR WARNING DECAL (ENGLISH)+ SEE INFO		
17-303-077-004	NAME PLATE, NAMEPLATE-SUPERIOR METALLICS, INC.	0.21kg	
17-104-124-408	INSTRUCTION, STAMPING INSTRUCTIONS		
17-303-625-015	CYLINDRICAL BUSHING CASTING, BOTTOMSHELL BUSHING ROUGH, MACHINING 60110/110E	1639.79kg	
00-573-047-632	FLAT BAR, 1.500X2.500"-ASTMA6-UNS G10180, COLD DRAWN, STQ		
17-403-021-401	CUSTOMER INSTALLATION DRAWING, BOTTOMSHELL SIDE LINER BOLT THRU DESIGN 60-110		
80-451-573-004	BOTTOMSHELL SIDE LINER, S/B 80-451-573-006, ADJ TO PSHAFT ARM LINER LH	523.95kg	
80-451-573-003	BOTTOMSHELL SIDE LINER, S/B 80-451-573-005, ADJ TO PSHAFT ARM LINER RH	523.95kg	
17-403-019-501	BOTTOMSHELL SIDE LINER, ASSEMBLY, INTERMEDIATE LOWER LH PINIONSHAFT ARM	579.6kg	
17-403-019-502	BOTTOMSHELL SIDE LINER, ASSEMBLY, INTERMEDIATE LOWER RH PINIONSHAFT ARM	579.6kg	
17-403-020-501	BOTTOMSHELL SIDE LINER, ASSEMBLY, INTERMEDIATE UPPER RH PINIONSHAFT ARM	328.65kg	
17-403-020-502	BOTTOMSHELL SIDE LINER, ASSEMBLY, INTERMEDIATE UPPER LH PINIONSHAFT ARM	328.65kg	
80-451-575-004	BOTTOMSHELL SIDE LINER, S/B 80-451-575-006, ADJ TO NARROW ARM LH	342.93kg	
80-451-575-003	BOTTOMSHELL SIDE LINER, S/B 80-451-575-005, ADJ TO NARROW ARM RH	342.93kg	
17-107-630-002	BOLT, 2.00-4.5UNC-2AX15.0", SAE GR, 2, UNPLTD, ASMEB18.2.1+, SEE DWG., 15.0" LG FULL THD, 8.50" MIN.	7.14kg	
1003001111	NUT, HEXAGONAL, HEAVY, 2.000"-4.5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	1.37kg	
00-651-001-727	WASHER, 2.125"IDX6.500"ODX0.500"-STL-UNPLTD, ASME B18.21.1	1.99kg	
1003004111	NUT, JAM, HEXAGONAL, 2.000"-4.5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	0.84kg	
60-345-330-041	SQUARE BAR, 1.50" X 1.50" X 4.1" LG, UNS G10180	1.26kg	
S/B 80-451-573-00	ADJ TO PSHAFT ARM LINER LH, Calculated weight:		
17-402-976-402	SIDE LINER, TEMPORARY PATTERN CHANGE FOR 80-451-		
17-105-963-406	TECHNICAL SPECIFICATION, 573-003 & 004, WS-222 514-578 BHN, ME ELEC METAL		
S/B 80-451-573-00	ADJ TO PSHAFT ARM LINER RH, Calculated weight:		
17-402-976-401	SIDE LINER, TEMPORARY PATTERN CHANGE FOR 80-451-		
17-105-963-406	TECHNICAL SPECIFICATION, 573-003 & 004, WS-222 514-578 BHN, ME ELEC METAL		
17-403-019-003	BOTTOMSHELL SIDE LINER, INTERMEDIATE LOWER LH	583.49kg	
26-151-197-038	LUG, LIFTING, 1.12 X 3.50 X 3.12		
17-403-019-004	BOTTOMSHELL SIDE LINER, INTERMEDIATE LOWER R.H.	583.49kg	
26-151-197-038	LUG, LIFTING, 1.12 X 3.50 X 3.12		
17-403-020-003	BOTTOMSHELL SIDE LINER, INTERMEDIATE UPPER RH	326.24kg	
26-151-197-038	LUG, LIFTING, 1.12 X 3.50 X 3.12		
17-403-020-004	BOTTOMSHELL SIDE LINER, INTERMEDIATE UPPER L.H.	326.24kg	
26-151-197-038	LUG, LIFTING, 1.12 X 3.50 X 3.12		
17-402-977-402	SIDE LINER, TEMPORARY PATTERN CHANGE FOR 80-451- 575-003 & 004		
17-105-963-402	TECHNICAL SPECIFICATION, S/B 17-105-963-404, WS-7HMS 444-514 BHN		
17-402-977-401	SIDE LINER, TEMPORARY PATTERN CHANGE FOR 80-451-		
17-105-963-406	TECHNICAL SPECIFICATION, 575-003 & 004, WS-222 514-578 BHN, ME ELEC METAL		
17-402-478-002	DUST COLLAR, MACHINING	2714.78kg	
00-611-271-726	SCREW, CAP, HEXAGONAL, 1.000"-8UNC-2AX3.000"-ASMEB18.2.1-GR 2- UNPLTD	0.42kg	
1003027071	NUT, JAM, HEXAGONAL, 1.000"-8UNC-2B-ASMEB18.2.2-GR A-UNPLTD	0.11kg	
07-446-340-002	DUST COLLAR, CASTING 60109	3567.27kg	
17-303-224-002	PLATE, 0.63 X 62.0 X 62.0"	54.81kg	
17-303-224-003	PLATE, 0.50 X 53.0 X 53.0"	38.12kg	
17-303-224-004	PLATE, 0.50 X 10.7 X 166.5"	120.02kg	
00-573-257-281	PLATE, STEEL, 0.625"-ASTMA6-ASTMA36 (UNS K02600)		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
00-711-221-010	CROSS PIPE, 1.250"-NPTI-ASMEB16.3-A197-CL150-UNPLTD, BANDED	0.84kg	
00-711-451-301	TUBE NIPPLE, 1.25" NPTX1.12"-SCH40-ASTMA53-UNPLTD	0.11kg	

00-711-595-010	T CONNECTION, PIPE, 1.250"-NPTI-ASMEB16.3-A197-CL150- UNPLTD, BND	0.63kg	
00-711-497-010	PLUG, 1.250"NPT-ASMEB16.14-ASTMA126-CL A- ZNPLTD	0.32kg	
00-737-801-110	CHECK GAUGE, 1.250"-11.5NPT, 10PSI, 04055 GITS BROTHERS MAN.	0.21kg	
00-711-087-944	BUSHING, PIPE, HEX HD, 1.250X1.000"-ASMEB16.14- A126-BLACK	2.42kg	
00-711-451-251	PIPE NIPPLE, 1.00"NPTX1.50"-ASTMA53-SCH40-WELDED- UNPLTD	0.11kg	
00-711-011-008	PIPE COUPLING, 1.000" NPTX2.000"-SCH40-ASTMA53-BLACK	0.21kg	
17-403-177-801	SUBASSEMBLY, HYBRID ECCENTRIC CONSTANTS 60110	13778.1kg	
17-403-168-005	ECCENTRIC BUSHING, 2.000" THROW, 60109/110/110E	2969.4kg	1120mm * 1120mm * 2018mm
17-203-006-501	COUNTERWEIGHT, UPPER, ASSEMBLY 60-110	522.9kg	
00-615-142-847	SCREW, CAP, HEXAGON SOCKET HEAD, 1.500"-6UNRC-2AX10.000"-ASMEB18.3-	3.04kg	
1003064524	WASHER, LOCK, HELICAL SPRING, REGU, 1.500"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD	0.11kg	
17-402-566-001	ECCENTRIC, 60-110 - SUPERSEDED BY 17-403-142-001.	7667.94kg	1501mm * 1501mm * 2211mm
17-302-569-001	COUNTERWEIGHT ASSEMBLY, LOWER, 60-110	1729.35kg	
00-615-142-847	SCREW, CAP, HEXAGON SOCKET HEAD, 1.500"-6UNRC-2AX10.000"-ASMEB18.3-	3.04kg	
00-651-016-926	WASHER, HARDENED, CIRCULAR, 1.500"-ASMEB18.2.6-TYPE 1-C38-45-UNPLTD	0.11kg	
1003064524	WASHER, LOCK, HELICAL SPRING, REGU, 1.500"-ASMEB18.21.1-SAEJ403-C38-46-	0.11kg	
00-671-117-877	DOWEL PIN, 2.0002X4.000"-ASMEB18.8.2-60-62RH-SPEC SIZE-UNPLTD	1.78kg	
07-248-835-001	KEY, ECCENTRIC BUSHING, 60-110, WEST ALLIS MACHINE CO., 9/30/02 QUOT	3.26kg	
17-502-308-003	ECCENTRIC GEAR, SPIRAL BEVEL 60110	3846.15kg	
07-248-793-001	KEY, ECCENTRIC GEAR KEY, 60-110	20.68kg	
00-615-142-726	SCREW, CAP, HEXAGON SOCKET HEAD, 1.000"-8UNRC-3AX3.000"-ASMEB18.3-	0.42kg	
07-446-320-002	ECCENTRIC CASTING, M/F ACM-101, PATT NO. CC-35815-B		
17-401-907-501	COUNTERWEIGHT, LOWER WELD	1834.14kg	
17-401-907-002	PLATE, 0.75" x 8.50" x 129.20"	110.99kg	
17-401-907-003	PLATE, 0.75" x 6.50" x 108.70"	71.4kg	
17-401-907-004	PLATE, 0.75" x 7.80" x 8.50"	6.2kg	
17-401-907-005	PLATE, 0.75" x 8.50" x 9.90"	8.09kg	
17-401-907-006	PLATE, 1.38" x 43.30" x 85.90"	187.22kg	
00-371-881-010	LEAD, PIG, 60LB, ASTM B29		
17-401-907-008	PLATE, 5.00" x 7.80" x 9.10"	45.26kg	
17-202-540-001	COUNTERWEIGHT, LOWER CWT RING - MACHINING	14.28kg	
00-573-257-385	PLATE, STEEL, 0.750"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-257-385	PLATE, STEEL, 0.750"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-257-385	PLATE, STEEL, 0.750"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-257-385	PLATE, STEEL, 0.750"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-257-531	PLATE, STEEL, 1.375"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-257-800	PLATE, STEEL, 5.000"-ASTMA6-ASTMA36(UNS K02600), HR		
01-101003	PLATE, STEEL, 0.375"-ASTMA6-ASTMA36, HR		
26-205-990-001	DECAL, WARNING DECAL		
17-303-223-001	COUNTERWEIGHT, UPPER, MACHINING, STANDARD, 60-110	480.59kg	
17-203-009-001	RETAINER, RING UPPER COUNTERWEIGHT 60-110	42.42kg	
00-371-881-010	LEAD, PIG, 60LB, ASTM B29		
17-203-286-004	COUNTERWEIGHT, UPPER, ROUGH MACH	668.22kg	
00-573-257-701	PLATE, STEEL, 3.500"-ASTMA6-ASTMA36, HR		
07-346-871-002	WEAR RING, ECCENTRIC, CASTING		
07-346-860-004	PLATE, 2.25" X 55.75" ID X 100.5" OD	1671.29kg	
00-573-257-611	PLATE, 2.250"-ASTMA6-ASTMA36-UNS K02600, HR		
17-303-884-401	ASSEMBLY DRAWING, MPS CYLINDER ASM WITH SHIPPING COVERS 60110		
17-502-330-502	MPS CYLINDER ASSEMBLY, WITH POSITION INDICATOR 110	20416.2kg	
17-303-828-501	COVER, 60110 MPS UPPER SHIPPING COVER	1012.2kg	
17-201-787-041	O-RING, .250" X 90.00" I.D.	0.42kg	
17-203-308-001	COVER, LOWER SHIPPING COVER	9.13kg	
00-751-531-922	O-RING, 0.125X 4.250X 4.500, 244-7507 APPLETON ELECTRIC COMPANY		
00-711-497-008	PLUG, SQUARE HEAD SOLID, 1.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.21kg	
00-711-497-012	PLUG, SQUARE HEAD SOLID, 1.500"NPT-CL250-ASMEB16.14-ASTMA126-CL A-UNPLTD	0.42kg	
17-107-630-003	BOLT, 2.0-4.5 UNC X 10.00 LG GR 2 (NOT PLATED)	5.67kg	
00-651-001-725	WASHER, PLAIN, 2.000"-ASMEB18.21.1-TYPE A-ST-UNPLTD	0.32kg	
1003001111	NUT, HEXAGONAL, HEAVY, 2.000"-4.5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	1.37kg	
00-611-271-726	SCREW, CAP, HEXAGONAL, 1.000"-8UNC-2AX3.000"-ASMEB18.2.1-GR 2- UNPLTD	0.42kg	
00-651-001-489	WASHER, PLAIN, 1.000"-ASMEB18.21.1-TYPE B-R-ST-UNPLTD	0.11kg	
17-303-349-036	DECAL, DRAIN MPS CYLINDER (OIL CAPACITY 115 GALLONS)		
1004826405	SEALANT, 732 WHITE, 10.10Z DOW CORNING	0.42kg	
17-502-330-801	SUBASSEMBLY, MPS CYLINDER ASM CONSTANTS 110	20408.85kg	
17-107-495-005	POSITION INDICATOR, TRANSDUCER 630MM W/ MEASURING TUBE	2.52kg	
17-203-302-001	ADAPTER, MPS TRANSDUCER, WEST ALLIS MACHINE CO., EARL 3 WEE	1.26kg	
17-303-652-001	HOLDER, MEASURING TUBE	4.3kg	
17-107-498-001	PLUG, MEASURING TUBE	0.11kg	
17-203-309-001	PLUG, MEASURING TUBE ADVANCED MACHINING INC.	0.11kg	
65-751-532-026	O-RING, SMS1586-44.20X3.00-NBR70		
65-751-535-014	SEALING RING, 33.8"ID X42.8"OD X3.0"THK, SYN RUBBER, OIL RESIST, TREDO OR EQUAL		
65-615-145-079	SCREW, CAP, HEXAGON SOCKET HEAD, ISO4762-M8X40-10.9-UNPLTD		
17-403-036-001	MPS CYLINDER, 60-110	19950kg	
17-303-202-001	MPS CYLINDER BUSHING, LOWER, 60-110	691.95kg	1234mm * 1234mm * 710mm

07-351-122-501	MPS CYLINDER BUSHING, UPPER, 60-110	667.27kg	1335mm * 1335mm * 646mm
07-346-998-501	PISTON, STEP SUPPORT PISTON ASSY	3525.9kg	1158mm * 1158mm * 1043mm
17-303-648-001	CLAMP PLATE, S/B 17-203-433-801, MPS PISTON	1140.2kg	
17-103-681-002	MPS SEAL, OIL, CHEVRON SOLID SEAL	8.09kg	
17-502-016-501	MPS COVER PLATE, W/ POSITION INDICATOR, 60-110	3906.84kg	
17-303-542-501	PISTON WEAR PLATE, ASSEMBLY ITALBRONZE LTDA	380.1kg	954mm * 954mm * 176mm
07-347-001-001	WASHER, STEP, 4.0" X 11.5" ID X 36.5" OD	357kg	
07-250-471-001	RING, CENTERING, STEP WASHER 60-110	155.4kg	
17-201-787-013	O-RING, .250" X 45.00" I.D.	1.16kg	
17-106-891-002	GUARD, MPS COVER PLATE, NORTHWOODS MFG., INC., QUOTE 17-106	18.06kg	
65-965-027-002	RING, SEAL, ED48X2/R11/2, PARKER HANNIFIN, TM: ERMETO ORIGIN	0.53kg	
65-751-532-091	O-RING, SMS1586-59.50X3.00-NBR70		
00-671-171-523	PIN, SPRING, 0.500X3.000"-ASMEB18.8.2-BT 1-AISI1070/1095- UNPLTD	0.11kg	
00-711-509-006	PLUG, SQHD, 0.750"-NPTE-ASMEB16.14-CS-UNPLTD	0.11kg	
00-711-497-012	PLUG, SQUARE HEAD SOLID, 1.500"NPT-CL250-ASMEB16.14-ASTMA126-CL A-UNPLTD	0.42kg	
00-711-497-016	PLUG, SQUARE HEAD SOLID, 2.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.63kg	
00-615-142-652	SCREW, CAP, HEXAGON SOCKET HEAD, 0.750"-10UNRC-3AX1.750"-ASMEB18.3-	0.21kg	
00-615-142-548	SCREW, CAP, HEXAGON SOCKET HEAD 0.500"-13UNRC-3AX1.500"-ASMEB18.3-, ASTMA574-UNPLTD	0.11kg	
00-615-142-652	SCREW, CAP, HEXAGON SOCKET HEAD 0.750"-10UNRC-3AX1.750"-ASMEB18.3-, ASTMA574-UNPLTD	0.21kg	
1003064488	WASHER, LOCK, HELICAL SPRING, REGU, 0.750"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
00-615-142-665	SCREW, CAP, HEXAGON SOCKET HEAD 0.750"-10UNRC-3AX5.000"-ASMEB18.3-, ASTMA574-UNPLTD	0.32kg	
65-615-145-076	SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M8X25-12.9-UNPLATED		
1003064476	WASHER, LOCK, HELICAL SPRING, REGU, 0.500"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-201-249-010	BOLT, SQUARE HEAD, 3.000-4UNC-2 X 19.00, GR5	22.37kg	
1003001131	NUT, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-101109	4.73kg	
00-631-161-148	NUT, JAM, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-101109	2.62kg	
00-615-142-970	SCREW, CAP, HEXAGON SOCKET HEAD, 3.000"-4UNR-2AX9.00"-ASMEB18.3-	13.44kg	
17-403-035-001	CASTING, MPS CYLINDER 60-110	21367.5kg	
07-248-862-003	CYLINDER BUSHING, LOWER, CASTING	1106.7kg	
26-205-990-001	DECAL, WARNING DECAL		
17-107-623-001	BUSHING, MPS CYLINDER FLANGE UPPER BUSHING	61.01kg	
17-201-659-005	BUSHING, MPS CYLINDER BUSHING - UPPER, BUSHING SHELL	866.36kg	
01-101011	PLATE, STEEL, 2.000"-ASTMA6-ASTMA36, HR		
01-101011	PLATE, STEEL, 2.000"-ASTMA6-ASTMA36, HR		
07-346-998-001	MPS PISTON, MACHINING 60110	3810.13kg	
00-671-117-877	DOWEL PIN, 2.0002X4.000"-ASMEB18.8.2-60-62RH-SPEC SIZE-UNPLTD	1.78kg	
00-711-545-012	PIPE PLUG, 1.500"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET	0.21kg	
07-346-998-004	PISTON, CASTING	4121.25kg	
17-502-016-002	COVER PLATE, MPS CYLINDER COVER MACHINED	3906.84kg	
65-625-100-026	COIL, HELI-COIL M8 -1.25X12 S.S. INSERTS		
17-202-995-501	CYLINDER COVER, MPS CYLINDER COVER ASM	4545.03kg	
17-202-995-002	PLATE, 9.00 X 69.0 X 69.0"	4528.86kg	
17-202-995-003	TUBE, 12.50 X 10.50 X 3.3" LG	16.17kg	
00-573-761-978	TUBE, SMLSS, 12.500"ODX1.000"W-, UNSG10150/10180/10260, CD		
17-303-542-002	PISTON, WEAR PL MACH	369.07kg	
00-711-545-008	PLUG, PIPE 1.000 NPTE, HEX C-SUNK SOCKET, ASMEB16.14	0.11kg	
17-107-415-001	DECAL, STEP COMPONENTS DECAL		
07-347-018-002	PISTON WEAR PLATE, CASTING, ITALBRONZE LTDA, QUOTE 5/8/02		
00-577-173-626	PLATE, STEEL, 4.000"-A514-GR Q, HR, QUENCHED, TEMPERED		
00-573-257-800	PLATE, STEEL, 5.000"-ASTMA6-ASTMA36(UNS K02600), HR		
01-101007	PLATE, STEEL, 1.000"-ASTMA6-ASTMA36, HR		
17-203-304-002	MEASURING PIPE, 26.00 MM O.D. X, 569.49 MM LG	0.32kg	
00-573-257-561	PLATE, STEEL, 1.750"-ASTMA36(UNS K02600), HR		
00-573-761-035	MECHANICAL TUBING, SEAMLESS, CARBON STEEL, RO, 2.250X0.563"-ASTMA519-, UNSG10150/180/260, CD		
65-965-027-003	PLUG, STEEL PLUG-HEX SOC-1.0 BSP PL RITTER TECHNOLOGY LLC	0.53kg	
00-573-177-260	HEXAGONAL BAR, 1.4375"-UNSG11170/G11190, COLD FINISHED, STAN Q		
17-107-041-016	ELECTRIC CABLE, 9954, MIL-W-16878E/17 BELDEN	0.53kg	
17-107-041-014	TUBE, PLASTIC, FLEXIBLE, FLEXIBLE CONDUIT 0.50", 1/2UA ANACONDA SEALTITE INDUSTRIES		
17-107-041-015	CONNECTOR, 1.375", 5332, THOMAS & BETTS		
17-107-041-012	BUSHING REDUCTION, 1.50"NPT - 0.50"NPT (MACHINE CONTROL)		
1008009900	WIRE, 0.051", STAINLESS STEEL, 8860K65 MCMaster-CARR	0.53kg	
17-107-041-011	CABLE TIE, HEAVY DUTY PLASTIC TIE STRAPS		
17-107-041-006	CONNECTOR, ANGLE		
17-107-573-401	CABLE, POSITION INDICATOR CABLE ASM PIX		
17-203-329-401	ASSEMBLY DRAWING, UNDER CRUSHER BIN LEVEL SENSOR PIX		
N05227920	CONNECTOR, 1A3006-34, BRAD HARRISON		
N05227921	CONNECTOR, 1R3000A20A120 BRAD HARRISON		
17-203-323-801	SUBASSEMBLY, ULTRASONIC LEVEL 110/220VAC	9.97kg	
17-303-675-501	GUARD, UNDER CRUSHER LEVEL SENSOR NORTHWOODS MFG., INC., NGC-2002-080	45.26kg	

00-615-142-472	SCREW, CAP, HEXAGON SOCKET HEAD, 0.375"-16UNRC-3AX1.750"-ASMEB18.3-		
65-655-022-006	WASHER, SPRING, DIN137B-M10-HRC43-50, UNPLTD		
00-615-142-548	SCREW, CAP, HEXAGON SOCKET HEAD, 0.500"-13UNRC-3AX1.500"-ASMEB18.3-	0.11kg	
65-655-022-007	WASHER, SPRING, M12 X 13MM ID X 24MM OD, DIN 137, FORM B		
N05228032	LEVEL DETECTOR CONTROLLER, XPS-30 SIEMENS	6.62kg	
MM0239581	LEVEL DETECTOR CONTROLLER, 7ML5004-1AA10-1A & 7ML1830-2AN (AC CNTLR & PRGR), SIEMENS (MILLTRONICS, INC.)	3.36kg	
17-303-797-001	AIMING KIT, 1.50NPT CONN, SIEMENS (MILLTRONICS, INC.) , P/N 7ML1	2.42kg	
17-303-675-002	COVER PLATE, GUARD PLATE		
17-303-675-003	COVER PLATE, 1.00" x 16.00" x 16.00"		
01-101001	PLATE, STEEL, 0.250"-ASTMA6-ASTMA36, HR		
01-101007	PLATE, STEEL, 1.000"-ASTMA6-ASTMA36, HR		
17-403-007-401	ASSEMBLY DRAWING, TC1000-M MPS LOCAL PANEL ASM 110/220V ENGLISH		
17-403-009-401	ELECTRICAL DIAGRAM, TC1000-M ELECTRICAL SCHEMATIC 110/220VAC		
MM0226607	CABINET, ELECTRICAL, A-24H20CLP & A-24P20 HOFFMAN		
MM0261120	CURRENT METER, PAXP0010 + PAXCDS10 + PAXCDL10 (PAX SERIES), RED LION	0.32kg	
N05256616	RELAY, 700-HC24Z24, ROCKWELL AUTOMATION, TM: ALLEN-B		
N02495449	RELAY BASE, 700-HN103, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
MM0298724	RELAY, 700-HJD32Z24, ROCKWELL AUTOMATION, TM: ALLEN-B	0.32kg	
N02495452	RELAY BASE, 700-HN153, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
MM0261121	RELAY, 700-HLT1Z24X, (TERMINAL BLOCK, SPDT, 24VDC COIL), ROCKWELL AUTOMATION, TM: ALLEN-B		
1005126639	SWITCH, PUSH BUTTON, 800T-FXJ6A5, ROCKWELL AUTOMATION, TM: ALLEN-B	0.21kg	
N05255828	SWITCH, SELECTOR, 800T-J18KC7B, ROCKWELL AUTOMATION, TM: ALLEN-B	0.21kg	
1005126617	SWITCH, PUSH BUTTON, 800T-A2D1, ROCKWELL AUTOMATION, TM: ALLEN-B		
1005126675	RUBBER BOOT, 800H-N5H, FOR PUSHBUTTON, BLACK ROCKWELL AUTOMATION, TM: ALLEN-B		
N05256587	LIGHT, 800TC-Q24R, RED, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
N05256585	LIGHT, 800TC-Q24G, GREEN, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
N05256588	LIGHT, 800TC-Q24B, BLUE, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
1056376661	NAME PLATE, REMOTE (ENGLISH TEXT)		
1056376673	IDENTIFICATION PLATE, POWER ON	0.53kg	
1056376674	NAME PLATE, PULL ON / PUSH OFF		
17-107-551-001	IDENTIFICATION PLATE, MAINTENANCE/LOCAL/REMOTE		
17-107-551-002	IDENTIFICATION PLATE, LOW LIMIT		
17-107-551-003	IDENTIFICATION PLATE, HIGH LIMIT		
17-107-551-004	IDENTIFICATION PLATE, RAISE		
17-107-551-005	IDENTIFICATION PLATE, LOWER		
17-107-551-006	IDENTIFICATION PLATE, "MAINSHAFT %"		
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		
1029300400	WARNING DECAL, HAZARDOUS VOLTAGE...CONTACT (ENGLISH TEXT), GS NORTH AMERICA, P/N M03541-002		
MM0261119	POWER SUPPLY, SDP2-24-100T, 50W, 24VDC SOLA/HEVI-DUTY	0.21kg	
17-303-841-401	ASSEMBLY DRAWING, PINIONSHAFT HOUSING ASSEMBLY, 60-110		
17-400-899-001	PINION SHAFT, DIRECT DRIVE, 60-110	643.02kg	
17-104-101-001	ROLLER BEARING, SPHERICAL	94.5kg	
17-201-230-001	SPACER, PINION END 60110/110E	10.82kg	
17-104-601-001	GASKET, SPACER PINION END 60110		
00-819-133-240	WASHER, LOCK, ANSI B3.9, ASA #W-40	0.53kg	
07-346-960-002	SPACER, LOCKNUT DRIVE END 60110	12.08kg	
17-104-602-001	GASKET, LOCKNUT SPACER DRIVE END 60110		
17-301-060-002	SEAL PLATE, PINION END, 60-110, PROTECH SEAL	34.65kg	
17-104-599-001	GASKET, PINIONSHAFT SEAL PLATE	0.11kg	
00-611-271-723	SCREW, CAP, HEXAGONAL, 1.000"-8UNC-2AX2.250"-ASMEB18.2.1-GR 2- UNPLTD	0.32kg	
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-107-483-003	SEAL, LIP, PINIONSHAFT, CHICAGO RAWHIDE MFG P/N 595568	1.37kg	
17-106-251-001	KEY, DRIVE END COUPLING, 60-110	2.1kg	
07-146-769-001	PINION KEY, 1.75 X 1.25 X 11.00, ENDRIES INTERNATIONAL, QTE 11/11/02	3.04kg	
00-615-045-652	CAP SCREW, SLOTTED FLAT, COUNTERSUNK HE 0.750"-10UNC-2AX1.750"-	0.11kg	
17-502-308-002	PINION, SPIRAL BEVEL 60110	388.19kg	
17-502-313-501	PINION SHAFT HOUSING, ASSEMBLY MK-II, 60-110	2047.92kg	
07-146-796-001	PLUG, OIL CUP ADAPTER	0.21kg	
00-733-437-502	CUP, OIL .312X .531, APPLICATION EQUIPMENT INC		
00-711-533-008	PIPE PLUG, 1.000"-NPTE-ANSIB16.14-SQ C-SUNK SOCKET	0.11kg	
00-711-533-008	PIPE PLUG, 1.000"-NPTE-ANSIB16.14-SQ C-SUNK SOCKET	0.11kg	
00-711-533-008	PIPE PLUG, 1.000"-NPTE-ANSIB16.14-SQ C-SUNK SOCKET	0.11kg	
00-711-451-255	PIPE NIPPLE, 1.000" NPTX2.000"-SCH40-ASTMA53-BLACK	0.11kg	
00-711-497-008	PLUG, SQUARE HEAD SOLID, 1.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.21kg	
00-711-595-008	T CONNECTION, 1.000"-NPTE-ASMEB16.3-ASTMA197-CL150-BLACK	0.42kg	
17-303-073-802	LUBRICATION FITTING, EXTENDED ASSEMBLY	1.47kg	
17-302-626-002	SEAL PLATE, DRIVE END 60110	57.75kg	
00-611-271-723	SCREW, CAP, HEXAGONAL, 1.000"-8UNC-2AX2.250"-ASMEB18.2.1-GR 2- UNPLTD	0.32kg	
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-107-395-004	SEAL, LABYRINTH, S/B 55-555 CONDITIONAL SUPERSEDE 60109/110	0.84kg	

17-104-101-001	ROLLER BEARING, SPHERICAL	94.5kg	
17-104-599-001	GASKET, PINIONSHAFT SEAL PLATE	0.11kg	
00-573-139-603	BAR, ROUND, 9.500"-ASTMA6-UNSG10450/G11440, HOT ROLLED, SPEC Q		
01-101014	PLATE, STEEL, 3.000"-ASTMA6-ASTMA36, HR		
00-573-317-701	PLATE, STEEL, 3.500"-AISI1045, HR, SHEARED EDGES, REG QUAL		
00-573-257-611	PLATE, 2.250"-ASTMA6-ASTMA36-UNS K02600, HR		
17-502-313-002	MACHINING, PINION SHAFT HOUSING, 60-110		
00-711-545-002	PIPE PLUG, 0.250"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET		
00-711-545-004	PLUG, 0.500"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET		
00-711-545-006	PLUG, 0.750"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET	0.11kg	
00-711-545-008	PLUG, PIPE 1.000 NPTE, HEX C-SUNK SOCKET, ASMEB16.14	0.11kg	
00-711-545-012	PIPE PLUG, 1.500"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET	0.21kg	
17-402-462-001	CASTING, PINIONSHAFT BEARING HOUSING	2322.6kg	
00-711-533-012	PIPE PLUG, 1.500"-NPTE-ASMEB16.14-ASTMA126- BLACK, SQ CS SOCKT	0.32kg	
17-303-073-401	ASSEMBLY DRAWING, EXTENDED LUBE FITTING ASM PIX		
00-733-757-778	ANCHOR BLOCK, 1.25 X 1.25 X 0.88, ALEMITE DIV. OF STEWART-WARNER CO	0.21kg	
00-733-105-023	FITTING, LUBRICATING, W/CAP .125" X .687" ALEMITE, P/N 1610-B, (CAP 00-953-376)		
26-302-384-015	HOSE ASSEMBLY, 0.12NPT X 0.12NPT SWIVEL 15.0 LG APPLIED IND. TECH. INC.	0.21kg	
00-691-051-002	CLAMP, PIPE, 0.25", CL-25, APPLETON ELECTRIC COMPANY		
1003064464	WASHER, LOCK, HELICAL SPRING, REGU, 0.250"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
00-611-271-371	SCREW, CAP, HEXAGONAL, 0.250"-20UNC-2AX0.500"-ASMEB18.2.1-GR 2- UNPLTD		
00-615-142-378	SCREW, CAP, HEXAGON SOCKET HEAD, 0.250"-20UNC-3AX1.000"-ASMEB18.3-		
00-573-257-690	PLATE, STEEL, 3.250"-ASTMA6-ASTMA36, HR		
17-202-743-004	PLATE, 0.75" X 44.0" DIA	142.91kg	
26-151-197-017	LUG, LIFTING, 1000# CAPACITY	4.73kg	
00-573-257-385	PLATE, STEEL, 0.750"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-257-161	PLATE, STEEL, 0.375"-ASTMA6-ASTMA36, HR		
17-402-988-401	CUSTOMER INSTALLATION DRAWING, PINIONSHAFT BEARING SENSOR ASSEMBLY 60-110		
17-107-570-004	PIPE, 0.38 SCH 40 X 23.0, UNTHREADED	0.53kg	
00-615-573-172	SCREW, SELF-THREADING, 8-18 X 0.38, SLOTTED RNDHEAD, ANSI B18.6.4		
00-691-069-003	CLIP, 0.375"-NPT, 3121-3-10, PARKER HANNIFIN, TM: PARKLAMP		
17-106-253-004	SILICONE SEAL, OT-201-1/2 OMEGATHERM	0.11kg	
17-203-356-503	TRANSMITTER ASSEMBLY, TEMPERATURE, ROSEMOUNT W/ DISPLAY HART & ADAPTER, HART COMMUNICATION, -40 TO 302F	3.26kg	
17-107-513-113	TEMPERATURE PROBE, 1000 OHM, REUSABLE CONNECTOR, IFM ELECTRONIC, TM: EFECTOR U60137	0.32kg	
17-107-520-001	CABLE CLAMP, 0.250" NPTM, HJ1002GPK25 HUBBELL		
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
17-402-988-401	CUSTOMER INSTALLATION DRAWING, PINIONSHAFT BEARING SENSOR ASSEMBLY 60-110		
17-203-356-503	TRANSMITTER ASSEMBLY, TEMPERATURE, ROSEMOUNT W/ DISPLAY HART & ADAPTER, HART COMMUNICATION, -40 TO 302F	3.26kg	
17-107-513-113	TEMPERATURE PROBE, 1000 OHM, REUSABLE CONNECTOR, IFM ELECTRONIC, TM: EFECTOR U60137	0.32kg	
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
17-106-253-004	SILICONE SEAL, OT-201-1/2 OMEGATHERM	0.11kg	
17-402-988-401	CUSTOMER INSTALLATION DRAWING, PINIONSHAFT BEARING SENSOR ASSEMBLY 60-110		
17-107-570-004	PIPE, 0.38 SCH 40 X 23.0, UNTHREADED	0.53kg	
00-691-069-003	CLIP, 0.375"-NPT, 3121-3-10, PARKER HANNIFIN, TM: PARKLAMP		
00-615-573-172	SCREW, SELF-THREADING, 8-18 X 0.38, SLOTTED RNDHEAD, ANSI B18.6.4		
17-106-817-001	VIBRATION SENSOR, SHOCK PULSE TRANSDUCER SPM INSTRUMENT INC., P/N 40100	0.11kg	
17-106-817-005	ELECTRIC CABLE, PVC ASM W/ TNC CONNECTORS, 13FT LG SPM INSTRUMENT P/N 45300-13	0.21kg	
17-106-817-007	ELECTRIC CABLE, 45300-15, SPM INSTRUMENT	0.32kg	
17-107-546-001	CONNECTOR, VIBRATION SENSOR SCREW TYPE, SPM INSTRUMENT INC., QTE 7/9/02 P/N 93		
17-107-547-001	SEALING COVER, 81018		
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
17-107-545-001	DISPLAY UNIT, VIBRATION, PINIONSHAFT BRGS, SPM INSTRUMENT INC., BDM-40, 15-24 VD	0.42kg	
17-303-832-501	ASSEMBLY, SITE GAUGE MOUNTING ASM		
17-303-832-401	ASSEMBLY DRAWING, PINIONSHAFT HOUSING OIL LEVEL ASSEMBLY 60110		
00-711-087-035	BUSHING, PIPE, HEX HD, 1.000X0.375"-ASMEB16.14- A126-UNPLTD	0.11kg	
17-107-089-001	HOSE ASSEMBLY, WITH ONE END, 0.38 ID X 6.0 FEET LONG KUNDINGER FLUID POWER INC	0.95kg	
17-107-089-002	HOSE ASSEMBLY, WITH ONE END, 0.50 ID X 6.0 FEET LONG KUNDINGER FLUID POWER INC	0.95kg	
00-735-781-037	HOSE COUPLING, 0.375 X .500 SAE (JIC) 37° SWIVEL REUSABLE PARKER-HANNIFIN CORP. PART NO. 2064	0.11kg	
00-735-781-636	HOSE COUPLING, 20642-8-8, PARKER HANNIFIN	0.21kg	
00-735-791-033	CONNECTOR, 6-8 FTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK		
00-735-791-033	CONNECTOR, 6-8 FTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK		

00-735-791-033	CONNECTOR, 6-8 FTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK		
17-107-528-802	LEVEL SENSOR ASSEMBLY, TRANSMITTER, 4-20mA	0.53kg	
17-303-832-401	ASSEMBLY DRAWING, PINIONSHAFT HOUSING OIL LEVEL ASSEMBLY 60110		
17-104-208-012	SIGHT GLASS, OIL LEVEL	0.32kg	
17-203-328-501	PIPE ASSEMBLY, SIGHT GAUGE, PINIONSHAFT HSG OIL LEVEL	4.2kg	
00-711-141-024	CAP, 3.000"-NPTI-ASMEB16.3-CL150-UNPLTD, BANDED	1.16kg	
00-711-011-024	PIPE COUPLING, 3.000" NPT-SCH40-1000PSI-ASTMA53- UNPLTD	1.68kg	
00-711-103-101	BUSHING, HEX HEAD, 3.00"-NPTE X 1.00"-NPTI-ASTMA105-GR2- UNP, FIG. 600, LADISH CO	1.26kg	
00-691-630-316	U-BOLT, 0.375"-16UNC-2BX3.625X4.000X5.250X1.750", U-300SG, 0-Z/GEDNEY	0.21kg	
17-303-833-501	BRACKET INSTALLATION, PINIONSHAFT OIL LEVEL SIGHT GAUGE 60110	13.33kg	
00-711-087-035	BUSHING, PIPE, HEX HD, 1.000X0.375"-ASMEB16.14- A126-UNPLTD	0.11kg	
00-711-595-003	T CONNECTION, PIPE, 0.375"-NPTI-ASMEB16.3-CL150-UNPLTD, BANDED	0.11kg	
00-711-497-003	PLUG, 0.375"-NPT-ANSIB16.14-SQ HEAD, SOLID		
17-203-328-002	PIPE, TBE 3.00"X14.5"LG, SCH 40	4.3kg	
00-715-351-030	FITTING, BUTTWLD, 3.00-36.00" RUN, 0.375" OUTL, A105-CL3000, BONNEY FORGE, TM: THREDOLET	0.53kg	
00-573-721-221	PIPE, WLD, 3.000X3.500X0.264"-A120-SCH40, PL ENDS, UNPLT		
17-107-528-401	ASSEMBLY DRAWING, LEVEL TRANSMITTER ASM PIX		
17-107-513-209	LEVEL TRANSMITTER, U25164, IFM ELECTRONIC, TM: EFECTOR	0.42kg	
17-107-513-203	ADAPTER, E43013, 1" NPT D16 IFM ELECTRONIC	0.32kg	
17-107-513-310	PROTECTING COVER, E43910, IFM ELECTRONIC, TM: EFECTOR		
17-107-513-305	CONNECTOR, CABLE, CONTROL MONITOR CABLE ASSEMBLY, EVCO08, IFM ELECTRONIC, TM: EFECTOR	0.21kg	
17-303-541-002	MAIN SHAFT, STEP MACHINING, ITALBRONZE LTDA, PRICE MIKE WARD 5	216.72kg	
00-711-545-008	PLUG, PIPE 1.000 NPTE, HEX C-SUNK SOCKET, ASMEB16.14	0.11kg	
17-107-410-001	ANTIFRICTION COATING, SILVER METAL POWDER, 1-5 MICRON, 99.9% PURE, ATLANTIC EQUIPMENT ENGINEERS P/N		
17-107-415-001	DECAL, STEP COMPONENTS DECAL		
07-346-944-004	MAIN SHAFT STEP, CASTING, 60109		
00-611-271-724	SCREW, CAP, HEXAGONAL, 1.000"-8UNC-2AX2.500"-ASMEB18.2.1-GR 2- UNPLTD	0.32kg	
00-573-257-811	PLATE, STEEL, 5.500"-ASTMA6-ASTMA36(UNS K02600), HOT ROLLED, COMM Q		
07-349-889-006	HEADNUT, CASTING, M/F ACM102, PATT NO. 1-10083	893.55kg	
00-573-451-401	PLATE, STEEL, 16GA-ASTMA6-ASTMA1008, COMM ROLLED, COMM Q		
17-402-417-401	CUSTOMER INSTALLATION DRAWING, HYDRAULIC SHELL SEPARATOR, 60-110		
17-106-715-009	CYLINDER, HYDRAULIC, SINGLE ACTING, 75 TON CAPACITY, 10,000PSI, ENERPAC MODEL NO. RC-756	30.98kg	
17-106-715-008	PUMP, HAND, 10,000PSI, 462 USABLE CAPACITY CU/IN, 0.375NPT, ENERPAC MODEL NO. P462	29.09kg	
17-106-715-010	MANIFOLD, HYDRAULIC 7 PORTS 10,000PSI, 0.375 NPT PORTS, ENERPAC MODEL NO. A-64	1.47kg	
17-106-715-011	HYDRAULIC FITTING, TEE, 0.375 NPT, 10,000 PSI ENERPAC MODEL NO FZ-1612	0.21kg	
17-106-715-012	HYDRAULIC FITTING, 0.375"-NPTF, 700BAR, FZ-1617 ENERPAC		
17-106-715-007	HIGH-PRESSURE HOSE, 20FT, 10000PSI, 0.38NPTF-MX0.38NPTF-M, H-9220, ENERPAC	3.15kg	
17-106-715-004	HIGH-PRESSURE HOSE, 6FT, 10000PSI, 0.38NPTF-MX0.38-M COUPLER, HC-9206, ENERPAC	1.16kg	
17-106-715-005	HIGH-PRESSURE HOSE, 10FT, 10000PSI, 0.38NPTF-MX0.38-M COUPLER, HC-9210, ENERPAC	1.68kg	
17-106-715-006	HIGH-PRESSURE HOSE, 20FT, 10000PSI, 0.38NPTF-MX0.38-M COUPLER, HC9220, ENERPAC	2.94kg	
17-106-715-013	HIGH-PRESSURE HOSE, 25FT, 10,000PSI, 0.38NPT MALE/0.38 MALE COUPLER, ENERPAC HVY DTY MODEL PTD-Q97-013	2.84kg	
17-106-715-013	HIGH-PRESSURE HOSE, 25FT, 10,000PSI, 0.38NPT MALE/0.38 MALE COUPLER, ENERPAC HVY DTY MODEL PTD-Q97-013	2.84kg	
17-106-715-006	HIGH-PRESSURE HOSE, 20FT, 10000PSI, 0.38NPTF-MX0.38-M COUPLER, HC9220, ENERPAC	2.94kg	
17-106-715-005	HIGH-PRESSURE HOSE, 10FT, 10000PSI, 0.38NPTF-MX0.38-M COUPLER, HC-9210, ENERPAC	1.68kg	
17-106-715-004	HIGH-PRESSURE HOSE, 6FT, 10000PSI, 0.38NPTF-MX0.38-M COUPLER, HC-9206, ENERPAC	1.16kg	
17-202-958-001	COLLAR, HYDRAULIC SHELL SEPARATOR 60-110	7.56kg	
17-202-859-501	BRACKET, HYDRAULIC MANIFOLD	4.73kg	
00-611-271-388	SCREW, CAP, HEXAGONAL, 0.250"-20UNC-2AX2.250"-ASMEB18.2.1-GR 2- UNPLTD		
00-651-001-160	WASHER, PLAIN, 0.312"IDX0.750"ODX0.062"-STL-UNPLTD		
1003064464	WASHER, LOCK, HELICAL SPRING, REGU, 0.250"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
1003025011	NUT, HEXAGONAL, 0.250"-20UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
00-735-353-009	CLAMP, HOSE SUPPORT, 0.52" OD - 0.59" OD PARKER-HANNIFIN NO. CL-9		
00-611-455-519	SCREW, SELF-THREADING, 0.375X0.750"-ASMEB18.6.4-TYPE B-UNPLTD		
00-573-139-570	ROUND BAR, STEEL, 7.750"-ASTMA6-UNSG10450/G11440, HOT ROLLED, SPEC Q		
17-202-859-002	PLATE, 0.25 X 9.0 X 13.0"	1.89kg	
60-197-350-136	BAR, 0.25" X 1.50" X 13.6" LG, AISI M1015/1020	0.73kg	
01-101001	PLATE, STEEL, 0.250"-ASTMA6-ASTMA36, HR		
00-573-011-184	FLAT BAR, STEEL, 0.250X1.500"-ASTMA29-ASTMA575-M1020, HR		
07-248-874-002	NUT, 2.50" SQUARE HEAD	5.25kg	
07-248-874-006	STUD, 2.250" DIA X 43.000" LG	26.67kg	
00-573-065-473	SQUARE BAR, 4.00" SQ X 192-240"LG, UNS NO G10150-G10220, HR		

00-573-115-370	ROUND BAR, STEEL, 2.500"-ASTMA6-G10180/190/210/220, HR, SPEC Q		
07-248-374-002	PLATE, 1.0" X 8.0" X 8.0", M/F 00-573-257-401	266.7kg	
07-248-374-003	PIPE, 8.00"DIA X 14.25"LG, SCH 40	16.17kg	
07-248-374-004	PLATE, 1.0" X 9.8" X 9.8", M/F 00-573-257-401	266.7kg	
01-101007	PLATE, STEEL, 1.000"-ASTMA6-ASTMA36, HR		
00-573-730-019	PIPE, 8.000X8.625X0.322"-ASTMA53-SCH40, PLAIN ENDS		
01-101007	PLATE, STEEL, 1.000"-ASTMA6-ASTMA36, HR		
00-711-369-006	ELBOW, STR, 90DEG-0.750"-NPTI-ASMEB16.3-CL150- UNPLTD, BND	0.21kg	
17-201-403-501	BRACKET, LUBE HOSE COUPLING	1.05kg	
07-247-850-007	HOSE, 0.750" X 105.000"LG, 300PSI, IMPERIAL-EASTMAN, P/N U2-FA12-12MB	2.21kg	
17-201-403-002	BAR, .38"X3.0"X7.0" WITH HOLES	0.95kg	
00-711-011-006	PIPE COUPLING, 0.750" NPT-SCH40-700PSI-ASTMA53-UNPLTD	0.11kg	
17-107-513-212	LEVEL SWITCH, CAP PROX SW, 20-250VAC/DC, N.O. (PROGRAMMED K10054)	0.53kg	
17-203-330-001	BRACKET, SPIDER BEARING CAVITY LEVEL SWITCH NORTHWOODS MFG., INC.	0.32kg	
17-107-513-311	CABLE, OIL RESISTANT, IFM EFECTOR E18202	0.53kg	
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
17-106-560-001	HOSE SAFETY CATCH, SPIDER LUBE SUPPLY, NORTHWOODS MFG., INC., NGC2002-072	0.21kg	
00-611-271-722	SCREW, CAP, HEXAGONAL, 1.000"-8UNC-2AX2.000"-ASMEB18.2.1-GR 2- UNPLTD	0.32kg	
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-303-677-401	ASSEMBLY DRAWING, LEVEL SENSOR SPIDER BUSH OIL - FIELD ASSY		
17-107-513-312	CABLE END, MALE 3-WIRE CABLE END		
MM0343534	SENSOR, K10054, IFM ELECTRONIC, TM: EFECTOR	0.11kg	
MM0343904	HEAT SHRINKABLE TUBE, FP-301-1 1/2"-6"-BLACK 3M		
00-573-011-023	FLAT BAR, STEEL, 0.125X1.000"-ASTMA29-ASTMA575-M1020, HR	0.53kg	
17-107-558-501	PUMP ASSEMBLY, SPIDER LUBE BARREL & HOSES, GS NORTH AMERICA LLC OR EQUIV	30.45kg	
17-107-559-501	HYDRAULIC POWER UNIT, 460V/60HZ NEMA	74.55kg	
17-402-888-401	CUSTOMER INSTALLATION DRAWING, SPIDER LUBE SYSTEM OUTLINE		
17-107-531-002	HOSE ASSEMBLY, SUPPLY, BARREL PUMP TO SPIDER ARM 65FT	9.03kg	
17-107-531-006	HOSE ASSEMBLY, HYD POWER UNIT TO BARREL PUMP	1.26kg	
17-107-531-007	HOSE ASSEMBLY, BARREL PUMP TO HYD POWER UNIT	1.89kg	
17-107-560-001	PUMP UNIT, SPIDER BARREL PUMPING UNIT	17.64kg	
17-203-374-401	ASSEMBLY DRAWING, BARREL PUMP AND HOSE PIX		
N02125718	BREATHING, P562584, ABB-10-N DONALDSON, TM: LHA	0.32kg	
N02125314	GAUGE, SNA-127-B-S-0-12 STAUFF	0.32kg	
17-107-602-001	MOTOR, ELECTRIC, 2.00HP, 1800RPM, 145TC, TEFC, 460V/60, NEMA C/2, 208V QUALITY PER 17-107-416-401	30.98kg	
N03460989	HUB, L90, 685144-10775 LOVEJOY		
N03460988	HUB, TYPE L090, 685144-26087 LOVEJOY	0.32kg	
N03460986	COUPLING PART, TYPE L090, 685144-10968 (INSERT SOX OPEN CENTER), LOVEJOY		
N02152621	COUPLING HOUSING, 6027	1.05kg	
17-107-560-002	PUMP, SPIDER LUBE POWER UNIT - BARE	2.1kg	
N02125719	STRAINER, SE.75112111 PARKER HANNIFIN	0.11kg	
N02125135	GAUGE, PRESSURE, SPG-063-02000-5-S-N04-0 STAUFF	0.21kg	
17-107-641-001	SWITCH, PRESSURE, DPDT PRESET AT 400PSI DEC.	1.16kg	
N02482114	VALVE, PRESSURE RELIEF, RD102S18, CARTRIDGE, SET AT 1500 PSI PARKER	0.32kg	
N02482071	VALVE BODY, B10-2-A8T, PARKER HANNIFIN	0.53kg	
17-107-560-003	FILTER ELEMENT, 10MIC MICROGLASS, GS NORTH AMERICA LLC PARKER FILTE	0.73kg	
N02125881	GAUGE, 12AT-934237, 25 PSI PARKER	0.11kg	
1056364060	NAME PLATE, SERIAL&P/N, MADE IN USA W/O CE MARK (ENGLISH TEXT), GS HYDRAULICS P/N GS02201-002		
N02152772	GASKET, 268599	0.63kg	
17-203-340-401	ASSEMBLY DRAWING, SPIDER LUBE LOCAL/REMOTE ASM ENGLISH		
N05256503	CABINET, ELECTRICAL, A606CHNF HOFFMAN		
1005126617	SWITCH, PUSH BUTTON, 800T-A2D1, ROCKWELL AUTOMATION, TM: ALLEN-B		
1005126675	RUBBER BOOT, 800H-N5H, FOR PUSHBUTTON, BLACK ROCKWELL AUTOMATION, TM: ALLEN-B		
17-107-554-001	IDENTIFICATION PLATE, LEGEND - "RUN"		
N05255827	SWITCH, SELECTOR, 800TC-H17A, ROCKWELL AUTOMATION, TM: ALLEN-B	0.21kg	
1056376662	NAME PLATE, LOCAL, ENGLISH TEXT, ABLE ENGRAVERS, PER NORDBERG DWG		
17-203-339-401	CUSTOMER INSTALLATION DRAWING, SPIDER LUBE LOCAL/REMOTE SWITCH BOX ENGLISH		
17-203-333-401	SPIDER LUBRICATION SYSTEM, MOUNTING AND CLEARANCE/ REMOTE SWITCH		
17-202-069-004	STUD, JOINT STUD BOLT	60.06kg	
1003001151	NUT, HEXAGONAL, HEAVY, 4.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	9.97kg	
00-573-115-470	ROUND BAR, STEEL, 4.000"-ASTMA6-G10180/190/210/220, HR, SPEC Q		
00-573-083-160	SQUARE BAR, 0.750"ASTMA6-AISI1080, CF		
17-202-069-003	STUD, 4.000" X 32.0"LG	52.4kg	
1003001151	NUT, HEXAGONAL, HEAVY, 4.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	9.97kg	
00-573-115-470	ROUND BAR, STEEL, 4.000"-ASTMA6-G10180/190/210/220, HR, SPEC Q		
17-203-005-001	BUSHING CASTING, SPIDER BUSHING-CASTING	2289.95kg	
17-303-229-401	ASSEMBLY DRAWING, SPIDER VENT COVER ASM 60110		
00-795-265-025	BREATHING, 10935AL, 3.125" DIA X 3.312", 0.75" NPT, PLATED, CRENLO	0.21kg	
00-333-321-024	SEALING COMPOUND, FORM-A-GASKET NO. 2, 80011, 2C, 110Z PERMATAX	0.42kg	

00-611-271-546	SCREW, CAP, HEXAGONAL, 0.500"-13UNC-2AX1.250"-ASMEB18.2.1-GR 2- UNPLTD		
1003064476	WASHER, LOCK, HELICAL SPRING, REGU, 0.500"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-303-228-501	SPIDER VENT COVER, 60-110	101.01kg	
00-711-497-016	PLUG, SQUARE HEAD SOLID, 2.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.63kg	
17-303-228-002	SHEETS, STEEL SHEET 11GA X 53.6" X 53.6"	28.56kg	
17-303-228-003	SHEETS, STEEL SHEET 11GA (.119") X 24.38"DIA	7.67kg	
17-303-228-004	PLATE, 0.5 X 56.5 X 56.5"	19.53kg	
17-303-228-005	PLATE, 0.19 X 23.5 X 76.0"	45.26kg	
00-711-075-006	HALF COUPLING, PIPE, 3000LB H/P SCD NPT 3/4", 03692208 BLACKWOODS		
17-103-919-001	HANDLE, DOOR PULL, STANLEY MODEL NO. NH 482 SIZE NO. 3 (	12.5kg	
00-711-075-016	HALF COUPLING, PIPE, 2.000"-NPTI-ASTMA53-CL150-UNPLTD		
00-573-405-401	SHEETS, 11GAXMISCX MISC, HR CARBON STL, COMM QUAL		
00-573-405-401	SHEETS, 11GAXMISCX MISC, HR CARBON STL, COMM QUAL		
00-573-257-221	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
00-573-257-011	PLATE, STEEL, 0.1875"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-257-391	PLATE, STEEL, 0.875"-ASTMA6-ASTMA36(UNS K02600), HR		
1026740291	COOLER ASSEMBLY, OCS-3100D, YOUNG TOUCHSTONE	856.8kg	
17-107-602-039	MOTOR, ELECTRIC, 20.0HP, 1200RPM, 286T, TEFC, 460V/60, NEMA GYRATORY QUALITY PER 17-107-416-401	215.25kg	
00-711-011-024	PIPE COUPLING, 3.000" NPT-SCH40-1000PSI-ASTMA53- UNPLTD	1.68kg	
00-711-087-098	BUSHING, OUTSIDE HEAD, 3.000X2.000"NPT-CL125-ASMEB16.14- ASTMA126-BLACK	0.95kg	
00-711-011-032	PIPE COUPLING, 4.000" NPT-SCH40-1200PSI-ASTMA53- UNPLTD	2.31kg	
00-711-087-132	BUSHING, INSIDE HEAD, 4.000X2.000"NPT-CL125-ASMEB16.14- ASTMA126-UNPLTD	1.58kg	
17-105-179-007	VALVE, PRESSURE RELIEF, 1.50", .40 PSI, VJ-7R, PARKER HANNIFIN, FULFLO	6.83kg	
17-402-979-502	SUBASSEMBLY, 90 GPM FLOW METER STATION ROSEMOUNT WITH DISPLAY	58.06kg	
17-402-979-402	ASSEMBLY DRAWING, 90GPM FLOW METER STATION ROSEMOUNT WITH DISPLAY		
17-203-356-503	TRANSMITTER ASSEMBLY, TEMPERATURE, ROSEMOUNT W/ DISPLAY HART & ADAPTER, HART COMMUNICATION, -40 TO 302F	3.26kg	
17-107-513-112	SENSOR, TEMPERATURE, TS2051, IMF ELECTRONIC	0.11kg	
1046050032	THERMOWELL, 0.50 -14NPT X 70MM, P/N UT0013 (UT0009 & 700692), EFECTOR	0.11kg	
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
17-203-356-503	TRANSMITTER ASSEMBLY, TEMPERATURE, ROSEMOUNT W/ DISPLAY HART & ADAPTER	3.26kg	
17-107-513-112	SENSOR, TEMPERATURE, TS2051, IMF ELECTRONIC	0.11kg	
1046050032	THERMOWELL, 0.50 -14NPT X 70MM, P/N UT0013 (UT0009 & 700692), EFECTOR	0.11kg	
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
17-107-429-021	TRANSMITTER, PRESSURE, ROSEMOUNT 3051S HART 0-30PSI, LED DISPLAY	2.62kg	
17-107-429-021	TRANSMITTER, PRESSURE, ROSEMOUNT 3051S HART 0-30PSI, LED DISPLAY	2.62kg	
17-203-391-501	HOSE ASSEMBLY, MICRO 0.50 NPTM X 0.25 NPT - PRESSURE TRANSMITTER	2.84kg	
17-203-391-501	HOSE ASSEMBLY, MICRO 0.50 NPTM X 0.25 NPT - PRESSURE TRANSMITTER	2.84kg	
17-402-979-402	ASSEMBLY DRAWING, 90GPM FLOW METER STATION ROSEMOUNT WITH DISPLAY		
17-106-229-050	FLOWMETER, 60 GPM, 4-20mA TRANSMITTER, 1.50 NPT PORTS, UNIVERSAL MODEL NO. MN-ASB-60GLM	4.41kg	
17-106-229-050	FLOWMETER, 60 GPM, 4-20mA TRANSMITTER, 1.50 NPT PORTS, UNIVERSAL MODEL NO. MN-ASB-60GLM	4.41kg	
17-203-399-503	SEPARATOR, SEDIMENT 1.500 NPTI	1.47kg	
17-203-399-503	SEPARATOR, SEDIMENT 1.500 NPTI	1.47kg	
17-403-029-501	MOUNTING BRACKET, 90 GPM FLOW METER STATION ROSEMOUNT WITH DISPLAY		
00-691-630-155	U-BOLT, 1.50", 0.3125"-18 THREAD, U-150SG 0-Z/GEDNEY	0.11kg	
17-303-834-001	DECAL, FIT-1 LOWER FLOW		
17-303-834-002	DECAL, FIT-2 UPR FLOW MTR		
17-303-834-003	DECAL, TIT-1 INNER RTD		
17-303-834-004	DECAL, TIT-2 OUTER RTD		
17-303-834-005	DECAL, PIT-1 MPS PRESS.		
17-303-834-006	DECAL, VIT-1 VIBR PIN BRG		
17-303-834-007	DECAL, TIT-5 UPPER TEMP		
17-303-834-008	DECAL, TIT-6 LOWER TEMP		
17-303-834-009	DECAL, PIT-8 LOWER PRESS		
17-303-834-010	DECAL, PIT-9 UPPER PRESS		
00-711-451-387	PIPE NIPPLE, 1.500X10.000"-ASTMA53-SCH40-UNPLTD, WELDED	0.95kg	
00-711-087-052	BUSHING, PIPE, HEX HD, 1.500X0.500"-ASMEB16.14- A126-UNPLTD	0.21kg	
00-711-087-054	BUSHING, INSIDE HEAD, 1.500X0.250"NPT--CL125-ASMEB16.14- ASTMA126-UNPLTD		
00-651-001-214	WASHER, PLAIN, 0.375"-ASMEB18.21.1-TYPE A-N-ST-UNPLTD		
1003025021	NUT, HEXAGONAL, 0.375"-16UNC-2B-ASMEB18.2.6-GR A-UNPLTD		
00-711-221-012	CROSS PIPE, 1.5 NPS-ASMEB16.3-ASTMA197-CL150- UNPLTD	1.16kg	
MM0320958	SEPARATOR, SEDIMENT, 1.500" NPTI, 777S/112 WATTS	1.89kg	
MM0320974	SCREEN ELEMENT, REPLACEMENT 1.50-20 MESH, 1077655 WATTS		
00-711-497-008	PLUG, SQUARE HEAD SOLID, 1.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.21kg	
17-303-880-003	IDENTIFICATION PLATE, CRUSHER SENSOR ENCLOSURE MORENCI S60110103		
17-502-276-513	DISTRIBUTION PANEL, CRUSHER SENSOR ENCLOSURE ROSEMOUNT ENGLISH 60110		
17-502-276-413	CUSTOMER INSTALLATION DRAWING, CRUSHER SENSOR ENCLOSURE ROSEMOUNT ENGLISH 60110		
MM0226500	CABINET, ELECTRICAL, HOFFMAN P/N A-362410LP & A-36P24 + PAINTING	44.73kg	
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		

1029300400	WARNING DECAL, HAZARDOUS VOLTAGE... CONTACT (ENGLISH TEXT), GS NORTH AMERICA, P/N M03541-002		
04-093244	BAR, GROUND, PK15GTA, SCHNEIDER ELECTRIC, TM: SQUARE D	0.11kg	
17-402-981-402	CUSTOMER INSTALLATION DRAWING, BALANCE CYLINDER PIPING ROSEMOUNT 60110		
17-202-861-501	BRACKET, PIPE CLAMP, ASSEMBLY	5.25kg	
00-611-271-681	SCREW, CAP, HEXAGONAL, 0.750"-10UNC-2AX10.000"-ASMEB18.2.1-GR 2- UNPLTD	0.63kg	
00-631-001-112	NUT, HEXAGONAL, 0.750"-10UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
1003064488	WASHER, LOCK, HELICAL SPRING, REGU, 0.750"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-202-619-001	BALANCE CYLINDER, AIR/OIL, 8.00 DIA BORE, 30.00 STROKE, 4.00 INLET, JOHNSON HYDRAULICS, INC.	242.45kg	
17-103-834-009	GAUGE, PRESSURE, DUAL SCALE 0-200 PSI, 4.0 DIA, WIKA, P/N 213.40	1.26kg	
00-711-087-913	BUSHING, INSIDE HEAD, 1.250X0.250"NPT-CL150-ASMEB16.14-ASTMA197-UNPLTD	0.11kg	
00-711-591-002	T CONNECTION, PIPE 0.25" NPT-ASMEB16.4-CLASS 125, BANDED	0.11kg	
00-711-451-052	PIPE NIPPLE, 0.25" NPTX1.25"-SCH40-ASTMA53-UNPLTD		
00-611-271-724	SCREW, CAP, HEXAGONAL, 1.000"-8UNC-2AX2.500"-ASMEB18.2.1-GR 2- UNPLTD	0.32kg	
00-631-001-116	NUT, HEXAGONAL, 1.000"-8UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
17-107-524-005	SWITCH, PRESSURE, SPDT, SET 115 PSI FALLING, RESET 122 PSI, 0.25 NPTM, UE	0.21kg	
17-107-524-006	CONNECTOR CABLE, 0.50 CONDUIT, DIN 43650, FORM A		
17-107-429-023	TRANSMITTER, PRESSURE, ROSEMOUNT 3051S HART 0-1000PSI, LED DISPLAY	2.73kg	
00-711-103-036	PIPE BUSHING, HEX, 1.00"NPTX 0.250"NPT, STEEL CRANE CO	0.11kg	
17-203-391-501	HOSE ASSEMBLY, MICRO 0.50 NPTM X 0.25 NPT - PRESSURE TRANSMITTER	2.84kg	
17-303-212-501	MANIFOLD, BLOCK MPS CONTROL VALVE	120.75kg	
17-201-287-501	SUPPORT BRACKET, BALANCE CYLINDERS 60110	52.5kg	
00-733-371-305	OIL CUP, STYLE CP, 1.00"-11.5-NPT, 01305 GITS BROTHERS MAN.	0.11kg	
00-719-437-116	FLANGE, SLIP-ON WELDING, 4.000"-ASMEB16.5-ASTMA105-CL600- UNPLTD, FCD, DRLLD, RUNDLE SPENCE MFG. CO.	16.7kg	
17-402-292-501	MPS CHECK VALVE, ASSEMBLY, 4.00, 600 PSI	40.95kg	
07-150-070-012	GASKET, 4.50"ID X 6.19"OD X .06"THK APPLETON PACKING & GASKET		
17-300-396-016	STUD, 0.875-9UNC-2A X 12.00, THREADED 2.50 BOTH ENDS, PITTSBURGH WELDING, QTE 4/9/03	0.95kg	
00-631-001-114	NUT, HEXAGONAL, 0.875"-9UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
17-402-980-501	PIPE ASSEMBLY, LOWER PIPE TO CHECK VALVE		
00-711-497-008	PLUG, SQUARE HEAD SOLID, 1.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.21kg	
00-751-531-250	O-RING, AS568-347-4.225X0.21"-NBR70		
17-105-775-030	FLANGE, 4.00 PIPE, 4 BOLT SQ, SOCKET WELD, O-RING, 3000PSI, MAIN MANUFACTURING PRODUCTS P/N	8.61kg	
00-615-142-728	SCREW, CAP, HEXAGON SOCKET HEAD 1.000"-8UNRC-3AX3.500"-ASMEB18.3-, ASTMA574-UNPLTD	0.53kg	
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-303-210-501	PIPE ASSEMBLY, LOWER, 60-110	49.56kg	
17-105-775-017	FLANGE, SOCKET W/ O-RING GROOVE, 6.00 X 7.00 X 8.00	31.5kg	
00-751-531-922	O-RING, 0.125X 4.250X 4.500, 244-7507 APPLETON ELECTRIC COMPANY		
00-615-142-746	SCREW, CAP, HEXAGON SOCKET HEAD, 1.000"-8UNRC-3A X 3.500"-ASMEB18.3 +	1.05kg	
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-107-438-001	VALVE, PRESSURE RELIEF, 750PSI, SIMONE ENGINEERING INC	3.46kg	
00-711-451-251	PIPE NIPPLE, 1.00"NPTX1.50"-ASTMA53-SCH40-WELDED- UNPLTD	0.11kg	
17-105-786-002	CLAMP, 4.00 PIPE, WITH COVER PLATE 81140-S-PP GS NORTH AMERICA	4.41kg	
17-107-605-801	AIR BLEED SCREW, BLEEDER AND BUSHING ASM 0.250 GEER HYDRAULICS		
17-202-861-002	ANGLE, 5" X 3.5" X .38" X 11"	4.73kg	
17-202-861-003	PLATE, 0.38 X 2.5 X 4.0"	0.53kg	
60-197-610-035	BAR, 0.38" X 1.00" X 3.5" LG, AISI M1015/1020	0.21kg	
00-573-605-530	L SHAPE, L5.000X3.500X0.375"-ASTMA6-ASTMA36, HR		
01-101003	PLATE, STEEL, 0.375"-ASTMA6-ASTMA36, HR		
17-105-429-801	REPAIRING KIT, BALANCE CYLINDER SEALS 8.00 BORE	0.42kg	
17-102-891-802	REPAIRING KIT, BALANCE CYLINDER PISTON 8.00 BORE ANKER - HOLTH PISTON REPAIR KIT	48.3kg	
17-202-619-005	TIE-ROD KIT, 60.00 IN LONG WITH TWO NUTS, FOR 30.00 STROKE CYL+	3.78kg	
17-202-619-006	TIE-ROD KIT, 58.25 IN LONG WITH TWO NUTS, FOR 30.00 STROKE CYL	3.26kg	
17-202-619-009	VALVE, AIR 0.12 NPT FOR BALANCE CYLINDERS JOHNSON HYDRAULICS, P/N AC-125		
00-719-437-116	FLANGE, SLIP-ON WELDING, 4.000"-ASMEB16.5-ASTMA105-CL600- UNPLTD, FCD, DRLLD, RUNDLE SPENCE MFG. CO.	16.7kg	
17-105-775-030	FLANGE, 4.00 PIPE, 4 BOLT SQ, SOCKET WELD, O-RING, 3000PSI, MAIN MANUFACTURING PRODUCTS P/N	8.61kg	
50-422-282-125	PIPE, COE 4.00" X 12.5", SCH80, ASTM A53	7.67kg	
00-715-245-116	TEE, MALE PIPE, BUTTWLD, 4.000"-ASMEB16.9-ASTMA234-GR WPB-UNPLTD	0.53kg	
50-422-282-053	PIPE, COE 4.00" X 5.3", SCH80, ASTM A53	3.36kg	
50-422-283-033	PIPE, CBE 4.00" X 3.3", SCH80, ASTM A53	1.89kg	
00-715-005-116	CAP, BUTTWLD, 4.000"-ASMEB16.9-ASTMA234-GR WPB-UNPLTD	1.58kg	
00-715-315-232	RING, WELDING, 4.000", GROOVE TYPE KNOCK-OFF SPACER PINS, TUBE TURNS, INC	0.11kg	
00-573-731-374	PIPE, SEAMLESS, 4.000X4.500X0.337"-ASTMA53-GR A-SCH80- UNPLTD		

00-573-731-374	PIPE, SEAMLESS, 4.000X4.500X0.337"-ASTMA53-GR A-SCH80- UNPLTD		
00-573-731-374	PIPE, SEAMLESS, 4.000X4.500X0.337"-ASTMA53-GR A-SCH80- UNPLTD		
17-201-287-002	SUPPORT BRACKET, ANGLE	85.68kg	
17-201-287-003	SUPPORT BRACKET, ANGLE	13.86kg	
00-573-605-356	L SHAPE, L3.000X3.000X0.375"-ASTMA6-ASTMA36, HR		
1000103459	L SHAPE, L3.500X2.500X0.375"-ASTMA6-ASTMA36, HR		
17-402-290-501	HOUSING MACHINING, MPS CHECK VALVE, 4.00 INCH, 600 PSI	33.39kg	
17-201-787-022	O-RING, .094" X 6.25" I.D., APPLETON PACKING & GASKET		
17-302-988-001	SEAL, CHECK VALVE	1.47kg	
17-201-907-001	SPRING, CHECK VALVE 2.15 DIA X 4.00 DIA X 2.50 FREE LGTH	0.53kg	
17-202-812-001	PISTON, MPS CHECK VALVE, 4.00, 600 PSI	1.47kg	
17-105-056-402	VALVE, CHECK, PRESSURE TEST-MPS CHK VALVE		
17-402-290-002	PLATE, 5.00" x 11.00" x 11.00"	31.92kg	
17-302-987-001	RING, CHECK VALVE INSERT	1.47kg	
00-573-257-800	PLATE, STEEL, 5.000"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-257-471	PLATE, 1.250"-ASTMA6-ASTMA36-UNS K02600, HR		
00-573-317-531	PLATE, STEEL, 1.500"-ASTMA6-AISI1045, SHRD EDGES, REQ Q, HR		
00-577-319-509	BAR, ROUND, 5.000"-UNS G41400/G41420, HOT ROLLED, HEAT TREATED		
50-422-282-391	PIPE, COE 4.00" X 29.1", SCH80, ASTM A53	23.31kg	
50-422-284-274	PIPE, COE/TOE 4.00" X 27.4", SCH80, ASTM A53	14.8kg	
17-105-775-005	FLANGE, SQ, COMPANION CS, 4 BOLT, P/N 1388-64-64 MAIN MFG. PRODUCTS, INC.	8.61kg	
00-715-183-116	ELBOW ADAPTER, 45°, BWLD, XSTR, 4.000"-ASMEB16.9-ASTMA234- GR WPB-UNPLT	2.73kg	
00-715-315-232	RING, WELDING, 4.000", GROOVE TYPE KNOCK-OFF SPACER PINS, TUBE TURNS, INC	0.11kg	
00-573-731-374	PIPE, SEAMLESS, 4.000X4.500X0.337"-ASTMA53-GR A-SCH80- UNPLTD		
00-573-731-374	PIPE, SEAMLESS, 4.000X4.500X0.337"-ASTMA53-GR A-SCH80- UNPLTD		
00-771-521-102	VALVE, BLEEDER, 0.125"-NPT, 0832140000 PARKER HANNIFIN		
00-711-087-009	BUSHING, PIPE, HEX HD, 0.250X0.125"-ASMEB16.14- A197-BLACK		
17-303-659-801	PRESSURE SWITCH KIT, SMART BLOWER UPGRADE		
17-303-659-401	INSTRUCTION, OVERPRESSURE SMART BLOWER ASM PIX		
17-107-488-003	AIR INLET, BLOWER ELBOW WITH FILTER SEMLER INDUSTRIES INC.	8.72kg	
17-107-488-004	REDUCTION ADAPTER, AIR BLOWER OUTLET 5.0 X 1.0 NPT MALE SEMLER INDUSTRIES INC., QUOTE 64171	1.68kg	
17-107-493-001	BLOWER, 460V/60HZ, NEMA FRAME MOTOR	31.5kg	
17-107-488-010	SWITCH, PRESSURE, VACUUM, PLUGGED FILTER, SEMLER INDUSTRIES INC., QUOTE 64221	2.52kg	
17-107-488-012	HOSE ASSEMBLY, VACUUM SWITCH TO BLOWER FILTER SEMLER INDUSTRIES INC., QUOTE 64221	0.11kg	
00-611-271-382	SCREW, CAP, HEXAGONAL, 0.250"-20UNC-2AX1.500"-ASMEB18.2.1-GR 2- UNPLTD		
00-651-001-125	WASHER, PLAIN, 0.250"IDX0.812"ODX0.062"-STL-UNPLTD		
1003064464	WASHER, LOCK, HELICAL SPRING, REGU, 0.250"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
1003025011	NUT, HEXAGONAL, 0.250"-20UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
17-107-488-002	FILTER ELEMENT, AIR BLOWER, SEMLER INDUSTRIES INC. 852516 MIC	0.73kg	
17-107-493-002	MOTOR, ELECTRIC, 1.50HP 3600RPM 145T TEFC 460V/60 NEMA TECO, GYRATORY QUALITY PER 17-107-416-401	46.73kg	
17-107-493-016	HOUSING, BLOWER W/BASE, 6 INLET & 5 OUTLET CINCINNATI FAN P/N PB10A4 MODEL PB-	8.19kg	
17-107-493-011	WHEEL, BLOWER 60HZ 3450RPM, NEMA FRAME MOTOR	1.99kg	
17-107-416-401	SPECIFICATION, GYRATORY NEMA MOTOR MIN REQUIREMENTS		
07-146-694-009	BOLT, SQUARE HEAD, 3.000-4UNC-2A X 11.25	15.65kg	
1003001131	NUT, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	4.73kg	
00-691-531-302	EYE BOLT, 0.750"-10UNC-2AX2.000"-ASMEB18.15-T2- A489-UNPLTD	0.53kg	
00-691-531-618	EYE BOLT, 1.500"-6UNC-2AX3.500"-ASMEB18.15-T2-A489- UNPLTD	3.78kg	
00-691-531-709	EYE BOLT, 2.00"-4.5UNC-2AX4.00-ASMEB18.15-T2- ASTMA489-UNPLTD	8.4kg	
00-691-531-412	EYE BOLT, 1.000"-8UNC-2AX3.000"-ASMEB18.15-T2-A489- UNPLTD	1.16kg	
17-107-642-001	LIFTING EYE, SWIVEL HOIST HEAVY DUTY RING, 1-8THRD, 10,000LB		
17-107-642-002	LIFTING EYE, SWIVEL HOIST HEAVY DUTY RING, 1.5- 6THRD, 24,000LB, #33424	9.03kg	
00-691-525-184	EYE BOLT, 0.500"-13UNC-2AX1.500"-ASMEB18.15-T1- A489-UNPLTD	0.21kg	
00-691-525-436	EYE BOLT, 1.000"-8UNC-2AX9.000"-ASMEB18.15-T1-A489- UNPLTD	1.89kg	
17-106-407-009	WRENCH, SOCKET, 0.750" HEX KEY, 0.750" DRIVE, LAW124A SIM723, SNAP-ON TOOLS CORPORATION	0.84kg	
00-935-039-196	HEXAGONAL KEY, 0.875" ACROSS FLATS X 12.75" LG ARM, ASMEB18.3	1.47kg	
00-935-039-310	HEXAGONAL KEY, 2.250" ACROSS FLATS X 19.000" LG ARM, ASMEB18.3	15.44kg	
17-106-407-010	WRENCH, SOCKET, 0.625 HEX HEAD KEY, 0.750 DRIVE SNAP-ON TOOLS CORPORATION	0.63kg	
00-935-039-200	HEXAGONAL KEY, 1.000" ACROSS FLATS X 14.25" LG ARM, ASMEB18.3	2.1kg	
00-935-039-151	HEXAGONAL KEY, 0.375" ACROSS FLATS X 6.75" LONG ARM, ASMEB18.3	0.11kg	
00-935-039-161	HEXAGONAL KEY, 0.500" ACROSS FLATS X 8.25" LONG ARM, ASMEB18.3	0.32kg	
00-935-039-181	HEXAGONAL KEY, 0.625" ACROSS FLATS X 9.75" LONG ARM, ASMEB18.3	0.53kg	
00-935-141-236	WRENCH, SOCKET, 1.000" SQ DRV, FOR 2.250" BOLT, 6-POINT, SIM723, SNAP-ON TOOLS CORPORATION	2.31kg	
00-935-147-253	SOCKET, IMPACT, 1.50" DRIVE, 3.875", SIM1245 SNAP-ON TOOLS CORPORATION	7.25kg	
00-935-045-060	WRENCH, OPEN END, 1.875", SINGLE HEAD, 15DEG, ENAMELED FINISH, DFSTL	2.52kg	
00-935-045-196	WRENCH, OPEN END, 6.125", SINGLE HEAD, 15DEG, ENAMELED FINISH, DFSTL	49.98kg	
00-935-045-148	WRENCH, OPEN END, 4.625", SINGLE HEAD, 15DEG, ENAMELED FINISH, DFSTL	17.64kg	

17-103-757-015	WRENCH, STRIKING, 4.500", DX1144A, SNAP-ON TOOLS CORPORATION	18.17kg	
17-103-757-005	WRENCH, HIT BOX, 4.625", DX1148A, SNAP-ON TOOLS CORPORATION	17.96kg	
07-249-918-501	WRENCH, PINION, SPANNER, FOR LOCKNUT SPACER	1.99kg	
07-249-913-501	STOP PLATE, PISTON 60110	26.14kg	
17-202-513-804	GUIDING ROD, ASSEMBLY MAINSHAFT STEP	11.45kg	
07-249-921-001	GUIDING ROD, 3.00" DIA, X 90.0" LG	85.05kg	
17-105-881-513	GUIDING ROD, ASM 2.00-4.5 UNC X 42.0" LG 60110 ECCENTRIC AND MPS ASSEMBLIES	19.01kg	
17-201-978-001	WEDGE, SHELL SPLITTING, RENCO MACHINE CO. INC.	1.47kg	
00-691-531-517	EYE BOLT, 1.250"-7UNC-2AX3.000"-ASMEB18.15-T2-A489- UNPLTD	2.31kg	
17-107-059-001	WRENCH, OPEN END, 12 PC SET, 0.250" - 1.625", P/N 4403, SEARS CRAFTSMAN, SEE DWG. 17-107-05	6.3kg	
07-249-918-002	WRENCH, SPANNER WRENCH BLANK	2.42kg	
00-671-101-509	STRAIGHT PIN, 0.500X0.875"-ASMEB18.8.2-SAE1115/17/20- UNPL-SQ END		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
07-249-913-002	PLATE, 0.5" X 16.5" X 35", M/F 00573-257-221	26.14kg	
07-249-913-003	FLAT BAR, 1" X 1.5" X 8"	1.58kg	
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
00-573-011-550	FLAT BAR, STEEL, 1.000X1.500"-ASTMA29-ASTMA575-M1020, HR		
17-202-370-007	THREADED ROD, .750"-10 UNC-2A X 24.0" LG WEST ALLIS MACHINE CO., QTE 4/29/03	1.47kg	
17-106-096-501	GUIDE BAR, MAINSHAFT STEP 60110	10.08kg	
00-631-001-112	NUT, HEXAGONAL, 0.750"-10UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
00-631-141-112	NUT, JAM, HEXAGONAL, 0.750"-10UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
00-651-001-412	WASHER, PLAIN, 0.750"-ASMEB18.21.1-TYPE A-W-ST-UNPLTD		
00-619-401-918	STUD, 0.750"-10UNC-ASME B18.31.2-AISIC1015/22- UNPLTD	0.11kg	
17-106-096-002	FLAT BAR, 2" X 2" X 18"	9.55kg	
60-340-220-016	SQUARE BAR, 0.25" X 0.25" X 1.6" LG, AISI M1015/1020+		
00-573-055-340	SQUARE BAR, 2.000"-ASTMA6-AISIM1015/20, HR, MBQ		
00-573-055-032	SQUARE BAR, 0.250"-ASTMA6-AISIM1015/20, HR, MBQ		
00-573-163-409	BAR, ROUND, 3.000"-ASTMA6-UNSG11170, COLD DRAWN, STAN Q		
17-202-370-015	THREADED ROD, 2.00"-4.5 UNC X 42.0"	17.64kg	
00-651-001-725	WASHER, PLAIN, 2.000"-ASMEB18.21.1-TYPE A-ST-UNPLTD	0.32kg	
1003001111	NUT, HEXAGONAL, HEAVY, 2.000"-4.5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	1.37kg	
60-054-660-040	PIPE, 2.00"DIA X 4.0" LG, SCH40, ASTM A120+		
17-202-369-401	ROD ASSEMBLY, LOWERING ROD ASM PIX		
00-619-401-937	STUD, 2.000"-4.5 UNC-2A X MISC LG, AISI C1015/22 + INDUSTRIAL FASTENERS INSTITUTE		
00-573-721-218	PIPE, WLD, 2.000X2.375X0.154"-A53-SCH40, PL ENDS, UNPLT		
N05228038	PROXIMITY SWITCH, B110-G30-YOX TURCK	0.21kg	
N05228037	ROTATION DETECTOR, MS25-UI/24VDC TURCK	0.32kg	
1087167202	ROPE, STEEL, 7X7, 0.09375", 3461T45 MCMaster-CARR	0.42kg	
1072984001	WIRE ROPE SHEAVE, OVAL, .09"DIA, TYPE 304 STN STL, P/N 3755T14, MCMaster-CARR		
17-303-878-801	SUBASSEMBLY, SET OF SSTEEL TAGS S60110103 METSO SUPPLIED		
17-502-306-501	BOTTOMSHELL, LOWER, ASSEMBLY WITH BOLT THRU LINERS, 60-110	86230.41kg	
17-502-307-001	BOTTOMSHELL, UPPER, WITH BOLT THRU LINERS, 60-110	42007.35kg	
17-303-215-501	MAINSHAFT, SLEEVE & DOWEL ASSY, S/B 17-303-933-501	85747.51kg	
17-501-973-001	TOPSHELL, LOWER, 60-110	73736.36kg	
17-501-992-501	TOPSHELL, UPPER, 60110	77703.78kg	
17-502-024-501	SPIDER, LUJ MK-II 60110	85252.65kg	
17-201-433-402	INSTRUCTION, FIT & CHECK INSTRUCTIONS FOR		
17-502-306-002	BOTTOMSHELL, LOWER, MACHINTV	86205.21kg	
17-202-702-505	PIPE ASSEMBLY, LUBE INLET PIPE W/END CAP, 60-110	10.5kg	
17-106-713-001	BLOCK, PINION ADJUSTING		
17-105-468-001	FLANGE, PACKING FLANGE	3.36kg	
17-104-885-002	PACKING, 0.38 SQUARE BRAIDED GARLOCK STYLE #40, HVY LUBE		
00-611-271-653	SCREW, CAP, HEXAGONAL, 0.750"-10UNC-2AX2.000"-ASMEB18.2.1-GR 2- UNPLTD	0.11kg	
1003064488	WASHER, LOCK, HELICAL SPRING, REGU, 0.750"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-105-468-002	FLANGE, PACKING FLANGE	3.36kg	
50-422-071-730	PIPE, TBE 1.25" X 73.0", SCH40, ASTM A53	6.72kg	
00-711-153-010	CAP, 1.250"-NPTI-3000LB-ASTMA105-GR2-UNPLTD, FIG. 389, LADISH CO		
00-711-153-012	CAP, 1.500"-NPTI-3000LB-ASTMA105-GR2-UNPLTD, FIG. 389, LADISH CO		
50-422-201-750	PIPE, TBE 1.50" X 75.0", SCH80, ASTM A53		
00-573-731-364	PIPE, SEAMLESS, 1.500X1.900X0.200"-ASTMA53-SCH80- UNPLTD		
00-573-055-340	SQUARE BAR, 2.000"-ASTMA6-AISIM1015/20, HR, MBQ		
01-101007	PLATE, STEEL, 1.000"-ASTMA6-ASTMA36, HR		
01-101007	PLATE, STEEL, 1.000"-ASTMA6-ASTMA36, HR		
00-573-731-212	PIPE, SEAMLESS, 1.250X1.660X0.140"-ASTMA53-TYPE S-GR A- SCH40-UNP		
17-502-294-001	BOTTOMSHELL, UPPER, CASTING FOR BOLT THRU SIDE LINER	42007.35kg	
17-502-019-501	MAIN SHAFT, LUJ WITH EYE BOLT 60-110	84178.18kg	
17-303-214-001	MAIN SHAFT SLEEVE, LUJ SHAFT, 60-110	1438.4kg	
17-202-997-001	LOCKNUT, MAIN SHAFT SLEEVE, PLATE, 5.5 X 30.5 ID X 37.5 OD	204.75kg	980mm * 980mm * 227mm
17-202-998-001	WASHER, LOCK, MAINSHAFT SLEEVE LUJ	28.35kg	
00-671-117-875	DOWEL PIN, 2.000X3.500"-ASMEB18.8.2-60-62RH-SPEC. SIZE-UNPLTD	1.47kg	
17-201-094-001	SPLASH CURTAIN SUPPORT RING, 60-110	42kg	

00-337-271-092	BEARING LUBRICATION,MOLYKOTE G-N, METAL ASSEMBLY PASTE, ,16.7 OZ,DOW CORNING	0.63kg	
17-502-019-502	MAIN SHAFT ASSEMBLY,60110	84178.18kg	
17-502-019-004	PLATE,2.00" X 2.00" X 4.00"		
17-502-019-003	MAIN SHAFT	70675.82kg	
17-502-019-005	SLEEVE,LOWER MAINSHAFT - MACHINING 110	12954.59kg	
07-244-442-001	MAIN SHAFT EYE BOLT,8.00"-4UN X 42.2" OVERALL LG	547.68kg	
17-303-208-001	MAIN SHAFT,ROUGH MACH	71832.71kg	
17-303-209-001	MAIN SHAFT SLEEVE,LOWER - MACHINING	4246.94kg	
07-244-442-002	EYE BOLT,MAINSHAFT, CSTG		
00-573-257-581	PLATE, STEEL,2.000"-ASTMA6-ASTMA36, HR		
17-202-994-001	MAIN SHAFT SLEEVE,THREADED ROUGH MACHINING	1684.2kg	
00-573-257-811	PLATE, STEEL,5.500"-ASTMA6-ASTMA36(UNS K02600), HR		
01-101009	PLATE, STEEL,1.500"-ASTMA6-ASTMA36, HR		
07-545-229-004	TOPSHELL,LOWER - CASTING	83109.39kg	
17-501-992-002	TOPSHELL,UPPER TOPSHELL-MACHD	77703.78kg	
60-197-360-028	BAR,0.25" X 1.75" X 2.8" LG, AISI M1015/1020	0.21kg	
07-545-228-004	TOPSHELL,UPPER - CASTING	90575.42kg	
17-502-024-002	MACHINING,SPIDER LUJ MK-II 60110	79559.24kg	
00-711-497-004	PLUG, SQUARE HEAD SOLID,0.500"NPT-CL250-ASMEB16.14-ASTMA126-CL A-ZNPLTD	0.11kg	
07-545-230-014	SPIDER CASTING,LUJ & W/O FILLER BLKS		
17-402-972-401	INSTALLATION DRAWING,BOTTOMSHELL PINION & NARROW ARM LINER OUTLINE		
80-451-574-001	NARROW ARM LINER,60-110	762.09kg	
07-254-845-001	EXTENSION,NARROW ARM LINER 60110	152.46kg	
80-451-572-001	PINION SHAFT ARM LINER,LH, 60-110	935.87kg	
80-451-572-002	PINION SHAFT ARM LINER,RH, 60-110	904.89kg	
07-546-189-801	BOTTOMSHELL HUB LINER,ASSEMBLY, 60-110	1758.86kg	
17-502-015-009	MANTLE, LOWER,STANDARD 2PC, 106.0 RBD PART/CORG 60110 XT520	15151.5kg	
17-502-015-007	MANTLE, UPPER,PARTIALLY CORRUGATED 2PC XT520 60110	5358.15kg	
07-446-212-003	SPIDER RIM LINER,ADJACENT RIGHT HAND 60110	1151.64kg	
07-446-217-001	SPIDER RIM LINER,CENTER 60110	1179.78kg	
07-446-212-002	SPIDER RIM LINER,ADJACENT LEFT HAND 60110	1151.64kg	
07-446-213-001	SPIDER ARM SHIELD,60-110	3901.17kg	
07-347-015-004	SPIDER CAP,60110	10073.18kg	
17-403-016-001	CONCAVE SEGMENT, LOWER,7.50 OSS X 2.00 THROW MANGANESE 60110	287.18kg	
17-403-016-002	KEY, CONCAVE SEGMENT, LOWER,7.50 OSS X 2.00 THROW MANGANESE 60110	275.73kg	
17-403-016-003	CONCAVE SEGMENT, 2ND TIER,7.50 OSS X 2.00 THROW MANGANESE 60110	280.98kg	
17-403-016-004	KEY, CONCAVE SEGMENT, 2ND TIER,7.50 OSS X 2.00 THROW MANGANESE 60110	269.54kg	
07-547-219-024	CONCAVE SEGMENT, 3RD TIER,XT610 60110	252kg	
07-547-219-025	KEY, CONCAVE SEGMENT, 3RD TIER,XT610 60110	247.8kg	
07-547-219-022	CONCAVE SEGMENT, 4TH TIER,XT610 60110	204.75kg	
07-547-219-023	KEY, CONCAVE SEGMENT, 4TH TIER,XT610 60110	200.55kg	
07-547-219-020	CONCAVE SEGMENT, 5TH TIER,XT610 60110	193.2kg	
07-547-219-021	KEY, CONCAVE SEGM, 5TH TIER,XT610 60110	189kg	
07-547-219-018	CONCAVE SEGMENT, 6TH TIER,XT610 60110	190.47kg	
07-547-219-019	KEY, CONCAVE SEGMENT, 6TH TIER,XT610 60110	185.85kg	
07-447-506-002	BOTTOMSHELL HUB LINER,UPPER LEFT HAND 60-110	204.23kg	
07-447-506-001	BOTTOMSHELL HUB LINER,UPPER RIGHT HAND 60-110	204.23kg	
07-447-507-001	BOTTOMSHELL HUB LINER,LOWER LEFT HAND 60-110	178.5kg	
07-447-507-002	BOTTOMSHELL HUB LINER,LOWER RIGHT HAND 60-110	178.5kg	
07-147-643-001	HUB LINER SUPPORT BAR,HOLDING LUG 1.5"X4"X8"	4.73kg	
07-147-641-001	HOLDING DEVICE,HUB LINER 60-110	10.92kg	
00-615-101-780	SCREW, CAP, HEXAGON SOCKET HEAD,1.250"-7UNC-3AX2.000"-ASMEB18.3-1936-	0.84kg	
00-651-017-550	WASHER		
01-101009	PLATE, STEEL,1.500"-ASTMA6-ASTMA36, HR		
1000861507	CAST STEEL,AUSTENITIC MANGANESE STEEL, HEAT TREATED, XT520,PER 30APR14 STANDARD	1.05kg	
17-303-363-402	MANTLE, LOWER,TEMPORARY PATTERN CHANGE 106RBD (S/N60110101) BEESHOEK		
1000861507	CAST STEEL,AUSTENITIC MANGANESE STEEL, HEAT TREATED, XT520,PER 30APR14 STANDARD	1.05kg	
07-347-015-005	SPIDER CAP,CASTING	9620.73kg	
17-107-583-014	MOTOR, ELECTRIC,MAIN DRIVE, 1200HP, 600RPM, 4000V/60HZ CONTRACT,GYRATORY QUALITY WITH SOLE PLATE		
17-502-015-014	Standard lower part/corg 2PC 106.0 RBD	15225kg	
17-303-969-801	SPIDER BUSHING, ALL THROW 60110	2289.95kg	
17-402-984-501	60X109 Dust collar	2714.2kg	1767mm * 1767mm * 725mm
17-107-676-004	37.5" SHAFT X 39.5" BORE DIA.		
17-303-957-501	Burning ring		
17-502-015-015	Oversize 2PC lower (2.00 inch), 108.0 RBD partially corrugated mantle	17011.35kg	
17-403-192-801	LEVEL SENSOR ASSEMBLY		
17-403-168-002	ECCENTRIC BUSHING, 60109/110/110E	2969.4kg	1120mm * 1120mm * 2018mm