

As a trusted Chinese manufacturer and sourcing partner, LulanPanda delivers high-quality industrial equipment and components at highly competitive prices. With over two decades of expertise in producing cone crushers and spare parts, we have established robust partnerships with certified factories across China, ensuring both precision engineering and cost efficiency for global clients.

Core Offerings

- Cone Crushers & Spare Parts: Specialized manufacturing since 2003, offering OEM-compliant solutions.
- Extended Product Range: Drill bits, electric lifts, and diverse industrial machinery components.
- Custom Sourcing: Leverage our nationwide supplier network to procure any Made-in-China product tailored to your specifications.

Why Partner With Us?

- ✓ Quality Assurance: Rigorous ISO-compliant production standards.
- ✓ Cost Advantage: Factory-direct pricing with no intermediaries.
- ✓ End-to-End Service: From product development to logistics support.

Let's Collaborate

Whether you require standard equipment or customized industrial solutions, our team is committed to optimizing your supply chain. Contact us today to discover how we can add value to your operations.

Metso 60X89 Gyratory Crusher parts list

Part Number	Description	Weight	Packing
S6089119-601	SHIPMENT ASSEMBLY, MILWAUKEE SUPPLIED, S6089119 BLOOM LAKE PHASE 2 CONSOL	37098.6kg	
S6089119-901	SHIPMENT ASSEMBLY, SHELLS SHIP DIRECT LIST, S6089119 BLOOM LAKE PHASE 2 CONSOL	167788.95kg	
S6089119-902	SHIPMENT ASSEMBLY, MAINSHAFT SLEEVE AND DOWEL SHIP DIRECT LIST, S6089119 BLOOM LAKE PHASE 2 CONSOL	51147.6kg	
S6089119-903	SHIPMENT ASSEMBLY, WEAR PARTS SHIP DIRECT LIST, S6089119 BLOOM LAKE PHASE 2 CONSOL	25956kg	
S6089119-904	SHIPMENT ASSEMBLY, CRUSHER MAIN DRIVE MOTOR AND L.R. STARTER, S6089119 BLOOM LAKE PHASE 2 CONSOL		
S6089119-599	SHIPMENT ASSEMBLY, 50GPM LUBE & MPS SPECIAL BLOOM LAKE, 2-S6089119, CONSOLIDATED THOMPSON		
17-502-381-402	CROSS-SECTIONAL DRAWING, SECTIONAL ELEVATION, LARGE UPPER CWT 6089		
17-403-067-402	CUSTOMER INSTALLATION DRAWING, LOWER SECTION, LRG UP CWT & STD B.S. LINERS, CAST MPS CYLINDER		
17-400-937-401	CUSTOMER INSTALLATION DRAWING, S/B 17-400-937-405, BOTTOMSHELL SIDE LINER 89		
17-400-937-801	BOTTOMSHELL SIDE LINER, S/B 17-400-937-805, ASSEMBLY 6089	3157.25kg	
60-198-310-030	BAR, 1.00" X 1.25" X 3.00" LG, AISI M1015/1020	0.53kg	
60-198-310-030	BAR, 1.00" X 1.25" X 3.00" LG, AISI M1015/1020	0.53kg	
17-303-663-801	IDENTIFICATION PLATE ASSEMBLY, NAME PLATE & WARNING SIGNS		
07-246-925-001	BOTTOMSHELL BUSHING, 6089	1095.15kg	
07-246-927-001	KEY, BOTTOMSHELL BUSHING	7.88kg	
17-202-702-504	PIPE ASSEMBLY, LUBE INLET PIPE 89 WITH END CAPS	5.78kg	
17-104-885-002	PACKING, 0.38 SQUARE BRAIDED GARLOCK STYLE #40, HVY LUBE		
17-203-226-501	PACKING GLAND, ASSEMBLY	1.05kg	
00-611-322-474	SCREW, CAP, HEXAGONAL, 0.375"-16UNC-2AX2.000"-ASMEB18.2.1-GR 8- FE/ZN 5C		
00-651-001-214	WASHER, PLAIN, 0.375"-ASMEB18.21.1-TYPE A-N-ST-UNPLTD		
00-671-171-523	PIN, SPRING, 0.500X3.000"-ASMEB18.8.2-ST 1-AISI1070/1095- UNPLTD	0.11kg	
00-611-271-730	SCREW, CAP, HEXAGONAL, 1.000"-8UNC-2AX4.000"-ASMEB18.2.1-GR 2- UNPLTD	0.53kg	
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
00-671-171-523	PIN, SPRING, 0.500X3.000"-ASMEB18.8.2-ST 1-AISI1070/1095- UNPLTD	0.11kg	
17-200-257-001	DUST COLLAR GASKET, 89	0.21kg	
07-351-997-025	STUD, 1.250-7UNC-3A X 6.62, PITTSBURGH WELDING	1.05kg	
00-631-001-120	NUT, HEXAGONAL, 1.250"-7UNC-2B, ASMEB18.2.2, SAE GR 2, NOT PLATED	0.21kg	
00-659-045-581	WASHER, HARDENED, CLIPPED CIRCUL 1.250"-ASMEB18.2.6-TYPE 1-C38-45-UNPLTD	0.11kg	
00-631-141-120	NUT, JAM, HEXAGONAL, 1.250"-7UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.21kg	
17-203-184-501	JOINT BOLT, 3.000-4UNC-2A X 21.3	26.25kg	
1003001131	NUT, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	4.73kg	
00-631-161-148	NUT, JAM, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	2.62kg	
17-202-783-501	AIR INLET, OVERPRESSURE DUST SYSTEM	3.46kg	
17-303-096-501	DUST COLLAR, LARGE UPPER COUNTERWEIGHT	727.65kg	
17-402-588-402	CUSTOMER INSTALLATION DRAWING, ECCENTRIC ASM LARGE UPPER CWT 6089		
17-402-374-501	ECCENTRIC ASSEMBLY, LARGE UPPER CWT 1.81TH 6089	9156.32kg	

17-203-125-801	COUNTERWEIGHT, UPPER, AND HARDWARE LARGE 1.81 THROW 6089	888.72kg	
17-202-903-001	SPLASH RING, DUST COLLAR, LARGE UPRCWT 6089	45.26kg	
00-617-132-542	SET SCREW, HEXAGON SOCKET, 0.500"-13UNC-3AX0.750"-GR 7, INDUSTRIAL FASTENERS INSTITUTE		
07-345-521-001	ECCENTRIC WEAR RING ASSEMBLY, 6089	171.15kg	
07-346-882-002	ECCENTRIC SUPPORT PLATE, 6089	876.33kg	
00-615-142-726	SCREW, CAP, HEXAGON SOCKET HEAD 1.000"-8UNRC-3AX3.000"-ASMEB18.3-, ASTM A574-UNPLTD	0.42kg	
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-201-787-040	O-RING, .250" X 73.00" I.D.	0.32kg	
17-402-589-403	CUSTOMER INSTALLATION DRAWING, MPS CYLINDER ASM WITH MAINSHAFT POSITION 6089, CAST CYLINDER		
17-303-886-501	MPS CYLINDER ASSEMBLY, WITH SHIPPING COVERS, WITH POS INDICATOR 89	9813.61kg	
07-351-997-035	STUD, 2.250-4.5UNC-3A X 12.00	6.09kg	
1003001116	NUT, HEXAGONAL, HEAVY, 2.250"-4.5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	1.99kg	
00-631-161-136	NUT, JAM, HEXAGONAL, HEAVY, 2.250"-4.5UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	1.05kg	
17-201-787-040	O-RING, .250" X 73.00" I.D.	0.32kg	
17-107-040-510	CABLE, TC1000-M	7.77kg	
17-303-970-504	TC1000-M, TC1000-M MPS LOCAL PANEL VAC ENG STEEL GLAND, CSA		
17-403-184-401	ASSEMBLY DRAWING, PINIONSHAFT HOUSING ASM 6089, CUST PIX W/SEAL CLIPS		
17-403-183-502	PINION SHAFT ASSEMBLY, S/B 17-403-257-502, CTC VIBRATION SENSORS	2181.27kg	
00-611-273-714	SCREW, CAP, HEXAGONAL, 0.875"-9UNC-2AX9.000"-ASMEB18.2.1-GR 2- FT-UNPLTD	0.73kg	
00-631-001-114	NUT, HEXAGONAL, 0.875"-9UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
17-200-259-003	GASKET, PINIONSHAFT HOUSING 0.02 89	0.11kg	
17-200-259-002	GASKET, PINIONSHAFT HOUSING 0.03TK 6089	0.21kg	
17-200-259-001	GASKET, PINIONSHAFT HOUSING 0.06 89	0.42kg	
17-303-392-826	SENSOR ASSEMBLY, PINIONSHAFT BEARING 100 OHM RTD/VIBR SENSORS, CTC		
17-303-671-801	LEVEL SENSOR ASSEMBLY, PINIONSHAFT HOUSING 89	35.7kg	
17-402-586-403	CUSTOMER INSTALLATION DRAWING, MAINSHAFT 2PC MANTLE LRG UPR CWT 89		
17-303-518-401	ASSEMBLY INSTRUCTION, FOR 2 PC MANTLE W/ PLASTIC BACKING		
00-331-751-401	ANTIFRICTION COATING, MOLD RELEASE 225, 1LB RAM CHEMICALS	0.53kg	
00-333-351-001	ANTIFRICTION COATING, ANTI-SEIZE COMPOUND, 1-LB BOSTIK CHEMICAL, P/N NS-160	0.63kg	
17-303-531-501	MAIN SHAFT STEP, WITH WEAR INDICATOR 89	243.6kg	802mm * 802mm * 173mm
00-673-165-800	RING, RETAINING, EXTERNAL, ASMEB18.27.1-NA1-800, 8.000X0.187"-CS	0.32kg	
1095059940	BACKING COMPOUND, WF ULTRA PERFORMANCE, 22LB, P/N 241- 22PM, COPPS INDUSTRIES	11.55kg	
17-300-694-001	HEADNUT, 89 - 1PC, OR OUTER 2PC	254.1kg	
60-454-420-020	BAR, ROUND, 1.00"DIA X 2.00"LG, UNS G10180-G10220 RUSSEL METALS	0.21kg	
17-202-236-001	DUST SEAL RING, 89	60.9kg	1729mm * 1729mm * 203mm
17-300-845-001	DUST SEAL RETAINER, UPPER	756kg	1920mm * 1920mm * 275mm
00-611-314-724	SCREW, CAP, HEXAGONAL, 1.000"-8UNC-2AX2.500"-ASMEB18.2.1-GR 5- UNPLTD	0.42kg	
00-659-045-490	WASHER, HARDENED, CLIPPED CIRCUL 1.000"-ASMEB18.21.1-TYPE 1-C38-45-UNPLTD		
07-246-914-501	DUST SEAL RETAINER, LOWER, 89	439.95kg	1920mm * 1920mm * 171mm
00-615-142-724	SCREW, CAP, HEXAGON SOCKET HEAD 1.000"-8UNRC-3AX2.500"-ASMEB18.3-, ASTM A574-UNPLTD	0.42kg	
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-106-797-801	SHELL SEPARATOR JACKSCREW, 89		
60-454-540-560	BAR, ROUND, 2.75"DIA X 56.00"LG, UNS G10180-G10220+	45.36kg	
60-454-540-560	BAR, ROUND, 2.75"DIA X 56.00"LG, UNS G10180-G10220+	45.36kg	
00-611-481-553	BOLT, SQUARE HEAD, 1.250"-7UNC-2AX16.000"-ASMEB18.2.1-GR 2- UNPLTD	3.04kg	
00-631-001-120	NUT, HEXAGONAL, 1.250"-7UNC-2B, ASMEB18.2.2, SAE GR 2, NOT PLATED	0.21kg	
00-651-001-581	WASHER, PLAIN, 1.250"-ASMEB18.21.1-TYPE A-W-ST-UNPLTD	0.11kg	
00-631-141-120	NUT, JAM, HEXAGONAL, 1.250"-7UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.21kg	
07-829-924-001	SPRING, COMPRESSION, 3.00" X 5.31"	2.42kg	
07-246-917-501	BOLT, SQUARE HEAD, 2.500-4UNC-2A X 37.5 WEST ALLIS MACHINE CO	30.98kg	
1003001121	NUT, HEXAGONAL, HEAVY, 2.500"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	1.58kg	
07-125-202-001	SPRING, COMPRESSION, 5.375 DIA X 16.25 LONG	44.31kg	
07-248-374-501	SPRING RETAINER, ASSEMBLY	24.26kg	
00-671-191-459	PIN, COTTER, EXTENDED PRONG, 0.375X3.500"-ASMEB18.8.1-ST-UNPLTD	0.11kg	
07-248-421-001	SUPPORT RING, ARM SHIELD SPRING RETAINER NORTHWOODS MFG., INC., NGC2002-066	3.89kg	
17-107-531-002	HOSE ASSEMBLY, SUPPLY, BARREL PUMP TO SPIDER ARM 65FT	9.03kg	
17-102-782-801	LUBRICATION HOSE ASSEMBLY, INTERNAL SPIDER ARM 89		
17-403-192-802	LEVEL SENSOR ASSEMBLY, FLAT SPIDER BUSHING CAVITY 4-20MA TRANSMITTER, 6089, 5475, 4265 FLAT, AND 4265 ARCHED S		
00-711-497-006	PIPE PLUG, 0.750"-NPT-ANSI B16.14-SQ HEAD, SOLID	0.11kg	
00-611-271-609	SCREW, CAP, HEXAGONAL, 0.625"-11UNC-2AX1.250"-ASMEB18.2.1-GR 2- UNPLTD		
1003064482	WASHER, LOCK, HELICAL SPRING, REGU, 0.625"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-107-627-802	SPIDER LUBRICATION SYSTEM, 575V/60HZ, NEMA FRAME MOTOR, GEMS LEVEL PWR UNIT		
17-303-970-505	SWITCH BOX, SPIDER LUBE LOCAL/REMOTE, ENGLISH, CSA		
17-300-396-024	STUD, 3.000-4UNC-3A X 16.50, THREADED 3.00 AND 6.5	15.86kg	

1003001131	NUT, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	4.73kg	
00-631-161-148	NUT, JAM, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	2.62kg	
07-146-694-015	BOLT, SQUARE HEAD, 3.000-4UNC-2A X 23.50	26.78kg	
1003001131	NUT, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	4.73kg	
00-631-161-148	NUT, JAM, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	2.62kg	
68-049-011-026	PLATE, RECT 1.50" X 2.00" X 3.50", ASTM A36 UNS K02600	1.47kg	
68-031-026-026	PLATE, RECT. 75" X 3.5" X 3.5", A36 UNS K02600	1.37kg	
07-147-372-009	BOLT, HEXAGONAL, MACHINE BOLT 3.000"-4 UNC-2A X 21.50"LG, UNPLTD	26.25kg	
1003001131	NUT, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	4.73kg	
00-631-161-148	NUT, JAM, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	2.62kg	
17-502-060-402	CUSTOMER INSTALLATION DRAWING, SPIDER ASSEMBLY, STD ARM SHIELDS 6089		
17-302-055-001	SPIDER BUSHING, MK-II, LUJ, ALL THROWS - 89	1030.05kg	1132mm * 1132mm * 837mm
00-615-142-734	SCREW, CAP, HEXAGON SOCKET HEAD 1.000"-8UNRC-3AX5.000"-ASMEB18.3-, ASTMA574-UNPLTD	0.73kg	
00-659-045-490	WASHER, HARDENED, CLIPPED CIRCUL 1.000"-ASMEB18.2.6-TYPE 1-C38-45-UNPLTD		
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-		
17-103-705-004	SPIDER BUSHING SEAL, S/B 17-107-676-003, LUJ - 89	3.78kg	
17-103-949-015	SPIDER SEAL SCRAPER, 60-89 SUPERIOR LUJ	0.95kg	
17-106-769-801	SPIDER VENT COVER, ASSEMBLY 6089	1905.12kg	
07-246-919-001	CONCAVE SUPPORT RING	58.8kg	
1095059940	BACKING COMPOUND, WF ULTRA PERFORMANCE, 22LB, P/N 241- 22PM, COPPS INDUSTRIES	11.55kg	
17-105-973-001	FILTER ELEMENT, SYNTHETIC MEDIA W/ RUBBER WASHER FLEETGUARD INC. OR NELSON DIV NELS	2.94kg	
17-107-588-003	COOLER, OIL, OCS-2500D 575V/60HZ, NEMA MOTOR	333.38kg	
17-107-710-501	CONTROL VALVE, AIR COOLER BYPASS WATER ASSEMBLY, 115VAC, LIMIT SW, PURCHASE COMPLETE FROM GS	7.14kg	
17-107-710-501	CONTROL VALVE, AIR COOLER BYPASS WATER ASSEMBLY, 115VAC, LIMIT SW, PURCHASE COMPLETE FROM GS	7.14kg	
17-402-992-808	SPLIT FLOW ASSEMBLY, 50 GPM SPLIT FLOW ROSEMT 100 OHM GAGE DIGITAL FLOW		
17-303-970-503	DISTRIBUTION PANEL, CRUSHER SENSOR ENCLOSURE ENG STEEL GLAND, CSA		
17-403-126-803	BALANCE CYLINDER ASSEMBLY, WITHOUT PIPING BLOOM LAKE SPECIAL		
17-303-928-803	TRANSMITTER ASSEMBLY, BALANCE CYL PRESSURE, ROSMOUNT WITH DISPLAY		
17-107-533-820	BLOWER, OVERPRESSURE SMART ASM, 575V/60 NEMA		
17-105-702-804	TOOL LIST, 89		
17-107-707-801	SPEED SENSING SYSTEM		
17-107-689-501	FLOATING SHAFT ASSEMBLY, HYD TORQUE LIMITER, 3163mm BSD, 5.375 IN DIA SHAFT		
17-403-189-501	DRIVE GUARD, CARDAN SHAFT 3151-8 [124.08] BSD 6089 ASSY.	456.23kg	
17-303-979-501	INSTRUMENT TAG ASSEMBLY, METSO SUPPLIED FOR BLOOM LAKE 2 S6089119		
1004821528	PAINT, BEIGE, 1 QT CAN, PER SPEC 11004821512 + DOLAN PAINT CO.	1.26kg	
17-103-798-401	SPECIFICATION, PAINT SPEC-FINISH (METSO BEIGE)		
17-105-819-401	SPECIFICATION, GEN PACK & STORAGE SPEC PIECE PARTS/ASM		
17-105-859-401	SPECIFICATION, PREP FOR STORAGE OR SHIPMENT SUP ASM		
17-105-884-401	SPECIFICATION, SPECIAL PACKING & PRESERV SPEC		
17-107-337-401	INSTRUCTION, SUPERIOR CRUSHER STD SHIP MODE		
17-107-585-801	COOLER EQUIPMENT, RELIEF & ADAPTERS OCS2000 THRU OCS3100	23.84kg	
17-403-119-404	LUBRICATION UNIT INSTALLATION, 50 GPM OUTLINE SPECIAL LUBE COOLER ROSEMOUNT		
17-502-359-505	LUBRICATION AND MPS SYSTEM, 50 GPM 575V/60HZ NEMA ROSEMOUNT SPCL BLOOM LAKE		
17-403-068-810	SAFETY STICKERS ASSEMBLY, LUBE SKID, ROSEMOUNT TANK SPANISH, ROSEMOUNT		
17-303-970-501	DISTRIBUTION PANEL, LUBE SENSOR, ROSEMOUNT STEEL GLAND ROSEMOUT, CSA		
17-303-970-502	DISTRIBUTION PANEL, LUBE SKID, ROSEMOUNT ENGLISH STEEL GLAND, CSA		
17-107-671-515	WIRING, LUBRICATING DEVICE, 50 GPM SPECIAL BLOOM LAKE ROSEMOUNT S6089119		
17-106-980-401	INSTRUCTIONS, SHIPPING, LUBE SYSTEM		
17-303-980-501	INSTRUMENT TAG ASSEMBLY, GS SUPPLIED FOR BLOOM LAKE 2 S6089119		
17-103-798-401	SPECIFICATION, PAINT SPEC-FINISH (METSO BEIGE)		
17-105-819-401	SPECIFICATION, GEN PACK & STORAGE SPEC PIECE PARTS/ASM		
17-105-859-401	SPECIFICATION, PREP FOR STORAGE OR SHIPMENT SUP ASM		
17-105-884-401	SPECIFICATION, SPECIAL PACKING & PRESERV SPEC		
17-107-337-401	INSTRUCTION, SUPERIOR CRUSHER STD SHIP MODE		
17-203-422-801	ASSEMBLY, MPS PLUGGED FILTER PRESSURE GAUGE		
17-502-359-405	ASSEMBLY DRAWING, 50 GPM LUBE & MPS ROSEMOUNT SPCL BLOOM LAKE PIX		
17-502-359-805	SUBASSEMBLY, 50 GPM LUBE CONSTANTS ROSEMOUNT SPCL BLOOM LAKE		
17-107-414-026	PUMP ASSEMBLY, LUBE 50 GPM 575V/60 NEMA	255.15kg	
17-107-526-811	TRANSMITTER, TEMPERATURE, ASM, ROSEMOUNT 100 OHM LED -40 TO 302F		
17-107-429-022	TRANSMITTER, PRESSURE, ROSEMOUNT 3051S HART -14.7 - 362PSI, LED DISPLAY	2.62kg	
17-403-180-801	BRACKET INSTALLATION, LUBE SKID, ROSEMOUNT TRANSMITTERS WITH MPS TEMP	52.5kg	
17-403-065-803	SUBASSEMBLY, MPS SYSTEM MPS TEMPERATURE, FOR GEMS LEVEL SWITCH		
17-107-492-017	MPS PUMPING UNIT, 575V/60HZ NEMA	69.51kg	
17-106-833-004	IMMERSION HEATER, 575V 2KW FOR THERMOWELL INDEECO	4.73kg	
17-107-244-401	INSTALLATION DRAWING, IMMERSION HEATERS INSTALLATION INSTRUCTIONS	11.87kg	

17-107-244-402	INSTRUCTION, IMMERSSION HEATERS INSTALLATION INSTRUCTIONS		
00-611-271-430	SCREW, CAP, HEXAGONAL, 0.3125"-18UNC-2AX2.000"-ASMEB18.2.1-GR 2- UNPLTD		
00-651-001-176	WASHER, PLAIN, 0.312"-ASMEB18.21.1-TYPE A-N-ST-UNPLTD		
1003025016	NUT, HEXAGONAL, 0.3125"-18UNC-2B-ASMEB18.2.2-GR A- UNPLTD		
1003064467	WASHER, LOCK, HELICAL SPRING,, REGU, 0.3125"-ASMEB18.21.1-SAEJ403-UNPLTD		
17-105-116-010	LEVEL SWITCH, 3 POSITION L1=36.5, L2=31.5, L3=14.25, SPDT, 2.00 NPT MTG, BUNA N FLOAT		
17-105-116-010	LEVEL SWITCH, 3 POSITION L1=36.5, L2=31.5, L3=14.25, SPDT, 2.00 NPT MTG, BUNA N FLOAT		
17-303-978-501	COVER PLATE, LUBE AND MPS TANK, WITH GEMS LEVEL SWITCHES		
17-403-182-801	PRESSURE SWITCH ASSEMBLY, LUBE FILTER DIFFERENTIAL AND GAUGE	14.7kg	
17-502-336-501	TANK WELDING, LUBE & MPS SKID OS, DRIP PAN		
17-303-503-501	COVER, LUBE TANK INSPECTION	19.01kg	
17-104-208-007	SIGHT GLASS, LIQUID LEVEL FLUSH MOUNT, 36.0 IN BETWEEN CENTERS, OIL RITE MODEL NO. B-3100-1	0.73kg	
17-106-478-001	LATCH, CAM LATCH, ARNOLD ASSOCIATED, RAMSEY PRO-LIN	0.21kg	
N02482872	COVER ASSEMBLY, 136799	3.15kg	
N02482873	GASKET, V-6702 VESCOR	0.11kg	
17-303-909-001	GASKET, LUBE TANK REMOVABLE TOP PLATE	0.95kg	
00-795-265-015	BREATHER, FILLER, PBS-40-5-N12, P563368 DONALDSON, TM: LHA	0.32kg	
17-201-812-002	OIL STRAINER, RETURN SIEVE	3.04kg	
17-203-358-801	HOSE ASSEMBLY, MICRO HOSE - PRESSURE TRANSMITTER ASSY.	0.53kg	
17-107-539-001	LUBRICATION HOSE ASSEMBLY, 2.0" PUMP TO FILTER	2.94kg	
00-735-781-066	HOSE ADAPTER, 2.000"-11.5X2.000-11.5X2.800", 0107-32-32 PARKER HANNIFIN		
17-105-901-003	VALVE, BALL, 2 351T, METSO AUTOMATION, TM: JAMESBURY	2.42kg	
17-107-525-802	POSITION SYSTEM, VALVE, DUAL PROX SWITCH 20-250V AC/DC ASM	6.72kg	
17-202-537-002	FILTER, OIL, CANISTER AND DUAL FILTER ASM	52.4kg	
17-106-148-001	BRACKET INSTALLATION, FILTER ASM NELSON, P/N 52733	2.1kg	
17-202-850-501	MOUNTING PLATE, LUBE OIL FILTER MOUNTING	1.89kg	
00-773-117-016	VALVE, CHECK, 2.00"-NPT, CL125, FIGURE 37 CRANE CO	2.42kg	
00-711-563-032	PIPE PLUG, BAR OR SLTD, 4.000"-NPTE-ASMEB16.14- A126-SOLID, BLK	6.2kg	
N02482872	COVER ASSEMBLY, 136799	3.15kg	
N02482873	GASKET, V-6702 VESCOR	0.11kg	
17-107-406-006	COUPLING, QUICK JOINT 2.00" #7404300	1.78kg	
50-422-090-060	PIPE, TOE 2.00" X 6.0", SCH40, ASTM A53	0.95kg	
50-422-090-406	PIPE, TOE 2.00" X 40.6", SCH40, ASTM A53	6.72kg	
04-024946	NUT, HEXAGONAL, 0.500"-13UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
00-651-001-300	WASHER, PLAIN, 0.500"-ASMEB18.21.1-TYPE A-W-ST-UNPLTD	0.11kg	
1003064476	WASHER, LOCK, HELICAL SPRING, REGU, 0.500"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
1003025021	NUT, HEXAGONAL, 0.375"-16UNC-2B-ASMEB18.2.6-GR A-UNPLTD		
00-651-001-229	WASHER, PLAIN, 0.438"IDX1.000"ODX0.078"-ASME B18.22.1 TY A-UNPLTD		
1003064470	WASHER, LOCK, HELICAL SPRING,, REGU, 0.375"-ASMEB18.21.1-SAEJ403-C38-46-		
00-611-271-468	SCREW, CAP, HEXAGONAL, 0.375"-16UNC-2AX1.250"-ASMEB18.2.1-GR 2- UNPLTD		
00-711-497-002	PLUG, SQUARE HEAD SOLID, 0.250"-NPTE-ASMEB16.14- A126-CL150-BLACK		
00-711-497-006	PIPE PLUG, 0.750"-NPT-ANSI B1.1-3-1/2" SQ HEAD, SOLID	0.11kg	
00-711-011-008	PIPE COUPLING, 1.000" NPT-SCH40-ASTMA53-BLACK	0.21kg	
00-711-087-033	BUSHING, 1.000X0.750"NPT-CL150-ASMEB16.14- ASTMA197-BLACK	0.11kg	
00-711-451-255	PIPE NIPPLE, 1.000" NPTX2.000"-SCH40-ASTMA53-BLACK	0.11kg	
00-711-451-263	PIPE NIPPLE, 1" NPTX4"-SCH40-ASTMA53-UNPLTD	0.32kg	
00-711-595-008	T CONNECTION, 1.000"-NPTE-ASMEB16.3-ASTMA197-CL150- BLACK	0.42kg	
00-711-545-008	PLUG, PIPE 1.000 NPTE, HEX C-SUNK SOCKET, ASMEB16.14	0.11kg	
00-711-011-016	PIPE COUPLING, 2.000" NPT-SCH40-1000PSI-ASTMA53- UNPLTD		
00-711-087-071	BUSHING, PIPE, HEX HD, 2.000X0.250"-ASMEB16.14- A126-BLACK		
00-711-315-016	ELBOW, 90DEG-2.000"-NPTI-ASMEB16.3-CL150- UNPLTD, BANDED		
00-711-369-016	PIPE ELBOW, 2.00"-NPT-ASMEB16.3-STRT-90DEG-CL150- UNPLTD-BANDED		
00-711-497-016	PLUG, SQUARE HEAD SOLID, 2.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.63kg	
00-711-595-016	T CONNECTION, 2.000"-NPTE-ASMEB16.3-ASTMA197-CL150- BLACK	1.47kg	
00-711-699-016	PIPE UNION, OCT ENDS, GRND JOINT, 2.0"-NPTI-A197- CL150, 463, ANVIL INTERNATIONAL	1.26kg	
00-711-451-401	PIPE NIPPLE, 2" NPTX2"-SCH40-ASTMA53-UNPLTD		
00-711-451-409	PIPE NIPPLE, 2" NPTX3"-SCH40-ASTMA53-UNPLTD		
00-711-451-415	PIPE NIPPLE, 2.000"-NPT X 4.500"-SCH40-ASTMA53- UNPLTD	0.32kg	
50-422-091-054	PIPE, TBE 2.00" X 5.4", SCH40, ASTM A53		
50-422-091-151	PIPE, TBE 2.00" X 15.1", SCH40, ASTM A53		
00-711-141-020	CAP, PIPE 2.50 NPT, CLASS 150 BLACK, BANDED, ASMEB16.3	0.53kg	
00-711-011-020	COUPLING, 2.500"-NPTIX3.125"-SCH40-ASTMA53-BLACK		
17-301-771-401	INSTRUCTION, LUBE SYSTEM FLUSH & TEST PROCEDURE INSTR'S.		
17-106-913-401	INSTRUCTION, MPS TEST PROCEDURE FOR CONTROL VALVE		
17-105-887-401	SPECIFICATION, LUBE SKID PREP FOR STORAGE OR SHIPMENT		
17-303-503-002	PLATE, 0.18" x 22.90" x 28.90"	16.17kg	
17-303-503-003	ANGLE, 1.0" X 1.0" X .125" X 23.5" LG	0.95kg	
17-303-503-004	ANGLE, 1.0" X 1.0" X .125 "X 17.5"	0.53kg	
60-197-370-020	BAR, 0.25" X 2.00" X 2.0" LG, AISI M1015/1020	0.11kg	

17-103-919-001	HANDLE, DOOR PULL, STANLEY MODEL NO. NH 482 SIZE NO. 3 (	12.5kg	
78-280-006-226	RUBBER, 0.375 X 1.500 X 23.500	0.11kg	
78-280-006-196	RUBBER, 0.375 X 1.500 X 20.500	0.11kg	
00-573-257-011	PLATE, STEEL, 0.1875"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-605-061	L SHAPE, L1.000X1.000X0.125"-ASTMA6-ASTMA36, HR		
00-573-605-061	L SHAPE, L1.000X1.000X0.125"-ASTMA6-ASTMA36, HR		
00-573-011-188	FLAT BAR, STEEL, 0.250X2.000"-ASTMA29-ASTMA575-M1020, HR		
00-437-098-304	PLATE, SPONGE RUBBER, 0.375"-ASTMD1056-TYPE R-RO-12	0.53kg	
00-437-098-304	PLATE, SPONGE RUBBER, 0.375"-ASTMD1056-TYPE R-RO-12	0.53kg	
17-203-358-401	ASSEMBLY DRAWING, MICRO-HOSE ASM PIX		
00-711-447-102	ELBOW, 1/4 CD-S, PARKER HANNIFIN	0.11kg	
MM0375017	MEASURING HOSE, SMS-20 - 3048MM-B STAUFF	0.53kg	
MM0231116	ADAPTER, SMK 20-1/4NPT-VD STAUFF	0.11kg	
N02416012	ADAPTER, SMD 20-1/4 NPT-P STAUFF	0.53kg	
17-105-860-007	ELBOW, 90 DEG .250" NPTF, MALE, ZN PLTD DAYCO P/N 5500-4-4		
17-107-525-401	ASSEMBLY DRAWING, VALVE POSITION, DUAL PROXIMITY SWITCH ASM		
N05228053	PROXIMITY SWITCH, 871TM-BH8N18-N3, ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
17-107-515-002	CABLE, STRAIGHT 6 FEET, 889N-F3AFC-6F ROCKWELL AUTOMATION, TM: ALLEN-B	0.32kg	
17-107-523-001	BRACKET, PROXIMITY SWITCH BRACKET NORTHWOODS MFG., INC.	0.21kg	
00-691-632-009	U-BOLT, CLAMP, 0.312"-18 UNC-2A X 2.420" ID, 13 GAUGE +	0.21kg	
17-107-555-001	VISUAL MARKER, PROXIMITY FLAG	0.11kg	
17-202-850-002	PLATE, 0.25 X 9.0 X 6.0"	1.78kg	
00-619-531-093	STUD, WELDING, CFL 3/8-16 X 1 MS, 101010113 NELSON STUD WELDING		
01-101001	PLATE, STEEL, 0.250"-ASTMA6-ASTMA36, HR		
00-573-731-216	PIPE, SEAMLESS, 2.000X2.375X0.154"-ASTMA53-TYPE S-GR A- SCH40-UNP		
00-573-731-216	PIPE, SEAMLESS, 2.000X2.375X0.154"-ASTMA53-TYPE S-GR A- SCH40-UNP		
00-573-731-216	PIPE, SEAMLESS, 2.000X2.375X0.154"-ASTMA53-TYPE S-GR A- SCH40-UNP		
17-107-414-001	PUMP, LUBE, BARE W/O SKID	52.4kg	
17-107-602-023	MOTOR, ELECTRIC, 7.50HP, 1800RPM, 213T, TEFC, 575V, 3PH, NEMA GYRATORY QUALITY PER 17-107-416-401		
17-103-753-007	REDUCER, SIZE B, 4.19 TO 1 RATIO FOR K1240 PUMP UNIT, VIKING PUMP	23.84kg	
N03461002	HUB, TYPE L150, 685144-11210 LOVEJOY	2.52kg	
N03461003	DAMPER ELEMENT, 685144-11210 LOVEJOY	0.11kg	
N03461002	HUB, TYPE L150, 685144-11210 LOVEJOY	2.52kg	
N03461001	HUB, TYPE L100, 685144-11516 LOVEJOY	1.05kg	
N03460995	COUPLING, INSERT, 685144-11494 L100 (SOX NBR SOLID) LOVEJOY		
N03461000	HUB, L100, 685144-11522 LOVEJOY	0.63kg	
17-203-343-001	NUT, LOCK, 2-507-005-375-00, VIKING	0.11kg	
17-203-343-002	WASHER, LOCK, 2-807-018-375-00, VIKING		
17-203-343-003	END CAP, 2-140-035-722-00, VIKING	0.11kg	
17-203-343-004	SEAL, 2-283-014-378, VIKING		
17-203-343-005	SPACER, BRG - COLLAR (OUTER) - LUBE PUMP	0.11kg	
17-203-343-006	BALL BEARING, 2-055-021-375-00, VIKING	0.53kg	
17-203-343-007	SPACER, BRG COLLAR - (INNER) - LUBE PUMP		
17-203-343-008	RING, HALF ROUND - LUBE PUMP		
17-203-343-009	END CAP, 2-140-034-722-00, VIKING	0.11kg	
17-203-343-010	SEAL, LIP - LUBE PUMP VIKING P/N 2-283-023-378		
17-203-343-011	PLUG, 2-544-003-376, VIKING		
17-203-343-012	GREASE FITTING, STRAIGHT - LUBE PUMP	0.11kg	
17-203-343-013	BRACKET, AND BUSHING - LUBE PUMP	18.06kg	
17-203-343-014	CAP SCREW, 0.4375"-16UNCX1.125", 2-150-047-255-00 VIKING		
17-203-343-015	BUSHING, 2-116-006-880, VIKING	0.11kg	
17-203-343-016	SEAL, MECHANICAL - TEFLON VIKING P/N 2-477-003-999	0.32kg	
17-203-343-017	GASKET, 2-313-003-806-15, VIKING		
17-203-343-018	CASING, LUBE PUMP CASING, P/N 2-214-809-100 VIKING PUMP-IDEX CORP	9.24kg	
17-203-343-019	PLUG, 2-542-004-376-00, VIKING		
17-203-343-020	ROTOR, AND SHAFT - LUBE PUMP	8.09kg	
17-203-343-021	IDLER, AND BUSHING - LUBE PUMP	2.1kg	
17-203-343-022	BUSHING, 2-108-015-880-04, VIKING		
17-203-343-023	GASKET, HEAD, VIKING PUMP-IDEX CORP P/N 2-311-003-8		
17-203-343-024	PIN, LUBE PUMP IDLER PIN, P/N 2-435-012-291 VIKING PUMP-IDEX CORP	0.42kg	
17-203-343-025	HEAD, WITH LUBE IDLER PIN	5.78kg	
17-203-343-028	CAP SCREW, 0.437 UNC X 0.88 - LUBE PUMP		
17-203-343-029	GASKET, PUMP RELIEF VALVE - LUBE PUMP VIKING PUMP-IDEX CORP P/N 2-307-008-8		
17-203-343-030	CAP SCREW, 0.313 UNC X 0.62, LUBE PUMP PART, P/N 2150-019-255, VIKING PART P/N FOR VIKING PUMP KK4		
17-203-343-031	VALVE, PRESSURE RELIEF, 3-795-506-00-XX VIKING	4.94kg	
17-203-343-401	ASSEMBLY DRAWING, PARTS LIST, KK4125 VIKING LUBE PUMP		
17-107-526-403	ASSEMBLY DRAWING, TEMPERATURE TRANSMITTER REMOTE ROSEMOUNT		
17-203-356-505	TRANSMITTER ASSEMBLY, TEMPERATURE 100 OHM ROSEMOUNT DISPLAY ADAPTER, HART COMMUNICATION, -40 TO 302F		
17-107-513-119	TEMPERATURE PROBE, 100 OHM RTD WITH 5 METER CABLE	0.32kg	
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
1046050032	THERMOWELL, 0.50 -14NPT X 70MM, P/N UT0013 (UT0009 & 700692), EFECTOR	0.11kg	
17-203-356-003	ADAPTER, PLUG ADAPTER, TURCK INC P/N FK-4.4-0.50-14.5		

17-107-429-032	TRANSMITTER, TEMPERATURE, ROSEMOUNT 3144P HART -40 TO 302F, LED 100 OHM, SPECIAL CALIBRATION		
17-403-087-501	MOUNTING BRACKET, ROSEMOUNT TRANSMITTERS WITH DISPLAY		
17-403-179-501	BRACKET WELDING, MPS ROSEMOUNT TEMPERATURE TRANSMITTER	16.8kg	
17-403-065-403	ASSEMBLY DRAWING, MPS SYSTEM WITH MPS TEMPERATURE GEMS LEVEL SWITCH		
00-611-271-428	SCREW, CAP, HEXAGONAL, 0.3125"-18UNC-2AX1.750"-ASMEB18.2.1-GR 2- UNPLTD		
1003025016	NUT, HEXAGONAL, 0.3125"-18UNC-2B-ASMEB18.2.2-GR A- UNPLTD		
1003064467	WASHER, LOCK, HELICAL SPRING, , REGU, 0.3125"-ASMEB18.21.1-SAEJ403-UNPLTD		
00-651-001-160	WASHER, PLAIN, 0.312"IDX0.750"ODX0.062"-STL-UNPLTD		
00-717-351-161	CONNECTOR, 16-12 F50X-S, PARKER HANNIFIN, TM: TRIPLE-LOK	0.21kg	
00-717-351-040	CONNECTOR, 4 F50X-S, PARKER HANNIFIN, TM: TRIPLE-LOK		
17-107-487-001	MPS CONTROL VALVE ASSEMBLY	4.73kg	
00-615-128-460	SCREW, CAP, HEXAGON SOCKET HEAD 0.250"-20UNC-3AX4.500"-ASMEB18.3-		
1003025011	NUT, HEXAGONAL, 0.250"-20UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
00-651-001-125	WASHER, PLAIN, 0.250"IDX0.812"ODX0.062"-STL-UNPLTD		
1003064464	WASHER, LOCK, HELICAL SPRING, , REGU, 0.250"-ASMEB18.21.1-SAEJ403-C38-46-		
00-711-136-022	ADAPTER, 16-1 F50G-S PARKER HANNIFIN	0.32kg	
00-717-351-082	CONNECTOR, 8-12 F50X-S, PARKER HANNIFIN, TM: TRIPLE-LOK	0.11kg	
17-107-490-001	FILTER HEAD, SPIN-ON TYPE, 30 PSI BI-PASS, SAE #8 PORTS ZINGA INDUSTRIES NO. ZAF-08-30-3	0.21kg	
17-107-524-001	SWITCH, PRESSURE, SPDT, SET 25 PSI RAISING, 1/2" NPTM	0.11kg	
17-107-490-003	FILTER ELEMENT, SPIN-ON TYPE, 10 MICRON	0.73kg	
00-611-271-373	SCREW, CAP, HEXAGONAL, 0.250"-20UNC-2AX1.750"-ASMEB18.2.1-GR 2- UNPLTD		
MM0269637	CONNECTOR, 8 F50X-S, PARKER HANNIFIN, TM: TRIPLE-LOK	0.11kg	
00-711-451-255	PIPE NIPPLE, 1.000" NPTX2.125"-SCH40-ASTMA53-BLACK	0.11kg	
17-105-901-001	VALVE, BALL, 1 351T, METSO AUTOMATION, TM: JAMESBURY	0.95kg	
00-711-595-008	T CONNECTION, 1.000"-NPT-ASMEB16.3-ASTMA197-CL150- BLACK	0.42kg	
00-711-379-004	ELBOW ADAPTER, 90°, STR, WOG, 0.500"-NPTI-ASTMA105-GR II- 3000LB, 384, LADISH CO		
00-735-637-088	ELBOW, 90 DEG 0.500" -14 NPT X 0.750" - 16 37DEG MALE, PARKER - HANNIFIN 2103-8-8		
00-711-103-036	PIPE BUSHING, HEX, 1.00"NPTX 0.250"NPT, STEEL CRANE CO	0.11kg	
00-735-637-044	ELBOW, 4-4 CTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK	0.53kg	
17-107-540-004	HOSE ASSEMBLY, MPS - TANK TO CONTROL VALVE	1.89kg	
17-107-540-002	HOSE ASSEMBLY, MPS - VALVE PORT A TO PUMP	2.84kg	
17-107-540-003	HOSE ASSEMBLY, MPS - VALVE PORT B TO PUMP	2.84kg	
17-107-541-001	HOSE ASSEMBLY, MPS - VALVE TO FILTER	0.95kg	
17-107-541-004	HOSE ASSEMBLY, MPS- FILTER TO TANK OVERSIZE LUBE TANK	0.63kg	
17-107-542-002	HOSE ASSEMBLY, MPS - CASE DRAIN	0.32kg	
00-711-087-043	BUSHING, PIPE, HEX HD, 1.250X0.500"-ASMEB16.14- A126-UNPLTD		
00-611-271-430	SCREW, CAP, HEXAGONAL, 0.3125"-18UNC-2AX2.000"-ASMEB18.2.1-GR 2- UNPLTD		
00-651-001-176	WASHER, PLAIN, 0.312"-ASMEB18.21.1-TYPE A-N-ST-UNPLTD		
1003025016	NUT, HEXAGONAL, 0.3125"-18UNC-2B-ASMEB18.2.2-GR A- UNPLTD		
1003064467	WASHER, LOCK, HELICAL SPRING, REGU, 0.3125"-ASMEB18.21.1-SAEJ403-UNPLTD		
17-107-526-811	TRANSMITTER, TEMPERATURE, ASM, ROSEMOUNT 100 OHM LED -40 TO 302F		
17-107-524-007	CABLE, DIN 43650A, MOLDED ASSY, 5M LONG, NO CIRCUIT		
17-107-487-003	MANIFOLD, MPS CONTROL VALVE ALUMINUM	3.57kg	
17-107-487-005	VALVE, CHECK, PILOT OPERATED, CARTRIDGE, VALVE NO. 2, PARKER P/N CP084P WITH SEAL KIT SK08	0.11kg	
17-107-487-017	PRESSURE RELIEF CARTRIDGE, 1090PSI VALVE, NO. 3-1 VICKERS #RV1-8-C-0-20/1090	0.21kg	
17-107-487-007	PRESSURE RELIEF CARTRIDGE, 650 PSI, VALVE NO. 3-2, PARKER P/N RAH081T20-65/4.6 W/SEAL KI	0.21kg	
17-107-487-008	PRESSURE RELIEF CARTRIDGE, PRESET AT 500 PSI, VALVE NO. 3-3 PARKER P/N RAH081S10-50 W/SEAL KIT S	0.11kg	
17-107-487-009	VALVE, CHECK, CARTRIDGE 1PSI, VALVE NO. 4-1& 2 SUN HYDRAULIC P/N CXDA-XZN W/1 PSI	0.11kg	
17-107-487-010	VALVE, NEEDLE CARTRIDGE, VALVE NO. 5 PARKER P/N NVH081A W/ SEAL KIT SK08-	0.11kg	
17-107-487-013	NIPPLE, DIAGNOSTIC WITH CAP, PARKER P/N EMA3/7/16-20UNF-2A	0.11kg	
17-107-487-009	VALVE, CHECK, CARTRIDGE 1PSI, VALVE NO. 4-1& 2 SUN HYDRAULIC P/N CXDA-XZN W/1 PSI	0.11kg	
17-107-521-801	REPAIRING KIT, MPS CONTROL VALVE	1.05kg	
17-107-487-005	VALVE, CHECK, PILOT OPERATED, CARTRIDGE, VALVE NO. 2, PARKER P/N CP084P WITH SEAL KIT SK08	0.11kg	
17-107-487-017	PRESSURE RELIEF CARTRIDGE, 1090PSI VALVE, NO. 3-1 VICKERS #RV1-8-C-0-20/1090	0.21kg	
17-107-487-007	PRESSURE RELIEF CARTRIDGE, 650 PSI, VALVE NO. 3-2, PARKER P/N RAH081T20-65/4.6 W/SEAL KI	0.21kg	
17-107-487-008	PRESSURE RELIEF CARTRIDGE, PRESET AT 500 PSI, VALVE NO. 3-3 PARKER P/N RAH081S10-50 W/SEAL KIT S	0.11kg	
17-107-487-009	VALVE, CHECK, CARTRIDGE 1PSI, VALVE NO. 4-1& 2 SUN HYDRAULIC P/N CXDA-XZN W/1 PSI	0.11kg	

17-107-487-010	VALVE, NEEDLE CARTRIDGE, VALVE NO. 5 PARKER P/N NVH081A W/ SEAL KIT SK08-	0.11kg	
17-107-487-011	SEAL KIT, CARTRIDGE PILOT OPERATED CHECK VALVE 2, NITRILE, P/N SK08-3		
17-107-487-012	SEAL KIT, CARTRIDGE RELIEF VALVES 3-2, 3-3 & NEEDLE VALVE 5, PARKER NITRILE - SK08-2		
17-107-487-018	SEAL KIT, CARTRIDGE RELIEF VALVE 3-1 VICKERS P/N 02-165875		
17-107-487-019	SEAL KIT, CARTRIDGE CHECK VALVES 4-1 & 4-2		
17-107-492-003	PUMP, BARE 10.2 DISPLACEMENT, SAE #12 PORTS, SAE #4 DRAIN, PARKER P/N PGM315A993VREB05-66	8.19kg	
17-107-602-019	MOTOR, ELECTRIC, 5.00HP, 1800RPM, 184TC, TEFC, 575V/60, NEMA, GYRATORY QUALITY PER 17-107-416-401	60.48kg	
17-107-492-005	HOUSING, BELL, VESCOR, P/N 6026	1.78kg	
17-107-492-006	COUPLING HUB, MOTOR HALF - NEMA	0.32kg	
17-107-492-007	COUPLING HUB, PUMP HALF, P/N L095-35747 LOVEJOY	4.73kg	
17-107-492-008	COUPLING PIECE, INSERT, FOR NEMA UNITS ONLY LOVEJOY, P/N L095-10968		
17-107-416-401	SPECIFICATION, GYRATORY NEMA MOTOR MIN REQUIREMENTS		
17-106-440-003	GAUGE, PRESSURE, DIFF W/DUAL SCALES MIDWEST P/N 140-AA-10-0A	11.87kg	
17-303-977-501	MOUNTING BRACKET, LUBE FILTER DIFFERENTIAL PRESSURE SWITCH AND GAGE	5.25kg	
00-711-136-011	BULKHEAD UNION, 129B04X15 IMPERIAL FLOWMETER	0.11kg	
00-711-451-053	PIPE NIPPLE, 0.250" NPTX1.500"-SCH40, 129B04X15-3-BLACK		
17-203-358-803	HOSE ASSEMBLY, MICRO - PRESSURE TRANSDUCER, 1/2" NPT, 48.0 INCH LG		
17-403-182-401	CUSTOMER INSTALLATION DRAWING, LUBE FILTER DIFFERENTIAL PRESSURE SWITCH AND GAGE		
17-203-358-401	ASSEMBLY DRAWING, MICRO-HOSE ASM PIX		
00-711-447-102	ELBOW, 1/4 CD-S, PARKER HANFIFIN	0.11kg	
MM0375111	PRESSURE MEASURING HOSE, SMS-20/N1/4-1219MM-B STAUFF	0.53kg	
MM0231116	ADAPTER, SMK 20-1/4NPT-VD STAUFF	0.11kg	
NO2416012	ADAPTER, SMD 20-1/4 NPT-P STAUFF	0.53kg	
17-105-860-007	ELBOW, 90 DEG .250" NPTF, MALE, ZN PLTD DAYCO P/N 5500-4-4		
17-303-741-026	DECAL, LUBE TANK OIL 200 GAL SPANISH		
17-303-741-002	DECAL, CUSTOMER FITTINGS, SPANISH		
17-303-741-003	DECAL, PRIMARY LUBE PUMP, SPANISH		
17-303-741-004	DECAL, BACK-UP LUBE PUMP, SPANISH		
17-303-741-005	DECAL, PRIMARY LUBE FILTER, SPANISH		
17-303-741-006	DECAL, BACK-UP LUBE FILTER, SPANISH		
17-303-741-007	DECAL, HIGH LUBE LEVEL, SPANISH		
17-303-741-008	DECAL, HIGH LUBE LEVEL, SPANISH		
17-303-741-027	DECAL, MPS PUMP 105 GAL SPANISH		
17-303-741-016	DECAL, PRIMARY MPS PUMP, SPANISH		
17-303-741-019	DECAL, MPS HIGH LEVEL, SPANISH		
17-303-741-020	DECAL, MPS PUMP ROTATION, SPANISH		
17-303-741-021	DECAL, LUBE TANK LEVEL TRANS., SPANISH		
17-303-741-047	DECAL, LUBE OIL TANK LEVEL TRANSMITTER, LIT - 3 SPANISH		
17-303-741-023	DECAL, PLUGGED MPS FILTER SWITCH, SPANISH		
17-303-741-024	DECAL, MPS LOW TANK LEVEL SWITCH, SPANISH		
17-303-741-025	DECAL, MPS LOW TANK LEVEL SWITCH, SPANISH		
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		
1029300450	WARNING DECAL, WARNING, HAZARDOUS VOLTAGE - SPANISH TEXT, HAZARD COMM (GS HYD) P/N FSH6010-P		
1029300451	DECAL, WARNING, DISCONNECT & OVERCURRENT - SPANISH TEXT		
N64350800	WARNING PLATE, 1146A-ISO WARNING ROTATING PART HAZARD COMMUNICATION SYSTEMS, IN		
1029300189	DECAL, METSO MARK, 5.57" X 16.65"		
MM0257913	NAME PLATE, SERIAL&P/N, MADE IN USA W/O CE MARK (SPANISH TEXT), GS HYDRAULICS, M08480-105 REVA	0.11kg	
17-303-741-009	DECAL, PRIMARY LUBE PUMP PRESS TRANS, SPANISH		
17-303-741-010	DECAL, BACK-UP LUBE PUMP PRESS TRANS. SPANISH		
17-303-741-011	DECAL, LUBE SKID DISCH. PUMP PRESS. TRANS. SPANISH		
17-303-741-012	DECAL, LUBE TANK TEMP. TRANS. SPANISH		
17-303-741-014	DECAL, RETURN OIL TEMP TRANS.		
17-403-068-402	ASSEMBLY DRAWING, LUBE SKID DECALS, OS TANK ROSEMOUNT		
17-303-970-001	INSTRUCTION, CSA CERTIFICATION FOR ELECTRICAL PANELS		
17-403-043-512	DISTRIBUTION PANEL, LUBE SENSOR ENCL ENG STEEL GLAND ROSEMOUNT SPCL		
17-303-970-012	IDENTIFICATION PLATE, BLOOM LAKE S6089119 LUBE SENSOR JB		
17-403-043-412	CUSTOMER INSTALLATION DRAWING, LUBE SENSOR ENCL ENG STEEL GLAND ROSEMOUNT SPCL		
MM0327316	ENCLOSURE, ELECTRICAL, A20H20BLP+A20P20 HOFFMAN	18.9kg	
04-093244	BAR, GROUND, PK15GTA, SCHNEIDER ELECTRIC, TM: SQUARE D	0.11kg	
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		
1029300400	WARNING DECAL, HAZARDOUS VOLTAGE... CONTACT (ENGLISH TEXT)		
17-303-763-503	PLATE ASSEMBLY, GLAND, STEEL		
MM0368158	BLOCK, TERMINAL, WDU 4, 1020100000 WEIDMULLER		
MM0368161	END PLATE, WAP 2.5-10, 1050000000 WEIDMULLER		
MM0368162	END BRACKET, WEW 35/2, 1061200000 WEIDMULLER		
MM0295543	PE-TERMINAL BLOCK, WPE 4, 1010100000 WEIDMULLER		
17-303-970-001	INSTRUCTION, CSA CERTIFICATION FOR ELECTRICAL PANELS		

17-502-278-521	DISTRIBUTION PANEL, LUBE SKID 3-PHASE ENGLISH STEEL GLAND, 6 HTRS		
17-303-970-013	IDENTIFICATION PLATE, BLOOM LAKE S6089119 LUBE 3PH JB		
17-502-278-421	CUSTOMER INSTALLATION DRAWING, LUBE SKID 3-PHASE ENGLISH STEEL GLAND		
MM0327316	ENCLOSURE, ELECTRICAL, A20H20BLP+A20P20 HOFFMAN	18.9kg	
1005158447	BUSBAR, PK7GTA, SCHNEIDER ELECTRIC, TM: SQUARE D		
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		
1029300400	WARNING DECAL, HAZARDOUS VOLTAGE... CONTACT (ENGLISH TEXT), GS NORTH AMERICA, P/N M03541-002		
1029300401	DECAL, WARNING, DISCONNECT & OVERCURRENT (ENGLISH)		
17-303-763-503	PLATE ASSEMBLY, GLAND, STEEL		
MM0368158	BLOCK, TERMINAL, WDU 4, 1020100000 WEIDMULLER		
MM0368161	END PLATE, WAP 2.5-10, 1050000000 WEIDMULLER		
MM0368162	END BRACKET, WEW 35/2, 1061200000 WEIDMULLER		
1087167202	ROPE, STEEL, 7X7, 0.09375", 3461T45 MCMASTER-CARR	0.42kg	
1072984001	WIRE ROPE SHEAVE, OVAL, .09"DIA, TYPE 304 STN STAINLESS STEEL, 35T14, MCMASTER-CARR		
17-303-980-801	SUBASSEMBLY, SET OF SSTEEL INSTRUMENTS, BLOOM LAKE 2		
00-711-451-201	PIPE NIPPLE, PIPE 1.500"-6UNC-2A-ASMEB18.2.1-GR 2-UNPLTD		
00-711-595-006	T CONNECTION, PIPE, 0.750"-NPTI-ASMEB16.3-CL150-UNPLTD, BANDED	0.32kg	
00-711-087-908	BUSHING, PIPE, HEX HD, 0.750X0.250"-ASMEB16.14-A395-UNPLTD		
17-103-834-012	GAUGE, PRESSURE, DUAL SCALE 0-60 PSI, 4.0 DIA WIKA		
17-400-937-401	CUSTOMER INSTALLATION DRAWING, S/B 17-400-937-405, BOTTOMSHELL SIDE LINER 89		
17-500-699-005	BOTTOMSHELL SIDE LINER, S/B 17-502-402-502, LH LOWER ADJ TO PINION 6089	150.05kg	
17-500-699-004	BOTTOMSHELL SIDE LINER, S/B 17-502-402-501, RH LOWER ADJ TO PINION 6089	129.57kg	
17-500-699-003	BOTTOMSHELL SIDE LINER, S/B 17-502-401-502, LH UPPER ADJ TO PINION 6089	140.49kg	
17-500-699-002	BOTTOMSHELL SIDE LINER, S/B 17-502-401-501, RH UPPER ADJ TO PINION 6089	140.49kg	
17-500-699-016	BOTTOMSHELL SIDE LINER, S/B 17-502-409-501, INTERMEDIATE LOWER 6089	198.45kg	
17-500-699-014	BOTTOMSHELL SIDE LINER, S/B 17-502-407-501, INTERMEDIATE UPPER 6089	140.49kg	
17-500-699-016	BOTTOMSHELL SIDE LINER, S/B 17-502-409-501, INTERMEDIATE LOWER 6089	198.45kg	
17-500-699-016	BOTTOMSHELL SIDE LINER, S/B 17-502-409-501, INTERMEDIATE LOWER 6089	198.45kg	
17-500-699-013	BOTTOMSHELL SIDE LINER, S/B 17-502-406-502, LH INTERMEDIATE UPPER 6089	140.49kg	
17-500-699-012	BOTTOMSHELL SIDE LINER, S/B 17-502-406-501, RH INTERMEDIATE UPPER 6089	140.49kg	
17-500-699-015	BOTTOMSHELL SIDE LINER, S/B 17-502-408-501, INTERMEDIATE LOWER 6089	181.65kg	
17-500-699-015	BOTTOMSHELL SIDE LINER, S/B 17-502-408-501, INTERMEDIATE LOWER 6089	181.65kg	
17-500-699-014	BOTTOMSHELL SIDE LINER, S/B 17-502-407-501, INTERMEDIATE UPPER 6089	140.49kg	
17-500-699-014	BOTTOMSHELL SIDE LINER, S/B 17-502-407-501, INTERMEDIATE UPPER 6089	140.49kg	
17-500-699-007	BOTTOMSHELL SIDE LINER, S/B 17-502-403-502, UPPER 6089	95.55kg	
17-500-699-006	BOTTOMSHELL SIDE LINER, S/B 17-502-403-501, UPPER 6089	97.12kg	
17-500-699-009	BOTTOMSHELL SIDE LINER, S/B 17-502-404-502, LH LOWER ADJ TO NARROW 6089	117.6kg	
17-500-699-010	BOTTOMSHELL SIDE LINER, S/B 17-502-405-501, LOWER 6089	112.88kg	
17-500-699-011	BOTTOMSHELL SIDE LINER, S/B 17-502-405-502, LOWER 6089	98.7kg	
17-500-699-008	BOTTOMSHELL SIDE LINER, S/B 17-502-404-501, RH LOWER ADJ TO NARROW 6089	117.6kg	
00-611-271-973	SCREW, CAP, HEXAGONAL, 1.500"-6UNC-2AX11.000"-ASMEB18.2.1-GR 2-UNPLTD	3.04kg	
00-631-001-124	NUT, HEXAGONAL, 1.500"-6UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.42kg	
00-651-001-638	WASHER, PLAIN, 1.625"IDX5.500"ODX0.500"THK - ASMEB18.21.1-ST-UNPLTD	1.47kg	
00-631-141-124	NUT, JAM, HEXAGONAL, 1.500"-6UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.32kg	
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
00-577-163-451	PLATE, STEEL, 1.250"-AR360		
17-303-663-401	ASSEMBLY DRAWING, NAME PLATE & WARNING SIGNS		
17-107-457-806	IDENTIFICATION PLATE, NAMEPLATE STAMPING SUPERIOR - ENGLISH		
26-206-911-001	WARNING PLATE, LOCKOUT CONTROLS, ENGLISH/SPANISH		
26-206-912-001	WARNING PLATE, STAND CLEAR, ENGLISH/SPANISH	0.11kg	
26-205-880-001	WARNING PLATE, GUARD IN PLACE - ENGLISH/SPANISH	0.11kg	
26-206-910-001	WARNING PLATE, LIFTING - ENGLISH/SPANISH		
17-107-586-001	PATENT PLATE, ENGLISH	0.21kg	
00-615-613-149	SCREW, DRIVE, ROUND HEAD, #7X0.380"-ASME18.6.4-TYPE U-ST-BRASS PLTD		
17-303-751-001	DECAL, METSO MARK		

17-303-752-001	DECAL, SUPERIOR TRADEMARK		
17-203-351-001	DECAL, ACCENT STRIPE		
1029300219	DECAL, RESPIRATOR WARNING DECAL (ENGLISH)+ SEE INFO		
17-303-077-004	NAME PLATE, NAMEPLATE-SUPERIOR METALLICS, INC.	0.21kg	
17-104-124-408	INSTRUCTION, STAMPING INSTRUCTIONS		
17-303-625-014	CYLINDRICAL BUSHING CASTING, BOTTOMSHELL BUSHING ROUGH, MACHINING 6089, ITALBRONZE LTDA	1034.99kg	
00-711-153-008	PIPE END, 1.00", NPTI CAP, 3000 LB W.O.G. ASTM A105, UNPLTD	0.32kg	
50-422-181-620	PIPE, TBE 1.00" X 62.0", SCH80, ASTM A53	5.25kg	
00-573-731-360	PIPE, SEAMLESS, 1.000X1.315X0.179"-ASTMA53-SCH80-UNPLTD		
17-203-226-002	PLATE, 0.50 X 3.00 X 4.0"	0.53kg	
60-065-610-016	TUBE, 2.00"OD X 0.28"W X 1.6", UNS-G10150, 260	0.32kg	
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
00-573-760-830	TUBE, SMLSS, 2.000"ODX0.281"W-UNS-G10180/10260, CD		
17-203-184-002	BAR, ROUND, 3.00" DIA X 24.5"	21.42kg	
17-203-184-003	NUT, HEXAGONAL, HVY HEX NUT 3.0-4 UNC	4.73kg	
00-611-271-570	SCREW, CAP, HEXAGONAL, 0.500"-13UNC-2AX5.500"-ASMEB18.2.1-GR 2-UNPLTD	0.21kg	
04-024946	NUT, HEXAGONAL, 0.500"-13UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
00-655-009-038	WASHER, LOCK, HELICAL SPRING, REGU, 0.5625"-ASMEB18.2.1-SAEJ403-C38-46-, UNPLTD		
00-573-115-400	BAR, ROUND, 3.000"DIA X MISC LG, UNS G10180, 190, 210, 220 +		
1003001131	NUT, HEXAGONAL, HEAVY, 3.000"-4UNC-2B-ASMEB18.2.2-GR A-UNPLTD	4.73kg	
00-711-451-327	PIPE NIPPLE, 1.25" NPTX7.50-SCH40-ASTMA53-UNPLTD	0.63kg	
00-711-221-010	CROSS PIPE, 1.250"-NPTI-ASMEB16.3-A197-CL150-UNPLTD, BANDED	0.84kg	
00-711-451-301	TUBE NIPPLE, 1.25" NPTX1.12"-SCH40-ASTMA53-UNPLTD	0.11kg	
00-711-595-010	T CONNECTION, PIPE, 1.250"-NPTI-ASMEB16.3-A197-CL150-UNPLTD, BND	0.63kg	
00-711-497-010	PLUG, 1.250"NPT-ASMEB16.14-ASTMA126-CL A-ZNPLTD	0.32kg	
00-737-801-110	CHECK GAUGE, 1.250"-11.5NPT, 10PSI, 04055 GITS BROTHERS MAN.	0.21kg	
00-711-087-944	BUSHING, PIPE, HEX HD, 1.250X1.000"-ASMEB16.14-A126-BLACK	2.42kg	
00-711-451-251	PIPE NIPPLE, 1.00"NPTX1.50"-ASTMA53-SCH40-WELDED-UNPLTD	0.11kg	
00-711-011-008	PIPE COUPLING, 1.000" NPTX2.000"-SCH40-ASTMA53-BLACK	0.21kg	
17-303-096-002	DUST SEAL, COLLAR FOR UPPER COUNTERWEIGHT	809.66kg	
17-303-096-003	STRIPS, .12" THK X 2" WDT X 3" LG, HOT ROLD CRBN STL		
17-402-372-001	DUST COLLAR, STD UPPER CWT, 6089	1006.95kg	1482mm * 1482mm * 523mm
17-402-565-001	ECCENTRIC, 6089 SUPERIOR CRUSHER	4034.1kg	
17-202-901-001	ECCENTRIC BUSHING, 1.812 THROW LARGE UPEPR CWT 6089, 1000830668 BRONZE	1247.4kg	
07-247-144-001	ECCENTRIC BUSHING KEY, 1.00 X 0.75 X 17.00, WEST ALLIS MACHINE CO., QUOTE 9/16/0	1.78kg	
17-303-008-001	ECCENTRIC GEAR, SPIRAL BEVEL MK-II 6089, FOR LOWER COUNTERWEIGHT	2501.42kg	
07-246-913-001	ECCENTRIC GEAR KEY, 6089	12.29kg	
00-615-142-655	SCREW, CAP, HEXAGON SOCKET HEAD, 0.750"-10UNRC-3AX2.500"-ASMEB18.3-	0.21kg	
17-303-007-001	COUNTERWEIGHT ASSEMBLY, LOWER 89	1125.6kg	
00-615-142-716	SCREW, CAP, HEXAGON SOCKET HEAD 0.875"-9UNRC-3AX9.000"-ASMEB18.3-	0.84kg	
00-659-045-448	WASHER, HARDENED, CLIPPED CIRCUL 0.875"-ASMEB18.2.6-TYPE 1-C38-45-UNPLTD		
00-671-115-645	DOWEL PIN, 1.000"X2.000"-ASMEB18.8.2-ST-UNPLTD	0.21kg	
07-445-072-003	ECCENTRIC CASTING, M/F ACM 101, PATT NO. CC-35095-D	4524.56kg	
07-445-076-001	ECCENTRIC BUSHING, 1.812 THROW, STD UPPER CWT 6089	1263.15kg	
17-201-338-013	CYLINDRICAL BUSHING CASTING, ECCENTRIC BUSHING ROUGH MACHINED 6089, ITALBRONZE LTDA	1957.94kg	
17-402-306-001	BEVEL GEAR, SPIRAL BEVEL GEAR 6089	2726.64kg	
17-402-307-501	COUNTERWEIGHT, LOWER WELDMNT	1145.45kg	
17-402-307-002	PLATE, .50" x 5.20" x 85.90"	30.03kg	
17-402-307-003	PLATE, .50" x 7.80" x 103.20"	54.29kg	
17-402-307-004	PLATE, .50" x 7.30" x 7.80"	3.78kg	
17-402-307-005	PLATE, .50" x 7.80" x 9.40"	4.73kg	
17-402-307-006	PLATE, .75" x 35.30" x 69.80"	74.76kg	
17-402-307-007	PLATE, 3.00" x 7.30" x 8.30"	22.89kg	
00-371-881-010	LEAD, PIG, 60LB, ASTM B29		
17-202-832-001	COUNTERWEIGHT RING, LOWER, MACHINING	8.61kg	
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
00-573-257-385	PLATE, STEEL, 0.750"-ASTMA6-ASTMA36(UNS K02600), HR		
01-101014	PLATE, STEEL, 3.000"-ASTMA6-ASTMA36, HR		
01-101001	PLATE, STEEL, 0.250"-ASTMA6-ASTMA36, HR		
17-203-125-501	COUNTERWEIGHT, UPPER, ASSEMBLY, LARGE 1.81 THROW 6089	888.83kg	
00-615-138-639	CAP SCREW, HEXAGON SOCKET HEAD, WITH NYLON INS 0.625"-11UNRC-	0.32kg	
00-651-016-372	WASHER, HARDENED, CIRCULAR, 0.688"-ASMEB18.2.6-TYPE 1-C38-45-UNPLTD		
17-203-125-401	ASSEMBLY DRAWING, LARGE UPPER CWT 6089		
17-402-569-001	COUNTERWEIGHT, UPPER, LARGE, 1.50 AND 1.81 THROW 6089	836.85kg	
17-303-074-001	RETAINING RING, LARGE UPPER CWT, 1.81" THROW 6089	50.51kg	
17-103-705-008	SEAL, UPPER COUNTERWEIGHT 60-89 MOTION INDUSTRIES INC	3.78kg	
00-671-171-309	PIN, SPRING, 0.1875X0.5000"-ASMEB18.8.2-ST1-AISI1070/1095-UNPLT		
17-402-365-501	COUNTERWEIGHT, UPPER, WELDMNT	882.11kg	
68-063-056-059	PLATE, RECT 6.5" X 6.8" X 3.00" THK, ASTM A36, UNS K2600	18.06kg	

68-063-056-060	PLATE, RECT 6.5" X 6.9" X 3.00"THK, ASTM A36, UNS K2600	18.06kg	
68-063-056-063	PLATE, RECT 6.5" X 7.2" X 3.00"THK, ASTM A36, UNS K2600	19.01kg	
17-402-365-005	PLATE, 0.50" x 6.50" x 119.40"	52.4kg	
17-402-365-006	PLATE, 0.50" x 6.50" x 73.80"	32.34kg	
17-402-365-007	SHEETS, 11GAX6.4"X82.5"	8.61kg	
17-402-365-008	SHEETS, 11GAX26.5"X52.0"	7.67kg	
17-303-075-001	COUNTERWEIGHT, BOTTOM PLATE	217.67kg	
00-371-881-010	LEAD, PIG, 60LB, ASTMB29		
01-101014	PLATE, STEEL, 3.000"-ASTMA6-ASTMA36, HR		
01-101014	PLATE, STEEL, 3.000"-ASTMA6-ASTMA36, HR		
01-101014	PLATE, STEEL, 3.000"-ASTMA6-ASTMA36, HR		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
00-573-405-401	SHEETS, 11GAXMISCX MISC, HR CARBON STL, COMM QUAL		
00-573-405-401	SHEETS, 11GAXMISCX MISC, HR CARBON STL, COMM QUAL		
00-573-257-561	PLATE, STEEL, 1.750"-ASTMA36(UNS K02600), HR		
00-573-257-701	PLATE, STEEL, 3.500"-ASTMA6-ASTMA36, HR		
00-573-257-471	PLATE, 1.250"-ASTMA6-ASTMA36-UNS K02600, HR		
07-345-521-002	PLATE, ECCENTRIC WEARING RING, 1000830664 / ACM 3040 BRONZE, SG6089, ITALBRONZE LTDA	170.1kg	
00-573-257-611	PLATE, 2.250"-ASTMA6-ASTMA36-UNS K02600, HR		
17-303-886-401	ASSEMBLY DRAWING, MPS CYLINDER ASM WITH SHIPPING COVERS 6089		
17-502-332-502	MPS CYLINDER ASSEMBLY, WITH POSITION INDICATOR 89	9194.43kg	
17-303-149-501	MPS CYLINDER ASSEMBLY, SHIPPING COVER ASM 6089 NORTHWOODS MFG., INC., RUSS, 3/4 WEE	610.58kg	
17-201-787-040	O-RING, .250" X 73.00" I.D.	0.32kg	
17-303-149-005	PLATE, 1.00 X 10.0 X 10.0", WEST ALLIS MACHINE CO., EARL - 2 WEE	12.92kg	
00-751-531-922	O-RING, 0.125X 4.250X 4.500, 244-7507 APPLETON ELECTRIC COMPANY		
00-711-497-008	PLUG, SQUARE HEAD SOLID, 1.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.21kg	
00-711-497-012	PLUG, SQUARE HEAD SOLID, 1.500"NPT-CL250-ASMEB16.14-ASTMA126-CL A-UNPLTD	0.42kg	
00-611-151-634	SCREW, HEXAGONAL HEAVY, 1.500"-6UNC-2AX7.500"-ASMEB18.2.1-GR 2- UNPLTD	2.31kg	
00-651-001-627	WASHER, PLAIN, 3.50"-ASMEB18.21.1-TYPE B-UNPLTD	0.21kg	
00-631-001-124	NUT, HEXAGONAL, 1.500"-6UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.42kg	
00-611-271-726	SCREW, CAP, HEXAGONAL, 1.000"-8UNC-2AX3.000"-ASMEB18.2.1-GR 2- UNPLTD	0.42kg	
00-651-001-489	WASHER, PLAIN, 1.000"-ASMEB18.21.1-TYPE B-R-ST-UNPLTD	0.11kg	
17-303-349-035	DECAL, MPS ASM SHIP. COVER DECAL 6089		
17-502-332-801	SUBASSEMBLY, MPS CYLINDER ASM CONSTANTS 89	9187.29kg	
17-107-495-004	POSITION INDICATOR, TRANSDUCER 400MM W/ MEASURING TUBE MAGTROL INC.	2.1kg	
17-203-302-001	ADAPTER, MPS TRANSDUCER, WEST ALLIS MACHINE CO., EARL 3 WEE	1.26kg	
17-303-650-001	HOLDER, MEASURING TUBE, MILWAUKEE BEARING & SHELLEY - 3 WK	3.26kg	
17-107-498-001	PLUG, MEASURING TUBE	0.11kg	
17-203-309-001	PLUG, MEASURING TUBE ADVANCED MACHINING INC.	0.11kg	
65-751-532-026	O-RING, SMS1586-44.20X3.00-NBR70		
65-751-536-006	RING, SEAL, 1.17"ID X .439 CROSS PARKER FLUID P/N 2.217		
00-711-087-052	BUSHING, PIPE, HEX HD, 1.500X0.500"-ASMEB16.14- A126-UNPLTD	0.21kg	
65-615-145-079	SCREW, CAP, HEXAGON SOCKET HEAD, ISO4762-M8X40-10.9-UNPLTD		
17-403-042-001	MPS CYLINDER, MACHINING 6089	4158kg	
17-303-013-001	MPS CYLINDER BUSHING, LOWER	276.15kg	
17-200-841-501	MPS CYLINDER BUSHING, UPPER, 89	280.98kg	
17-402-315-501	MPS PISTON AND PLUG ASSEMBLY	1890.84kg	
17-402-316-001	MPS CLAMP PLATE, 89	520.59kg	
17-103-680-003	MPS SEAL, W/O FILLER RING	2.42kg	
17-501-895-501	MPS COVER PLATE, 6089	1446.9kg	
17-303-532-501	PISTON WEAR PLATE, ITALBRONZE LTDA, QUOTE 9/6/02	241.5kg	
07-254-889-001	MAIN SHAFT STEP WASHER, 89	235.2kg	802mm * 802mm * 180mm
07-254-863-001	RETAINING RING, STEP WASHER 89, WEST ALLIS MACHINE CO.	0.84kg	
17-201-787-059	O-RING, .250" X 35.00" I.D.	0.21kg	
17-106-891-002	GUARD, MPS COVER PLATE, NORTHWOODS MFG., INC., QUOTE 17-106	18.06kg	
65-965-027-002	RING, SEAL, ED48X2/R11/2, PARKER HANNIFIN, TM: ERMETO ORIGIN	0.53kg	
65-751-532-091	O-RING, SMS1586-59.50X3.00-NBR70		
00-673-165-400	RING, RETAINING, EXTERNAL, ASMEB18.27.1-NA1-400, 4.000X0.109"-CS		
00-671-171-523	PIN, SPRING, 0.500X3.000"-ASMEB18.8.2-ST 1-AISI1070/1095- UNPLTD	0.11kg	
00-711-509-006	PLUG, SQHD, 0.750"-NPTE-ASMEB16.14-CS-UNPLTD	0.11kg	
00-711-497-016	PLUG, SQUARE HEAD SOLID, 2.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.63kg	
00-615-142-548	SCREW, CAP, HEXAGON SOCKET HEAD, 0.500"-13UNRC-3AX1.250"-ASMEB18.3-	0.11kg	
1003064470	WASHER, LOCK, HELICAL SPRING, REGU. 0.375"-ASMEB18.1-1-SAEJ403-C38-46-, UNPLTD		
00-615-138-649	CAP SCREW, HEXAGON SOCKET HEAD WITH WING NUT, 0.750"-10UNRC-, 3AX1.250"-ASMEB18.3-ASTM A193-UNPLTD	0.11kg	
65-615-146-304	SCREW, CAP, HEXAGON SOCKET HEAD, M8X1.25X25-ASMEB18.3.1M-12.9-SC2 T1	0.21kg	
65-655-022-007	WASHER, SPRING, M12 X 13MM ID X 24MM OD, DIN 137, FORM B		
17-201-249-006	BOLT, SQUARE HEAD, 2.250-4.50UNC X 13.60, GR 5 PITTSBURGH WELDING, QUOTE 9/19	9.55kg	
00-631-161-136	NUT, JAM, HEXAGONAL, HEAVY, 2.250"-4.5UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	1.05kg	
1003001116	NUT, HEXAGONAL, HEAVY, 2.250"-4.5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	1.99kg	
17-303-094-001	RETAINING RING, MPS SEAL MILWAUKEE BEARING	36.23kg	
00-615-142-468	SCREW, CAP, HEXAGON SOCKET HEAD, 0.375"-16UNRC-3AX1.250"-ASMEB18.3-		

00-615-142-960	SCREW, CAP, HEXAGON SOCKET HEAD 2.250"-4.5UNR-2AX6.000"-ASMEB18.3-,ASTMA574-UNPLTD	5.15kg	
00-615-138-649	CAP SCREW, HEXAGON SOCKET HEAD WITH NYLON INS 0.750"-10UNRC-,3AX1.250"-ASMEB18.3-ASTMF574-UNPLTD	0.11kg	
17-403-041-001	CASTING,MPS CYLINDER 6089	4490.85kg	
07-346-904-003	MPS CYLINDER BUSHING, LOWER,CASTING, LOWER HALF	535.5kg	
17-102-849-001	CYLINDER BODY,MPS CYLINDER SHELL FOR UPPER BUSHING	385.35kg	
17-102-848-001	FLANGE,UPPER BUSHING - HYDROSET CYL	37.17kg	
26-205-990-001	DECAL,WARNING DECAL		
01-101009	PLATE, STEEL,1.500"-ASTMA6-ASTMA36, HR		
17-402-313-001	MPS PISTON, 89	1879.4kg	
17-202-835-001	MPS PISTON PLUG, 89	9.45kg	
00-615-142-613	SCREW, CAP, HEXAGON SOCKET HEAD,0.625"-11UNRC-3AX1.750"-ASMEB18.3-	0.11kg	
00-671-117-877	DOWEL PIN,2.0002X4.000"-ASMEB18.8.2-60-62RH-SPEC SIZE-UNPLTD	1.78kg	
00-711-533-012	PIPE PLUG,1.500"-NPTE-ASMEB16.14-ASTMA126- BLACK, SQ CS SOCKT	0.32kg	
07-352-567-005	PISTON CASTING	2071.65kg	
00-573-115-570	BAR, ROUND,8.000"DIA X MISC LG, UNS G10180, 190, 210, 220 +		
17-501-895-002	COVER PLATE,MPS CYLINDER COVER MACHINED	1443.12kg	
65-625-100-026	COIL,HELI-COIL M8 -1.25X12 S.S. INSERTS		
17-202-844-501	CAP,BEARING CAP MACHINING,NORTHWOODS MFG., INC.,RUSS	1861.75kg	
17-202-844-002	PLATE,7.00 X 50.0" DIA	1845.59kg	
17-202-844-003	TUBE,12.5"OD X 10.5"ID X 3.3"LG	16.17kg	
00-573-761-978	TUBE,SMLSS, 12.500"ODX1.000"W-,UNSG10150/10180/10260, CD		
17-303-532-002	PLATE,PISTON WEAR PL MACH. 6089 FINISH MACHINE	178.6kg	
00-711-545-006	PLUG,0.750"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET	0.11kg	
17-107-415-001	DECAL,STEP COMPONENTS DECAL		
17-303-631-005	PISTON WEAR PLATE,RGH 89	252.42kg	
07-248-798-002	PISTON WEAR PLATE,CASTING, SG6089	235.2kg	
01-101003	PLATE, STEEL,0.375"-ASTMA6-ASTMA36, HR		
01-101007	PLATE, STEEL,1.000"-ASTMA6-ASTMA36, HR		
17-203-304-001	MEASURING PIPE,26.00 MM O.D. X,395.00 MM LG	0.21kg	
17-107-495-010	TUBE,MEASURING TUBE-POS IND 460 MM MAGTROL INC.	0.21kg	
00-573-257-561	PLATE, STEEL,1.750"-ASTMA36(UNS K02600),HR		
00-573-761-035	MECHANICAL TUBING, SEAMLESS, CARBON STEEL, RO,2.250X0.563"-ASTMA519-,UNSG10150/180/260, CD		
65-965-027-003	PLUG,STEEL PLUG-HEX SOC-1.0 BSP PL RITTER TECHNOLOGY LLC	0.53kg	
00-573-177-260	HEXAGONAL BAR,1.4375"-UNSG11170/G11190, COLD FINISHED, STAN Q		
17-303-149-003	PLATE,1.5"x83.5"x83.5"	325.29kg	
17-303-149-004	PLATE,.5"x71.5"x71.5"	271.53kg	
17-303-149-006	BAR, ROUND,3"DIAX1.5"LG	0.95kg	
01-101009	PLATE, STEEL,1.500"-ASTMA6-ASTMA36, HR		
01-101004	PLATE, STEEL,0.500"-ASTMA6-ASTMA36, HR		
00-573-105-409	ROUND BAR, STEEL,3.000"-ASTMA6-AISIM1015/20, HOT ROLLED, MBQ		
01-101007	PLATE, STEEL,1.000"-ASTMA6-ASTMA36, HR		
17-107-041-016	ELECTRIC CABLE,9954, MIL-W-16878E/17 BELDEN	0.53kg	
17-107-041-014	TUBE, PLASTIC, FLEXIBLE,FLEXIBLE CONDUIT 0.50", 1/2UA ANACONDA SEALTITE INDUSTRIES		
17-107-041-015	CONNECTOR,1.375", 5332,THOMAS & BETTS		
17-107-041-012	BUSHING REDUCTION,1.50"NPT - 0.50"NPT (MACHINE CONTROL)		
1008009900	WIRE,0.051", STAINLESS STEEL, 8860K65 MCMASTER-CARR	0.53kg	
17-107-041-011	CABLE TIE,HEAVY DUTY PLASTIC TIE STRAPS		
17-107-041-006	CONNECTOR,ANGLE		
17-107-573-401	CABLE,POSITION INDICATOR CABLE ASM PIX		
17-303-970-001	INSTRUCTION,CSA CERTIFICATION FOR ELECTRICAL PANELS		
17-403-007-519	TC1000-M,MPS LOCAL PANEL 110 / 220VAC ENG STEEL GLAND,PIEPER		
17-303-970-015	IDENTIFICATION PLATE,BLOOM LAKE,SYN 419 TC1000-M		
17-403-007-419	ASSEMBLY DRAWING,TC1000-M MPS LOCAL PANEL VAC ENG STEEL GLAND		
17-403-009-401	ELECTRICAL DIAGRAM,TC1000-M ELECTRICAL SCHEMATIC 110/220VAC		
MM0226607	CABINET, ELECTRICAL,A-24H20CLP & A-24P20 HOFFMAN		
MM0261120	CURRENT METER,PAXP0010 + PAXCDS10 + PAXCDL10 (PAX SERIES),RED LION	0.32kg	
N05256616	RELAY,700-HC24Z24,ROCKWELL AUTOMATION, TM: ALLEN-B		
N05256617	RELAY BASE,700-HN128,ROCKWELL AUTOMATION, TM: ALLEN-B		
N05256618	RELAY,700-HJ36Z24,ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
N05256619	RELAY BASE,700-HN154,ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
MM0261121	RELAY,700-HLT12Z4X, (TERMINAL BLOCK, SPDT,,24VDC COIL),ROCKWELL AUTOMATION, TM: ALLEN-B		
1005126638	SWITCH, PUSH BUTTON,800H-FRXJT6A5 (RED),ROCKWELL AUTOMATION, TM: ALLEN-B	1.47kg	
MM0374483	SWITCH, SELECTOR,800HC-JR4KC7,ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
1005126618	SWITCH, PUSH BUTTON,800H-AR2D1,ROCKWELL AUTOMATION, TM: ALLEN-B		
1005126675	RUBBER BOOT,800H-N5H, FOR PUSHBUTTON,,BLACK ROCKWELL AUTOMATION, TM: ALLEN-B		
MM0279008	LIGHT PUSH BUTTON,800HC-QRTH24R,ROCKWELL AUTOMATION, TM: ALLEN-B		
MM0374487	PILOT LIGHT,800HC-QRTH24G,ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
MM0374485	PILOT LIGHT,800HC-QRTH24B,ROCKWELL AUTOMATION, TM: ALLEN-B	0.11kg	
1056376661	NAME PLATE,REMOTE (ENGLISH TEXT)		
1056376673	IDENTIFICATION PLATE,POWER ON	0.53kg	
1056376674	NAME PLATE,PULL ON / PUSH OFF		

17-107-551-001	IDENTIFICATION PLATE, MAINTENANCE/LOCAL/REMOTE		
17-107-551-002	IDENTIFICATION PLATE, LOW LIMIT		
17-107-551-003	IDENTIFICATION PLATE, HIGH LIMIT		
17-107-551-004	IDENTIFICATION PLATE, RAISE		
17-107-551-005	IDENTIFICATION PLATE, LOWER		
17-107-551-006	IDENTIFICATION PLATE, "MAINSHAFT %"		
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HAZARD COMMUNICATION SYSTEMS, IN		
1029300400	WARNING DECAL, HAZARDOUS VOLTAGE... CONTACT (ENGLISH TEXT), GS NORTH AMERICA, P/N M03541-002		
MM0261119	POWER SUPPLY, SDP2-24-100T, 50W, 24VDC SOLA/HEVI-DUTY	0.21kg	
17-303-974-501	PLATE ASSEMBLY, GLAND, 150 X 400MM, STEEL		
1005158447	BUSBAR, PK7GTA, SCHNEIDER ELECTRIC, TM: SQUARE D		
MM0368158	BLOCK, TERMINAL, WDU 4, 1020100000 WEIDMULLER		
MM0368161	END PLATE, WAP 2.5-10, 1050000000 WEIDMULLER		
MM0368162	END BRACKET, WEW 35/2, 1061200000 WEIDMULLER		
17-403-183-401	ASSEMBLY DRAWING, PINIONSHAFT HOUSING ASM 6089, W/P. SEAL RET. CLIPS		
17-402-356-001	PINION SHAFT, DIRECT DRIVE MK-II 89	669.16kg	
17-402-306-002	PINION, SPIRAL BEVEL PINION 6089	191.1kg	
17-106-722-002	BEARING, DOUBLE ROW TAPERED ROLLER 89	39.48kg	
17-106-722-002	BEARING, DOUBLE ROW TAPERED ROLLER 89	39.48kg	
17-502-375-501	PINION SHAFT HOUSING, MK - II ASSEMBLY 89, FOR CTC VIBRATION SENSORS		
17-303-072-001	SPACER, LOCKNUT MILWAUKEE BEARING	5.67kg	
17-303-072-001	SPACER, LOCKNUT MILWAUKEE BEARING	5.67kg	
00-611-271-651	SCREW, CAP, HEXAGONAL, 0.750"-10UNC-2AX1.500"-ASMEB18.2.1-GR 2- UNPLTD	0.21kg	
1003064488	WASHER, LOCK, HELICAL SPRING, REGU, 0.750"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
00-611-271-653	SCREW, CAP, HEXAGONAL, 0.750"-10UNC-2AX2.000"-ASMEB18.2.1-GR 2- UNPLTD	0.11kg	
17-107-395-003	SEAL, LABYRINTH, S/B 55-555 CONDITIONAL SUPERSEDE 6089	0.42kg	
17-107-483-002	OIL SEAL, 10.000X11.252X0.625", 100044, CRWHA1 SKF, TM: CHICAGO RAWHIDE	0.53kg	
17-303-068-003	SEAL PLATE, PINION END, 89, W/PINION SEAL RETAINING CLIPS LABYRINTH PROTECT SEAL	14.28kg	
17-303-982-501	SEAL PLATE, DRIVE END, 89, FOR CTC VIBRATION SENSOR		
17-202-048-024	KEY, SHEAVE END, 1.500" X 2.000" X 6.00"	2.52kg	
17-202-048-025	PINION KEY, 1.500" X 2.000" X 7.25"	3.04kg	
00-673-165-800	RING, RETAINING, EXTERNAL, ASMEB18.27.1-NA1-800, 8.000X0.187"-CS	0.32kg	
00-617-245-795	SET SCREW, 1.250"-7UNC-2AX6.500"-ASMEB18.6.2-SQ HEAD-UNPLTD	1.16kg	
00-733-437-502	CUP, OIL .312X .531, APPLICATION EQUIPMENT INC		
00-733-105-024	GREASE FITTING, 0.125 NPT X 0.688 ALEMITE, P/N 1610-BL		
17-106-851-001	GASKET, PINIONSHAFT SEAL PLATE 0.031 - 89	0.11kg	
17-106-851-001	GASKET, PINIONSHAFT SEAL PLATE 0.031 - 89	0.11kg	
17-106-851-002	GASKET, PINIONSHAFT SEAL PLATE 0.016 D.E. 89		
17-106-851-003	GASKET, PINIONSHAFT SEAL PLATE 0.010 D.E. - 89		
17-106-850-001	LOCK PLATE, 89		
17-106-850-001	LOCK PLATE, 89		
00-611-314-419	SCREW, CAP, HEXAGONAL, 0.3125"-18UNC-2AX0.750"-ASMEB18.2.1-GR 5- UNPLTD		
00-611-314-419	SCREW, CAP, HEXAGONAL, 0.3125"-18UNC-2AX0.750"-ASMEB18.2.1-GR 5- UNPLTD		
1003064467	WASHER, LOCK, HELICAL SPRING, , REGU, 0.3125"-ASMEB18.21.1-SAEJ403-UNPLTD		
1003064467	WASHER, LOCK, HELICAL SPRING, , REGU, 0.3125"-ASMEB18.21.1-SAEJ403-UNPLTD		
00-711-509-008	PLUG, SQHD, 1.000"-NPTE-ASMEB16.14-CS-UNPLTD	0.21kg	
00-671-171-515	PIN, SPRING, 0.50X1.50"-ASMEB18.8.2-ST 1-AISI1070/1095- UNPLTD		
00-711-509-008	PLUG, SQHD, 1.000"-NPTE-ASMEB16.14-CS-UNPLTD	0.21kg	
00-333-283-100	SEALING COMPOUND, 518, 300ML, 518-45 LOCTITE	0.42kg	
703401956100	THREADLOCKER, 24241, 250ML, MEDIUM STRENGTH LOCTITE	0.32kg	
17-107-690-002	RETAINER, PINION END, PINIONSHAFT SEAL CLIP 6089		
00-611-363-371	CAP SCREW, HEXAGON HEAD WITH NYLON INSERT, 0.750"-20UNC-2AX0.500"-, ASMEB18.2.1, GR 5- UNPLTD		
1003064488	WASHER, LOCK, HELICAL SPRING, REGU, 0.750"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-502-375-002	HOUSING MACHINING, PINIONSHAFT FOR CTC VIBRATION SENSORS 6089		
00-711-545-004	PLUG, 0.500"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET		
00-711-545-004	PLUG, 0.500"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET		
00-711-545-004	PLUG, 0.500"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET		
00-711-545-003	PLUG, PIPE 0.375 NPTE, HEX C-SUNK SOCKET, ASMEB16.14 +	0.11kg	
00-711-545-002	PIPE PLUG, 0.250"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET		
00-711-545-006	PLUG, 0.750"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET	0.11kg	
17-107-476-002	PIN, RETAINING, PINIONSHAFT BEARING	0.32kg	
17-402-352-001	CASTING, PINIONSHAFT HOUSING MK-II 89	1500.24kg	
00-615-142-694	SCREW, CAP, HEXAGON SOCKET HEAD 0.875"-9UNRC-3AX3.500"-ASMEB18.3-, ASTMA574-UNPLTD	0.21kg	
17-303-982-002	PLATE, 2.50 X 18.0 X 18.0", MILWAUKEE BEARING & SHELLY 4 WEE		
60-451-170-003	BAR, ROUND, 0.250" DIA X 0.3" LG, AISI M1015/1020		
00-573-105-030	ROUND BAR, STEEL, 0.250"-ASTMA6-AISIM1015/20, HR, MBQ		

00-573-405-601	PLATE, STEEL, 0.1345"(10GA)-ASTMA6-HR-C STEEL- COMMERCIAL GRADE		
17-303-660-408	CUSTOMER INSTALLATION DRAWING, PINIONSHAFT BEARING RTD/VIBR SENSORS, CTC		
17-107-513-119	TEMPERATURE PROBE, 100 OHM RTD WITH 5 METER CABLE	0.32kg	
17-107-520-001	CABLE CLAMP, 0.250" NPTM, HJ1002GPK25 HUBBELL		
17-106-253-004	SILICONE SEAL, OT-201-1/2 OMEGATHERM	0.11kg	
17-107-570-003	PIPE, 0.38 SCH 40 X 26.0, UNTHREADED	0.53kg	
00-691-069-003	CLIP, 0.375"-NPT, 3121-3-10, PARKER HANNIFIN, TM: PARKLAMP		
00-615-570-034	SCREW, PAN HEAD, #8-18 NOM X 0.375" LG, ASME B18.6.4, TYPE B, UNPLTD		
17-107-520-003	CABLE CLAMP, 0.375" NPTM, HJ1005GPK25 HUBBELL		
17-107-513-119	TEMPERATURE PROBE, 100 OHM RTD WITH 5 METER CABLE	0.32kg	
17-106-253-004	SILICONE SEAL, OT-201-1/2 OMEGATHERM	0.11kg	
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
MM0357074	ACCELEROMETER, AC144-1D CTC	0.11kg	
MM0357071	SOCKET CABLE, CB102-J2A-100-Z CTC	1.05kg	
00-855-105-044	CONNECTOR, 0.125-0.250" CORD, 0.500"-NPT THREAD, CGB192-SG, COOPER, TM: CROUSE-HINDS	0.11kg	
17-107-570-003	PIPE, 0.38 SCH 40 X 26.0, UNTHREADED	0.53kg	
00-691-069-003	CLIP, 0.375"-NPT, 3121-3-10, PARKER HANNIFIN, TM: PARKLAMP		
00-615-570-034	SCREW, PAN HEAD, #8-18 NOM X 0.375" LG, ASME B18.6.4, TYPE B, UNPLTD		
17-303-671-401	ASSEMBLY DRAWING, PINIONSHAFT HOUSING OIL LEVEL SIGHT GAUGE 89		
17-104-208-012	SIGHT GLASS, OIL LEVEL	0.32kg	
00-711-595-008	T CONNECTION, 1.000"-NPTE-ASMEB16.3-ASTMA197-CL150- BLACK	0.42kg	
00-711-087-035	BUSHING, PIPE, HEX HD, 1.000X0.375"-ASMEB16.14- A126-UNPLTD	0.11kg	
00-711-451-255	PIPE NIPPLE, 1.000" NPTX2.000"-SCH40-ASTMA53-BLACK	0.11kg	
00-711-595-003	T CONNECTION, PIPE, 0.375"-NPTI-ASMEB16.3-CL150-UNPLTD, BANDED	0.11kg	
00-711-451-101	PIPE NIPPLE, 0.375" NPTX1.000"-SCH40-ASTMA53-UNPLTD		
00-711-497-003	PLUG, 0.375"-NPT-ANSIB16.14-SQ HEAD, SOLID		
17-107-089-002	HOSE ASSEMBLY, WITH ONE END, 0.50 ID X 6.0 FEET LONG KUNDINGER FLUID POWER INC	0.95kg	
00-735-781-636	HOSE COUPLING, 20642-8-8, PARKER HANNIFIN	0.21kg	
00-735-791-033	CONNECTOR, 6-8 FTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK		
17-107-528-802	LEVEL SENSOR ASSEMBLY, TRANSMITTER, 4-20mA	0.53kg	
17-303-672-501	BRACKET, SITE GAUGE, NORTHWOODS MFG., INC., NW QUOTE 2/	11.97kg	
17-203-328-501	PIPE ASSEMBLY, SIGHT GAUGE, PINIONSHAFT HSG OIL LEVEL	4.2kg	
00-711-141-024	CAP, 3.000"-NPTI-ASMEB16.3-CL150-UNPLTD, BANDED	1.16kg	
00-711-011-024	PIPE COUPLING, 3.000" NPT-SCH40-1000PSI-ASTMA53- UNPLTD	1.68kg	
00-711-103-101	BUSHING, HEX HEAD, 3.00"-NPTE X 1.00"-NPTI-ASTMA105-GR2- UNP, FIG. 600, LADISH CO	1.26kg	
00-691-630-316	U-BOLT, 0.375"-16UNC-2BX3.625X4.000X5.250X1.750", U-300SG, 0-Z/GEDNEY	0.21kg	
00-711-595-008	T CONNECTION, 1.000"-NPTE-ASMEB16.3-ASTMA197-CL150- BLACK	0.42kg	
00-711-087-035	BUSHING, PIPE, HEX HD, 1.000X0.375"-ASMEB16.14- A126-UNPLTD	0.11kg	
00-711-451-255	PIPE NIPPLE, 1.000" NPTX2.000"-SCH40-ASTMA53-BLACK	0.11kg	
17-107-089-002	HOSE ASSEMBLY, WITH ONE END, 0.50 ID X 6.0 FEET LONG KUNDINGER FLUID POWER INC	0.95kg	
00-735-781-636	HOSE COUPLING, 20642-8-8, PARKER HANNIFIN	0.21kg	
00-735-791-033	CONNECTOR, 6-8 FTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK		
00-735-791-033	CONNECTOR, 6-8 FTX-S, PARKER HANNIFIN, TM: TRIPLE-LOK		
17-107-528-401	ASSEMBLY DRAWING, LEVEL TRANSMITTER ASM PIX		
17-107-513-209	LEVEL TRANSMITTER, U25164, IFM ELECTRONIC, TM: EFECTOR	0.42kg	
17-107-513-203	ADAPTER, E43013, 1" NPT D16 IFM ELECTRONIC	0.32kg	
17-107-513-310	PROTECTING COVER, E43910, IFM ELECTRONIC, TM: EFECTOR		
17-107-513-305	CONNECTOR, CABLE, CONTROL MONITOR CABLE ASSEMBLY, EVCO08, IFM ELECTRONIC, TM: EFECTOR	0.21kg	
17-303-672-003	CHANNEL, C3 X 4.1 X 11.0 LONG		
17-303-672-002	CHANNEL, C7 X 9.8 X 25.0 LONG		
17-203-328-002	PIPE, TBE 3.00"X14.5" LG, SCH 40	4.3kg	
00-715-351-030	FITTING, BUTTWLD, 3.00-36.00" RUN, 0.375" OUTL, A105-CL3000, BONNEY FORGE, TM: THREDOLET	0.53kg	
00-573-721-221	PIPE, WLD, 3.000X3.500X0.264"-A120-SCH40, PL ENDS, UNPLT		
17-303-531-002	MAIN SHAFT, STEP MACH. 6089	216.72kg	
00-711-545-006	PLUG, 0.750"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET	0.11kg	
17-107-410-001	ANTIFRICTION COATING, SILVER METAL POWDER, 1-5 MICRON, 99.9% PURE, ATLANTIC EQUIPMENT ENGINEERS P/N		
17-107-415-001	DECAL, STEP COMPONENTS DECAL		
17-303-633-008	MAIN SHAFT STEP, ROUGH MACH 89	253.89kg	
07-346-954-004	MAIN SHAFT STEP, CASTING, 89 SUP		
17-203-269-001	HEADNUT, OUTER, ROUGH MACHINING, J. T. RYERSON & SON INC., Q10E638303012	323.82kg	
00-573-257-561	PLATE, STEEL, 1.750"-ASTMA36(UNS K02600), HR		
00-573-115-210	ROUND BAR, STEEL, 1.000"-ASTMA6-G10180/190/210/220, HR, SPEC Q		
17-201-060-001	CASTING, UPPER DUST SEAL RETAINER, DELRAY STEEL CASTING, INC, QUOTE 02	1709.4kg	
07-246-914-003	BAR, 1.00" X 2.00" X 6.8" LG	1.89kg	
07-246-914-004	PLATE, 3.00" X 59.5" ID X 74.0" OD	442.89kg	
17-202-857-401	SHELL SEPARATOR JACKSCREW, ASM 89		
17-202-856-001	COLLAR, FOR JACKSCREW SEPARATOR	13.33kg	
00-611-151-954	SCREW, HEXAGONAL HEAVY, 3.000"-4UNC-2AX10.500"-ASMEB18.2.1-GR 2- UNPLTD	14.28kg	
00-573-139-575	BAR, ROUND, 8.000"DIA X MISC LG, UNS G10450 OR G11440, +		

00-573-115-390	ROUND BAR, STEEL, 2.750"-ASTMA6-G10180/190/210/220, HR, SPEC Q		
07-246-917-007	BAR, ROUND, 2.50" DIA X 39.5" LG	26.25kg	
07-246-917-008	PLATE, 1.75" X 3.75" X 3.75"	1.89kg	
00-573-115-370	ROUND BAR, STEEL, 2.500"-ASTMA6-G10180/190/210/220, HR, SPEC Q		
07-248-374-002	PLATE, 1.0" X 8.0" X 8.0", M/F 00-573-257-401	266.7kg	
07-248-374-003	PIPE, 8.00"DIA X 14.25"LG, SCH 40	16.17kg	
07-248-374-004	PLATE, 1.0" X 9.8" X 9.8", M/F 00-573-257-401	266.7kg	
01-101007	PLATE, STEEL, 1.000"-ASTMA6-ASTMA36, HR		
00-573-730-019	PIPE, 8.000X8.625X0.322"-ASTMA53-SCH40, PLAIN ENDS		
01-101007	PLATE, STEEL, 1.000"-ASTMA6-ASTMA36, HR		
17-200-830-401	HOSE ASSEMBLY, SPIDER LUBE HOSE ASM. PIX		
07-247-850-032	HOSE ASSEMBLY, .75"DIA X 84.0"LG, W/CRMPD-ON MALE CPLG ENDS, INFO, IMPERIAL-EASTMAN, P/N U2-FA12-12MB	1.89kg	
17-202-931-501	SUPPORT BRACKET, SPIDER LUBE SUPPLY HOSE 89	0.95kg	
00-711-369-006	ELBOW, STR, 90DEG-0.750"-NPTI-ASMEB16.3-CL150- UNPLTD, BND	0.21kg	
17-102-781-001	SUPPORT BAR, SPIDER LUBE HOSE, .38" X 3" X 7"LG NORTHWOODS MFG., INC., RUSS M.	0.95kg	
00-711-011-006	PIPE COUPLING, 0.750" NPT-SCH40-700PSI-ASTMA53-UNPLTD	0.11kg	
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
17-106-560-001	HOSE SAFETY CATCH, SPIDER LUBE SUPPLY, NORTHWOODS MFG., INC., NGC2002-072	0.21kg	
MM0331756	LINEAR SENSOR, 953A-C2-0040-X-X-S-X AMETEK	0.42kg	
MM0331883	FLOAT, 04535091 www.LulanPanda.com		
00-651-001-383	WASHER, PLAIN, 0.750"-ASMEB18.21.1-TYPE A-N-ST-UNPLTD		
MM0331757	CABLE, WK 4.5T-10/S618 TURCK	0.53kg	
MM0332194	CONNECTOR, BS 8151-0/PG 9 TURCK		
MM0332132	CABLE, RK 4.5T-10/S618 TURCK	0.53kg	
17-303-940-501	MOUNTING BRACKET	5.46kg	
17-107-678-001	GUIDE BUSHING	0.11kg	
00-615-142-726	SCREW, CAP, HEXAGON SOCKET HEAD, 1.000"-8UNRC-3AX3.000"-ASMEB18.3-	0.42kg	
00-651-001-488	WASHER, PLAIN, 1.000"-ASMEB18.21.1-TYPE A-N-ST-UNPLTD		
1003064500	WASHER, LOCK, HELICAL SPRING,, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-		
17-403-192-402	CUSTOMER INSTALLATION DRAWING, FLAT SPIDER BUSHING CAVITY LEVEL, TRANSMITTER, 6089, 5475, 4265 FLAT, AND 4265 ARCHED S		
00-573-011-023	FLAT BAR, STEEL, 0.125X1.000"-ASTMA29-ASTMA57-020, HR	0.53kg	
17-107-558-501	PUMP ASSEMBLY, SPIDER LUBE BARREL & HOSES, GS NORTH AMERICA LLC OR EQUIV	30.45kg	
17-303-981-501	HYDRAULIC POWER UNIT, 575V/60HZ NEMA W/ 600V 3P4W 3W 3P4W SWITCH SPECIAL S6089119 BLOOM LAKE S6089119		
17-402-888-401	CUSTOMER INSTALLATION DRAWING, SPIDER LUBE SYSTEM OUTLINE		
17-107-531-002	HOSE ASSEMBLY, SUPPLY, BARREL PUMP TO SPIDER ARM 65FT	9.03kg	
17-107-531-006	HOSE ASSEMBLY, HYD POWER UNIT TO BARREL PUMP	1.26kg	
17-107-531-007	HOSE ASSEMBLY, BARREL PUMP TO HYD POWER UNIT	1.89kg	
17-107-560-001	PUMP UNIT, SPIDER BARREL PUMPING UNIT	17.64kg	
17-203-374-401	ASSEMBLY DRAWING, BARREL PUMP AND HOSE PIX		
N02125718	BREATHING, P562584, ABB-10-N DONALDSON, TM: LHA	0.32kg	
N02125314	GAUGE, SNA-127-B-S-0-12 STAUFF	0.32kg	
17-107-602-002	MOTOR, ELECTRIC, 2.00HP, 1800RPM, 145TC, TEFC, 575V/60, NEMA, GYRATORY QUALITY PER 17-107-416-401		
N03460989	HUB, L90, 685144-10775 LOVEJOY		
N03460988	HUB, TYPE L090, 685144-26087 LOVEJOY	0.32kg	
N03460986	COUPLING PART, TYPE L090, 685144-10968 (INSERT SOX OPEN CENTER), LOVEJOY		
N02152621	COUPLING HOUSING, 6027	1.05kg	
17-107-560-002	PUMP, SPIDER LUBE POWER UNIT - BARE	2.1kg	
N02125719	STRAINER, SE. 75112111 PARKER HANNIFIN	0.11kg	
17-103-834-011	GAUGE, PRESSURE, 0-2000 PSI/0-138 BAR DUAL SCALE WIKA 50366599		
17-107-641-001	SWITCH, PRESSURE, DPDT PRESET AT 400PSI DEC.	1.16kg	
N02482114	VALVE, PRESSURE RELIEF, RD102S18, CARTRIDGE, SET AT 1500 PSI PARKER	0.32kg	
N02482071	VALVE BODY, B10-2-A8T, PARKER HANNIFIN	0.53kg	
17-107-560-003	FILTER ELEMENT, 10MIC MICROGLASS, GS NORTH AMERICA LLC PARKER FILTE	0.73kg	
N02125881	GAUGE, 12AT-934237, 25 PSI PARKER	0.11kg	
1056364060	NAME PLATE, SERIAL&P/N, MADE IN USA W/O CE MARK (ENGLISH TEXT), GS HYDRAULICS P/N GS02201-002		
N02152772	GASKET, 268599	0.63kg	
17-105-116-011	LEVEL SWITCH, 1 POSITION L1=10.50 INCHES, SPDT, 2.00 NPT MTG, BUNA N FLOAT		
17-303-970-001	INSTRUCTION, CSA CERTIFICATION FOR ELECTRICAL PANELS		
17-203-340-527	SWITCH BOX, SPIDER LUBE LOCAL/REMOTE ASM FRENCH		
17-303-970-016	IDENTIFICATION PLATE, BLOOM LAKE S6089119 SPIDER LUBE SWITCH BOX		
17-203-340-427	ASSEMBLY DRAWING, SPIDER LUBE LOCAL/REMOTE ASM FRENCH		
N05256503	CABINET, ELECTRICAL, A606CHNF HOFFMAN		
1005126617	SWITCH, PUSH BUTTON, 800T-A2D1, ROCKWELL AUTOMATION, TM: ALLEN-B		
1005126675	RUBBER BOOT, 800H-N5H, FOR PUSHBUTTON,, BLACK ROCKWELL AUTOMATION, TM: ALLEN-B		
17-107-538-006	IDENTIFICATION PLATE, RUN - FRENCH " ESSAI "		
N05255827	SWITCH, SELECTOR, 800TC-H17A, ROCKWELL AUTOMATION, TM: ALLEN-B	0.21kg	

17-107-538-005	IDENTIFICATION PLATE, LOCAL/REMOTE - FRENCH " LOCAL/DISTANCE "		
17-203-339-427	CUSTOMER INSTALLATION DRAWING, SPIDER LUBE LOCAL/REMOTE SWITCH BOX FRENCH		
1005158447	BUSBAR, PK7GTA, SCHNEIDER ELECTRIC, TM: SQUARE D		
MM0368158	BLOCK, TERMINAL, WDU 4, 1020100000 WEIDMULLER		
MM0368161	END PLATE, WAP 2.5-10, 1050000000 WEIDMULLER		
MM0368162	END BRACKET, WEW 35/2, 1061200000 WEIDMULLER		
17-202-039-001	BUSHING CASTING, SPIDER BUSHING CASTING 89	1390.2kg	
17-402-310-401	ASSEMBLY DRAWING, SPIDER VENT COVER 6089		
17-402-311-501	SPIDER VENT COVER	61.95kg	
00-795-265-025	BREATHER, 10935AL, 3.125" DIA X 3.312", 0.75" NPT, PLATED, CRENLO	0.21kg	
00-333-321-024	SEALING COMPOUND, FORM-A-GASKET NO. 2, 80011, 2C, 110Z PERMATEx	0.42kg	
00-611-271-548	SCREW, CAP, HEXAGONAL, 0.500"-13UNC-2AX1.500"-ASMEB18.2.1-GR 2- UNPLTD		
1003064476	WASHER, LOCK, HELICAL SPRING, REGU, 0.500"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
00-711-509-016	PIPE PLUG, SQHD, SOLID, 2.000"-NPTE-ASMEB16.14-CS- UNPLTD	0.73kg	
17-402-311-002	SHEETS, 10GAX44.6"X44.6"	24.78kg	
17-402-311-003	SHEETS, STEEL SHEET 16 GA X 16.0" DIA 6089 FOR NEW EQUIPMENT PRODUCTION	3.36kg	
17-402-311-004	PLATE, .50" x 47.50" x 47.50"	17.12kg	
60-045-270-100	PIPE, 16.00"DIA X 10.0"LG, SCH 40, ASTM A53+ UPGRADE FOR FIELD EQUIPMENT	25.2kg	
00-711-075-006	HALF COUPLING, PIPE, 3000LB H/P SCD NPT 3/4", 03692208 BLACKWOODS		
26-151-197-013	LUG, LIFTING, 660# CAPACITY	0.11kg	
00-711-075-016	HALF COUPLING, PIPE, 2.000"-NPTI-ASTMA53-CL150-UNPLTD		
00-573-405-601	PLATE, STEEL, 0.1345"(10GA)-ASTMA6-HR-C STEEL- COMMERCIAL GRADE		
00-573-405-601	PLATE, STEEL, 0.1345"(10GA)-ASTMA6-HR-C STEEL- COMMERCIAL GRADE		
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
00-573-730-027	PIPE, 16.00"ODX0.500"W-ASTMA53-SCH40-GR A- TYPE E		
01-101003	PLATE, STEEL, 0.375"-ASTMA6-ASTMA36, HR		
01-101007	PLATE, STEEL, 1.000"-ASTMA6-ASTMA36, HR		
17-107-710-001	VALVE, THROTTLE, TM-585-70-66, NIBCO (PURCHASE FROM GS)		
17-107-710-002	INSTALLATION KITS, T116940FG, NIBCO (PURCHASE FROM GS)		
17-107-710-003	ACTUATOR, NE155-13, NIBCO (PURCHASE FROM GS)		
17-107-710-004	ELECTRIC LIMIT SWITCH, T116945, NIBCO (PURCHASE FROM GS)		
17-402-992-508	SUBASSEMBLY, 50 GPM SPLIT FLOW ROSEMOUNT LED FLOW METER		
17-402-992-408	ASSEMBLY DRAWING, 50 GPM SPLIT FLOW ROSEMOUNT WITH PRESSURE GAUGES		
17-203-356-505	TRANSMITTER ASSEMBLY, TEMPERATURE 100 OHM ROSEMOUNT DISPLAY ADAPTER, HART COMMUNICATION, -40 TO 302F		
17-107-513-119	TEMPERATURE PROBE, 100 OHM RTD WITH 5 METER CABLE	0.32kg	
1046050032	THERMOWELL, 0.50 -14NPT X 70MM, P/N UT0013 (UT0009 & 700692), EFECTOR	0.11kg	
17-103-834-010	GAUGE, PRESSURE, FLUID FILLED 4" DIAL 0-30PSI/0-210 KPA 0.25NPT LM		
17-107-429-021	TRANSMITTER, PRESSURE, ROSEMOUNT 3051S HART 0-30PSI, LED DISPLAY	2.62kg	
17-107-429-021	TRANSMITTER, PRESSURE, ROSEMOUNT 3051S HART 0-30PSI, LED DISPLAY	2.62kg	
17-203-358-801	HOSE ASSEMBLY, MICRO HOSE - PRESSURE TRANSMITTER ASSY.	0.53kg	
17-203-358-801	HOSE ASSEMBLY, MICRO HOSE - PRESSURE TRANSMITTER ASSY.	0.53kg	
00-711-356-004	ELBOW ADAPTER, 90°, 6-1/4 AOEG-S PARKER HANNIFIN		
00-711-644-103	TEE, MALE BRANCH PIPE, 0.25NPTMX0.25NPTFX0.25NPTF PARKER-P/N 1/4-MMS-S		
00-711-136-011	BULKHEAD UNION, 129B04X15 IMPERIAL EASTMAN	0.11kg	
00-611-271-430	SCREW, CAP, HEXAGONAL, 0.3125"-18UNC-2AX2.000"-ASMEB18.2.1-GR 2- UNPLTD		
00-651-001-176	WASHER, PLAIN, 0.312"-ASMEB18.21.1-TYPE A-N-ST-UNPLTD		
1003025016	NUT, HEXAGONAL, 0.3125"-18UNC-2B-ASMEB18.2.2-GR A- UNPLTD		
1003064467	WASHER, LOCK, HELICAL SPRING, , REGU, 0.3125"-ASMEB18.21.1-SAEJ403-UNPLTD		
00-651-001-214	WASHER, PLAIN, 0.375"-ASMEB18.21.1-TYPE A-N-ST-UNPLTD		
1003025021	NUT, HEXAGONAL, 0.375"-16UNC-2B-ASMEB18.2.6-GR A-UNPLTD		
17-107-513-111	FITTING, CORD GRIP 0.50 NPT IFM EFECTOR E30025	0.11kg	
17-402-992-408	ASSEMBLY DRAWING, 50 GPM SPLIT FLOW ROSEMOUNT WITH PRESSURE GAUGES		
17-106-229-051	FLOWMETER, 40 GPM 4-20mA TRANSDUCER 1.50 NPT DIGITAL DISPLAY		
17-106-229-051	FLOWMETER, 40 GPM 4-20mA TRANSDUCER 1.50 NPT DIGITAL DISPLAY		
17-203-399-503	SEPARATOR, SEDIMENT 1.500 NPTI	1.47kg	
17-203-399-503	SEPARATOR, SEDIMENT 1.500 NPTI	1.47kg	
17-403-187-501	MOUNTING BRACKET, SPLIT FLOW, ROSEMOUNT TRANSMITTERS AND GAUGES		
00-691-630-155	U-BOLT, 1.50", 0.3125"-18 THREAD, U-150SG O-Z/GEDNEY	0.11kg	
17-402-928-503	FLOW DIVIDER VALVE, 50 GPM SPLIT FLOW ASSEMBLY	21kg	
00-711-451-383	PIPE NIPPLE, 1.500" NPTX9.000"-SCH40-ASTMA53-BLACK	0.84kg	
00-711-451-363	PIPE NIPPLE, 1.500" NPTX4.0"-SCH40-ASTMA53-UNPLTD	0.32kg	
00-611-271-466	SCREW, CAP, HEXAGONAL, 0.375"-16UNC-2AX1.000"-ASMEB18.2.1-GR 2- UNPLTD		
00-651-001-214	WASHER, PLAIN, 0.375"-ASMEB18.21.1-TYPE A-N-ST-UNPLTD		
MM0320958	SEPARATOR, SEDIMENT, 1.500" NPTI, 777S/112 WATTS	1.89kg	
MM0320974	SCREEN ELEMENT, REPLACEMENT 1.50-20 MESH, 1077655 WATTS		
00-711-497-008	PLUG, SQUARE HEAD SOLID, 1.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.21kg	
17-402-928-801	SUBASSEMBLY, SPLIT FLOW MANIFOLD CONSTANTS		
17-402-928-013	RESTRICTION, ORIFICE, 30 GPM, FOR 40GPM SPLIT FLOW MANIFOLD	0.11kg	
17-402-928-015	ADAPTER FLANGE, INLET 2.00 NPTF ANCHOR W43-32-32-U	1.78kg	
17-402-928-017	ADAPTER FLANGE, OUTLET 1.50 NPTF ANCHOR W43-24-24-U	1.47kg	
17-203-377-001	MANIFOLD, SPLIT FLOW ASSEMBLY 4.50 X 6.00, X 13.25	12.81kg	

17-402-928-006	VALVE, PRESSURE RELIEF, SET 26PSI, PARKER P/N RAH201S10SP	0.63kg	
17-402-928-007	PRESSURE COMPENSATION VALVE, FLOW CONTROL VALVE VICKERS, P/N DPS2-20-F-F-0-10	0.73kg	
17-402-928-008	PLUG, #16 SAE, HOLLOW HEX, GS HYDRAULICS OR EQUIV		
17-402-928-009	PLUG, #6 SAE, HOLLOW HEX, GS HYDRAULICS OR EQUIV		
17-402-928-010	PLUG, #2 SAE, HOLLOW HEX, GS HYDRAULICS OR EQUIV		
17-402-928-023	SEAL KIT, RELIEF VALVE, PARKER SK20-2 NITRILE, CVH201P25		
17-402-928-018	SEAL KIT, DIFF-PRESS VALVE, VICKERS 02-113153 NITRIL, CART DPS2-20		
17-402-928-019	CAP SCREW, SOCKET HEAD 0.500-13UNC x 2.00	0.11kg	
17-402-928-020	O-RING, 2.25 ID X 0.139		
17-402-928-021	CAP SCREW, SOCKET HEAD 0.500-13UNC x 2.00	0.11kg	
17-402-928-022	O-RING, 1.88 ID X 0.139, O-RING #225 OUTLET FLANGE		
17-303-970-001	INSTRUCTION, CSA CERTIFICATION FOR ELECTRICAL PANELS		
17-502-276-523	DISTRIBUTION PANEL, CRUSHER SENSOR ENCLOSURE ENG STEEL GLAND SPCL		
17-303-970-014	IDENTIFICATION PLATE, BLOOM LAKE S6089119 CRUSHER SENSOR JB		
17-502-276-423	ASSEMBLY DRAWING, CRUSHER SENSOR ENCLOSURE ENG STEEL GLAND SPCL		
MM0226606	CABINET, ELECTRICAL, A-30H24CLP & A30P24 HOFFMAN		
1005158447	BUSBAR, PK7GTA, SCHNEIDER ELECTRIC, TM: SQUARE D		
N64350801	WARNING DECAL, 6010A-ISO ELECTRICAL SHOCK HAZARD HARD COMMUNICATION SYSTEMS, IN		
1029300400	WARNING DECAL, HAZARDOUS VOLTAGE, 6010A-ISO (ENGLISH TEXT)		
04-093244	BAR, GROUND, PK15GTA, SCHNEIDER ELECTRIC, TM: SQUARE D	0.11kg	
17-303-974-501	PLATE ASSEMBLY, GLAND 2.00 X 400MM, STEEL		
MM0368158	BLOCK, TERMINAL, WDU 4, 1020100000 WEIDMULLER		
MM0368161	END PLATE, WAP 2.5-10, 1050000000 WEIDMULLER		
MM0368162	END BRACKET, WEW 35/2, 1061200000 WEIDMULLER		
17-403-126-401	CUSTOMER INSTALLATION DRAWING, BALANCE CYLINDER PIPING, 6089		
17-202-619-001	BALANCE CYLINDER, AIR/OIL, 8.00 DIA BORE, 30.00 STROKE, 4.00 INLET, JOHNSON HYDRAULICS, INC.	242.45kg	
17-103-834-009	GAUGE, PRESSURE, DUAL SCALE 0-200 PSI, 4.0 DIA, WIKA, P/N 213.40	1.26kg	
00-711-087-913	BUSHING, INSIDE HEAD, 1.250X0.250"NPT-CL150-ASMEB16.14-ASTMA197-UNPLTD	0.11kg	
00-711-607-010	T CONNECTION, 1.250"-NPT1-ASTMA105-GR2-WOG-3000LB, 381	1.89kg	
00-711-459-305	PIPE NIPPLE, 1.25 NPT SCH 80X1.63	0.21kg	
17-107-524-005	SWITCH, PRESSURE, SPDT, SET 115 PSI FALLING, RESET 122 PSI, 0.25 NPTM, UE	0.21kg	
17-107-524-006	CONNECTOR CABLE, 0.50 CONDUIT, DIN 43650, FORM A		
00-719-437-116	FLANGE, SLIP-ON WELDING, 4.000"-ASMEB16.5-ASTMA105-CL600-UNPLTD, FCD, DRLLD, RUNDLE SPENCE MFG. CO.	16.7kg	
17-402-292-501	MPS CHECK VALVE, ASSEMBLY, 4.00, 600 PSI	40.95kg	
07-150-070-012	GASKET, 4.50"ID X 6.19"OD X .06"THK APPLETON PACKING & GASKET		
17-300-396-016	STUD, 0.875-9UNC-2A X 12.00, THREADED 2.50 BOTH ENDS, PITTSBURGH WELDING, QTE 4/9/03	0.95kg	
00-631-001-114	NUT, HEXAGONAL, 0.875"-9UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
00-615-142-728	SCREW, CAP, HEXAGON SOCKET HEAD, 1.000"-8UNRC-3AX3.500"-ASMEB18.3-	0.53kg	
00-751-531-250	O-RING		
1003064500	WASHER, LOCK, HELICAL SPRING, REGU, 1.000"-ASMEB18.21.1-SAEJ403-C38-46-UNPLTD		
17-107-438-001	VALVE, PRESSURE RELIEF, 750PSI, SIMONE ENGINEERING INC	3.46kg	
17-303-036-501	PIPE ASSEMBLY, "Y" FLANGE 89	83.79kg	
17-107-605-801	AIR BLEED SCREW, BLEEDER AND BUSHING ASM 0.250 GEER HYDRAULICS		
17-105-429-801	REPAIRING KIT, BALANCE CYLINDER SEALS 8.00 BORE	0.42kg	
17-102-891-802	REPAIRING KIT, BALANCE CYLINDER PISTON 8.00 BORE ANKER - HOLTH PISTON REPAIR KIT	48.3kg	
17-202-619-005	TIE-ROD KIT, 60.00 IN LONG WITH TWO NUTS, FOR 30.00 STROKE CYL+	3.78kg	
17-202-619-006	TIE-ROD KIT, 58.25 IN LONG WITH TWO NUTS, FOR 30.00 STROKE CYL	3.26kg	
17-202-619-009	VALVE, AIR 0.12 NPT FOR BALANCE CYLINDERS JOHNSON HYDRAULICS, P/N AC-125		
17-402-290-501	HOUSING MACHINING, MPS CHECK VALVE, 4.00 INCH, 600 PSI	33.39kg	
17-201-787-022	O-RING, .094" X 6.25" I.D., APPLETON PACKING & GASKET		
17-302-988-001	SEAL, CHECK VALVE	1.47kg	
17-201-907-001	SPRING, CHECK VALVE 2.15 DIA X 4.00 DIA X 2.50 FREE LGTH	0.53kg	
17-202-812-001	PISTON, MPS CHECK VALVE, 4.00, 600 PSI	1.47kg	
17-105-056-402	VALVE, CHECK, PRESSURE TEST-MPS CHK VALVE		
17-402-290-002	PLATE, 5.00" x 11.00" x 11.00"	31.92kg	
17-302-987-001	RING, CHECK VALVE INSERT	1.47kg	
00-573-257-800	PLATE, STEEL, 5.000"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-257-471	PLATE, 1.250"-ASTMA6-ASTMA36(UNS K02600), HR		
00-573-317-531	PLATE, STEEL, 1.500"-ASTMA6-AISI1045, SHRD EDGES, REQ Q, HR		
00-577-319-509	BAR, ROUND, 5.000"-UNS G41400/G41420, HOT ROLLED, HEAT TREATED		
17-202-591-001	BLOCK, ACCUMULATOR "Y" BLOCK TERRELL MANUFACTURING INC, QUOTE	28.56kg	
00-715-183-116	ELBOW ADAPTER, 45°, BWLD, XSTR, 4.000"-ASMEB16.9-ASTMA234-GR WPB-UNPLT	2.73kg	
17-105-775-030	FLANGE, 4.00 PIPE, 4 BOLT SQ, SOCKET WELD, O-RING, 3000PSI, MAIN MANUFACTURING PRODUCTS P/N	8.61kg	
60-057-560-015	PIPE, 4.00"DIA X 1.5"LG, SCH80, ASTM A53+	0.95kg	
60-057-560-029	PIPE, 4.00"DIA X 2.9"LG, SCH80, ASTM A53+	1.89kg	
60-057-560-052	PIPE, 4.00"DIA X 5.2"LG, SCH 80, ASTM A53+	2.84kg	

00-715-315-232	RING, WELDING, 4.000", GROOVE TYPE KNOCK-OFF SPACER PINS, TUBE TURNS, INC	0.11kg	
00-719-437-116	FLANGE, SLIP-ON WELDING, 4.000"-ASMEB16.5-ASTMA105-CL600- UNPLTD, FCD, DRLLD, RUNDLE SPENCE MFG. CO.	16.7kg	
17-104-435-401	INSTRUCTION, PRESS TEST OF WELDED PIPING		
17-106-281-001	BAR, ROUND, 9"DIA X 6.5", UNS G11170, HT RLLD, SPECIAL QUAL, RUSSEL METALS		
00-573-731-374	PIPE, SEAMLESS, 4.000 X 4.500 X 0.337"-ASTMA53-GR A-SCH80- UNPLTD		
00-573-731-374	PIPE, SEAMLESS, 4.000 X 4.500 X 0.337"-ASTMA53-GR A-SCH80- UNPLTD		
00-573-731-374	PIPE, SEAMLESS, 4.000 X 4.500 X 0.337"-ASTMA53-GR A-SCH80- UNPLTD		
00-771-521-102	VALVE, BLEEDER, 0.125"-NPT, 0832140000 PARKER HANNIFIN		
00-711-087-009	BUSHING, PIPE, HEX HD, 0.250 X 0.125"-ASMEB16.14- A197-BLACK		
17-107-429-023	TRANSMITTER, PRESSURE, ROSEMOUNT 3051S HART 0-1000PSI, LED DISPLAY	2.73kg	
00-711-103-036	PIPE BUSHING, HEX, 1.00"NPT X 0.250"NPT, STEEL CRANE CO	0.11kg	
17-203-358-802	HOSE ASSEMBLY, MICRO - PRESSURE TRANSMITTER ASSY., 16.4 FT LG	0.42kg	
00-611-271-430	SCREW, CAP, HEXAGONAL, 0.3125"-18UNC-2AX2.000"-ASMEB18.2.1-GR 2- UNPLTD		
00-651-001-176	WASHER, PLAIN, 0.312"-ASMEB18.21.1-TYPE A-N-ST-UNPLTD		
1003025016	NUT, HEXAGONAL, 0.3125"-18UNC-2B-ASMEB18.2.2-GR A- UNPLTD		
1003064467	WASHER, LOCK, HELICAL SPRING, REGU, 0.3125"-ASMEB18.21.1-SAEJ403-UNPLTD		
17-303-928-403	CUSTOMER INSTALLATION DRAWING, BALANCE PRESSURE TRANS		
17-203-358-401	ASSEMBLY DRAWING, MICRO HOSE, SEMMLER PIX		
00-711-447-102	ELBOW, 1/4 CD-SAEJ403 HANNIFIN	0.11kg	
MM0375184	PRESSURE MEASURING HOSE, SMD 20/N1/4-5000MM-B STAUFF	0.53kg	
MM0231116	ADAPTER, SMK 20-1/4NPT-VD STAUFF	0.11kg	
N02416012	ADAPTER, SMD 20-1/4 NPT-P STAUFF	0.53kg	
17-105-860-007	ELBOW, 90 DEG .250" NPTF, MALE, ZN PLTD DAYCO P/N 5500-4-4		
17-203-324-401	ASSEMBLY DRAWING, OVERPRESSURE DUST BLOWER SMART SYSTEM PIX	42.84kg	
17-107-488-003	AIR INLET, BLOWER ELBOW WITH FILTER SEMMLER INDUSTRIES INC.	8.72kg	
17-107-488-004	REDUCTION ADAPTER, AIR BLOWER OUTLET 5.0 X 1.0 NPT MALE SEMMLER INDUSTRIES INC., QUOTE 64171	1.68kg	
17-107-488-010	SWITCH, PRESSURE, VACUUM, PLUGGED FILTER, SEMMLER INDUSTRIES INC., QUOTE 64221	2.52kg	
17-107-488-012	HOSE ASSEMBLY, VACUUM SWITCH TO BLOWER FILTER SEMMLER INDUSTRIES INC., QUOTE 64221	0.11kg	
00-611-271-382	SCREW, CAP, HEXAGONAL, 0.250"-20UNC-2AX1.500"-ASMEB18.2.1-GR 2- UNPLTD		
1003025011	NUT, HEXAGONAL, 0.250"-20UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
00-651-001-125	WASHER, PLAIN, 0.250"IDX. 0.812"ODX. 0.062"-STL-UNPLTD		
1003064464	WASHER, LOCK, HELICAL SPRING, REGU, 0.250"-ASMEB18.21.1-SAEJ403-C38-46-, UNPLTD		
17-107-493-015	BLOWER, 575V/60HZ, NEMA FRAME MOTOR	44.1kg	
17-107-488-002	FILTER ELEMENT, AIR BLOWER, SEMMLER INDUSTRIES INC. 852516 MIC	0.73kg	
17-107-602-020	MOTOR, ELECTRIC, 1.50HP, 3600RPM, 143T, TEFC, 575V/60, NEMA GYRATORY QUALITY PER 17-107-416-401		
17-107-493-016	HOUSING, BLOWER W/BASE, 6 INLET & 5 OUTLET CINCINNATI FAN P/N PB10A4 MODEL PB-	8.19kg	
17-107-493-011	WHEEL, BLOWER 60HZ 3450RPM, NEMA FRAME MOTOR	1.99kg	
07-145-470-004	BOLT, SQUARE HEAD, 2.250-4.5 UNC-2B X, 8.50 LG	5.67kg	
1003001116	NUT, HEXAGONAL, HEAVY, 2.250"-4.5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	1.99kg	
00-691-525-184	EYE BOLT, 0.500"-13UNC-2AX1.500"-ASMEB18.15-T1- A489-UNPLTD	0.21kg	
00-691-531-184	EYE BOLT, 0.500"-13UNC-2AX1.500"-ASMEB18.15-T2- A489-UNPLTD	0.21kg	
00-691-531-302	EYE BOLT, 0.750"-10UNC-2AX2.000"-ASMEB18.15-T2- A489-UNPLTD	0.53kg	
00-691-531-412	EYE BOLT, 1.000"-8UNC-2AX3.000"-ASMEB18.15-T2-A489- UNPLTD	1.16kg	
00-691-531-618	EYE BOLT, 1.500"-6UNC-2AX3.500"-ASMEB18.15-T2-A489- UNPLTD	3.78kg	
00-691-531-008	EYE BOLT, 0.250"-20UNC-2AX1.000"-ASMEB18.15-T2- A489-UNPLTD		
00-691-531-517	EYE BOLT, 1.250"-7UNC-2AX3.000"-ASMEB18.15-T2-A489- UNPLTD	2.31kg	
00-691-531-465	EYE BOLT, 1.125"-7UNC-2AX2.75"-ASMEB18.15-T2-A489- UNPLTD	1.68kg	
00-691-531-709	EYE BOLT, 2.00"-4.5UNC-2AX4.00-ASMEB18.15-T2- ASTMA489-UNPLTD	8.4kg	
00-691-531-242	EYE BOLT, 0.625"-11UNC-2AX1.750"-ASMEB18.15-T2- A489-UNPLTD	0.32kg	
65-936-009-010	HEXAGONAL KEY, DIN911-6		
17-106-407-009	WRENCH, SOCKET, 0.750" HEX KEY, 0.750" DRIVE, LAW124A SNAP-ON TOOLS CORPORATION	0.84kg	
17-106-407-010	WRENCH, SOCKET, 0.625 HEX HEAD KEY, 0.750 DRIVE SNAP-ON TOOLS CORPORATION	0.63kg	
17-106-407-004	WRENCH, SOCKET, 0.500" HEX HEAD KEY, 0.500" DRIVE, SA16E SNAP-ON TOOLS CORPORATION	0.21kg	
00-935-147-253	SOCKET, IMPACT, 1.50" DRIVE, 3.875", SIM1245 SNAP-ON TOOLS CORPORATION	7.25kg	
00-935-140-116	SIX POINT SOCKET, IMPACT, 0.75" DRIVE, 1.500", SIM482 SNAP-ON TOOLS CORPORATION	0.95kg	
00-935-140-112	SIX POINT SOCKET, 1.25 BOLT, 0.75 DRIVE, ALLOY STEEL POWER IMPACT FOR HEX NUTS, SNAP-O	0.84kg	
00-935-045-060	WRENCH, OPEN END, 1.875", SINGLE HEAD, 15DEG, ENAMELED FINISH, DFSTL	2.52kg	
00-935-045-072	WRENCH, OPEN END, 2.250", SINGLE HEAD, 15DEG, ENAMELED FINISH, DFSTL	4.41kg	
00-935-045-148	WRENCH, OPEN END, 4.625", SINGLE HEAD, 15DEG, ENAMELED FINISH, DFSTL	17.64kg	
17-104-244-011	WRENCH, OPEN END, ISO3318-13		
00-935-045-144	WRENCH, OPEN END, 4.500", SINGLE HEAD, 15DEG, ENAMELED FINISH, DFSTL	15.96kg	
17-103-757-005	WRENCH, HIT BOX, 4.625", DX1148A, SNAP-ON TOOLS CORPORATION	17.96kg	
17-103-757-004	WRENCH, HIT BOX, 3.500", DX1112A, SNAP-ON TOOLS CORPORATION	8.29kg	

00-673-247-160	PLIERS, SNAP RING, 0700-12, WALDES TRUARC	0.21kg	
00-673-247-087	PLIERS, SNAP RING, 1200-17, WALDES TRUARC	0.53kg	
07-249-052-501	STOP PLATE, MPS PISTON REMOVAL NORTHWOODS MFG., INC., RUSS	13.44kg	
17-105-881-516	GUIDING ROD, ASSEMBLY, 2.25-4.5UNC X 103.5 MAX WEISS CO. INC	52.81kg	
17-105-881-506	GUIDING ROD, ASSEMBLY, 1.50-6UNC X 28.0 MAX WEISS CO. INC.	7.77kg	
17-202-513-802	GUIDING ROD, ASSEMBLY MAINSHAFT STEP	9.03kg	
17-201-978-001	WEDGE, SHELL SPLITTING, RENCO MACHINE CO. INC.	1.47kg	
00-935-039-240	HEXAGONAL KEY, 1.750" ACROSS FLATS X 15.000" LONG ARM, ASMEB18.3	8.19kg	
17-107-059-001	WRENCH, OPEN END, 12 PC SET, 0.250" - 1.625", P/N 4403, SEARS CRAFTSMAN, SEE DWG. 17-107-05	6.3kg	
17-107-059-002	WRENCH, 2-PC ADJUSTABLE WRENCH SET, 8" & 12", 9-44651, CRAFTSMAN	1.05kg	
17-107-059-003	HEXAGONAL KEY, WRENCH SET 15PC 5/64 THRU 3/4 ENDRIES INTERNATIONAL	2.84kg	
07-149-510-002	CHARGING AND GAUGING ASSEMBLY, GREER HYD MODEL ACG P/N A-768-212-3	1.47kg	
07-249-052-002	PLATE, 0.5" X 11.0" X 25.0", M/F 00-573-257-221	19.01kg	
07-249-052-003	BAR, ROUND, 1.25"DIA X 8"	1.89kg	
01-101004	PLATE, STEEL, 0.500"-ASTMA6-ASTMA36, HR		
00-573-115-220	ROUND BAR, STEEL, 1.120"-ASTMA6-G10180/190/210/220, HR, SPEC Q		
17-202-370-018	THREADED ROD, 2.25"-4.5 UNC X 103.5"	55.76kg	
00-651-016-757	WASHER, HARDENED, CIRCULAR, 2.250" NON SIZE, ASTM A325, 2.250"-ASMEB18.2.6-TYPE 1-F436-C38-45-U	0.21kg	
1003001116	NUT, HEXAGONAL, HEAVY, 2.250"-4.5UNC-2B-ASMEB18.2.2-GR A-UNPLTD	1.99kg	
60-054-670-040	PIPE, 2.50"DIA X 4.0"LG, SCH40, ASTM A120+		
17-202-369-401	ROD ASSEMBLY, LOWERING ROD ASM		
00-619-401-758	STUD, 2.250"-4.5 UNC-2A X MISC LG, AISI C1015/22 + INDUSTRIAL FASTENERS INSTITUTE		
00-573-721-220	PIPE, WLD, 2.500X2.875X0.203"-A53-SCH40, PL ENDS, UNPLT		
17-202-370-008	THREADED ROD, 1.50"-6 UNC X 28.0"	6.72kg	
00-651-001-635	WASHER, PLAIN, 1.500"-ASMEB18.21.1-TYPE A-W-ST-UNPLTD	0.11kg	
00-631-001-124	NUT, HEXAGONAL, 1.500"-6UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.42kg	
60-054-650-040	PIPE, 1.50"DIA X 4.0"LG, SCH40, ASTM A120+		
17-202-369-401	ROD ASSEMBLY, LOWERING ROD ASM PIX		
00-619-401-919	STUD, 1.500"-6 UNC-2A X MISC LG, AISI C1015/22 + INDUSTRIAL FASTENERS INSTITUTE		
00-573-721-216	PIPE, WLD, 1.500X1.900X0.145"-A53-SCH40, PL ENDS, UNPLT		
17-202-370-007	THREADED ROD, .750"-10 UNC-2A X 24.0"LG WEST ALLIS MACHINE CO., QTE 4/29/03	1.47kg	
17-106-094-501	MAIN SHAFT STEP, LWRG BAR ASM 2.0X 2.0 X 14.0	7.67kg	
00-631-001-112	NUT, HEXAGONAL, 0.750"-10UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
00-631-141-112	NUT, JAM, HEXAGONAL, 0.750"-10UNC-2B-ASMEB18.2.2-GR 2-UNPLTD	0.11kg	
00-651-001-412	WASHER, PLAIN, 0.750"-ASMEB18.21.1-TYPE A-W-ST-UNPLTD		
00-619-401-918	STUD, 0.750"-10UNC-ASME B18.31.2-AISC1015/22- UNPLTD	0.11kg	
17-106-094-002	FLAT BAR, 2" X 2" X 14"	7.67kg	
60-340-220-016	SQUARE BAR, 0.25" X 0.25" X 1.6"LG, AISI M1015/1020+		
00-573-055-340	SQUARE BAR, 2.000"-ASTMA6-AISIM1015/20, HR, MBQ		
00-573-055-032	SQUARE BAR, 0.250"-ASTMA6-AISIM1015/20, HR, MBQ		
17-107-707-001	SPEED SENSOR, 61-200-SC-I, THERMO SCIENTIFIC RAMSEY	5.35kg	
17-107-707-002	SPEED SENSOR, 042615 (MODEL 60-220-30) THERMO SCIENTIFIC RAMSEY	0.53kg	
17-403-189-502	DRIVE GUARD, CARDAN SHAFT 3151-8 [124.08] BSD 6089 MAIN BODY	364.88kg	
17-403-189-503	DRIVE GUARD, CARDAN SHAFT 3151.8 [124.08] BSD 6089 COVER MTR END	42.84kg	
17-403-189-504	DRIVE GUARD, CARDAN SHAFT 3151.8 [124.08] BSD 6089 COVER CR. END	33.39kg	
17-403-189-017	PAD, MOUNTING, CARDAN SHAFT 3151-8 [124.08] BSD 6089		
00-611-271-651	SCREW, CAP, HEXAGONAL, 0.750"-10UNC-2AX1.500"-ASMEB18.2.1-GR 2- UNPLTD	0.21kg	
00-611-271-613	SCREW, CAP, HEXAGONAL, 0.625"-11UNC-2AX1.750"-ASMEB18.2.1-GR 2- UNPLTD	0.11kg	
1003025041	NUT, HEXAGONAL, 0.625"-11UNC-2B-ASMEB18.2.2-GR A-UNPLTD		
00-651-001-412	WASHER, PLAIN, 0.750"-ASMEB18.21.1-TYPE A-W-ST-UNPLTD		
1087167202	ROPE, STEEL, 7X7, 0.09375", 3461T45 MCMASTER-CARR	0.42kg	
1072984001	WIRE ROPE SHEAVE, OVAL, .09"DIA, TYPE 304 STN STL, P/N 3755T14, MCMASTER-CARR		
17-303-979-801	SUBASSEMBLY, SET OF SSTEEL INSTRUMENT TAGS BLOOM LAKE 2		
00-711-011-024	PIPE COUPLING, 3.000" NPT-SCH40-1000PSI-ASTMA53- UNPLTD	1.68kg	
00-711-087-098	BUSHING, OUTSIDE HEAD, 3.000X2.000"NPT-CL125-ASMEB16.14- ASTMA126-BLACK	0.95kg	
00-711-011-032	PIPE COUPLING, 4.000" NPT-SCH40-1200PSI-ASTMA53- UNPLTD	2.31kg	
00-711-087-132	BUSHING, INSIDE HEAD, 4.000X2.000"NPT-CL125-ASMEB16.14- ASTMA126-UNPLTD	1.58kg	
17-105-179-007	VALVE, PRESSURE RELIEF, 1.50", .40 PSI, VJ-7R, PARKER HANNIFIN, FULFLO	6.83kg	
17-502-186-501	BOTTOMSHELL, ASSEMBLY, FLARED MK-II 89	80440.4kg	
17-502-119-001	TOPSHELL, LOWER, 6089	43388.1kg	
17-502-117-501	TOPSHELL, UPPER, 6089	43959.93kg	
17-502-377-501	SPIDER, LUJ MK - II 6089		
17-201-433-401	INSTRUCTION, FIT & CHECK INSTRUCTIONS 6089		
17-502-186-003	BOTTOMSHELL, MACHINING, FLARED	80013.68kg	
17-200-825-001	BOTTOMSHELL HUB LINER, LEFT HAND 6089	162.85kg	
17-200-826-001	BOTTOMSHELL HUB LINER, RIGHT HAND 6089	162.85kg	
17-200-827-001	BOTTOMSHELL HUB LINER, REAR 6089	94.29kg	
60-198-340-050	BAR, 1.00" X 2.00" X 5.0" LG, AISI M1015/1020	1.37kg	
17-106-713-001	BLOCK, PINION ADJUSTING		
00-711-075-008	HALF COUPLING, PIPE, 1.000"NPTI-CL150-ASTMA53-UNPLTD	0.11kg	

00-711-497-002	PLUG, SQUARE HEAD SOLID, 0.250"-NPTE-ASMEB16.14-A126-CL150-BLACK		
00-711-497-008	PLUG, SQUARE HEAD SOLID, 1.000"-NPTE-ASMEB16.14-A126-CL150-BLACK	0.21kg	
17-502-185-001	BOTTOMSHELL, FLARED CASTNG 6089	80013.68kg	
00-577-163-401	PLATE, STEEL, 1.000"-AR360		
00-577-163-401	PLATE, STEEL, 1.000"-AR360		
00-577-163-401	PLATE, STEEL, 1.000"-AR360		
00-573-055-340	SQUARE BAR, 2.000"-ASTMA6-AISIM1015/20, HR, MBQ		
17-502-118-001	TOPSHELL, LWR TOPSHELL CASTING	43578.89kg	
17-502-117-002	TOPSHELL, UPPER, MACHINING 6089	43959.93kg	
60-197-360-018	BAR, 0.25" X 1.75" X 1.8" LG, AISI M1015/1020	0.11kg	
17-107-419-001	IDENTIFICATION PLATE, TOPSHELL POSITION TAG	1.37kg	
17-502-116-001	TOPSHELL, UPPER, CASTING	44436.11kg	
17-500-407-001	SPIDER CASTING, MK-II 6089	54771.25kg	
00-711-545-004	PLUG, 0.500"-NPTE-ASMEB16.14-ASTMA1016-HEX C-SUNK SOCKET		
17-303-086-501	MAINSHAFT, SLEEVE & DOWEL ASSY, LUJ, LARGE UPRCWT 6089	51146.87kg	
17-401-602-501	MAINSHAFT, LUJ, WITH PERM EYEBOLT 6089, FOR THREADED MAINSHAFT SLEEVE	50137.08kg	1833mm * 6664mm * 1893mm
17-302-053-001	MAIN SHAFT SLEEVE, 6089 LUJ MK-II THREADED	878.85kg	879mm * 879mm * 1235mm
00-671-117-703	DOWEL PIN, 1.25X3.0"-ASME B18.8.2-60-62RH-SPEC SIZE	0.53kg	
17-202-036-001	SLEEVE LOCK WASHER, MAINSHAFT 89	22.47kg	815mm * 815mm * 128mm
17-202-034-001	LOCKNUT, MAIN SHAFT SLEEVE, LUJ - 89	103.32kg	802mm * 802mm * 195mm
00-337-271-092	BEARING LUBRICATION, MOLYKOTE G-N, METAL ASSEMBLY PASTE, 16.7 OZ, DOW CORNING	0.63kg	
17-401-602-002	MAIN SHAFT, MAINSHAFT MACH, LUJ 6089	50056.12kg	
17-301-590-001	MAIN SHAFT EYE BOLT, 6089	78.54kg	307mm * 307mm * 593mm
17-401-602-004	PLATE, 1.00" x 3.00" x 0.00	1.89kg	
07-146-448-401	INSTRUCTION, WORK OPERATIONS, COLD ROLLING PROCEDURE		
07-146-448-402	INSTRUCTION, WORK OPERATIONS, COLD ROLLING PRECEDURE		
17-302-052-001	MAIN SHAFT, ROUGH LUJ 6089	53023.32kg	
17-105-022-002	BAR, ROUND, 11.00"DIA X MISC, AISI 4340, HEAT TREATED		
01-101007	PLATE, STEEL, 1.000"-ASTMA6-ASTMA36, HR		
17-202-031-001	MAIN SHAFT SLEEVE, THREADED, ROUGH CASTING	1114.05kg	
68-430-236-296	FLAT RING, FLTRING 4.00 X 24.5 X 30.5 RUSSEL METALS	140.49kg	
01-101019	PLATE, STEEL, 4.000"-ASTMA6-ASTMA36, HR		
17-301-088-801	PINION SHAFT ARM LINER, ASSEMBLY, 6089	412.02kg	
17-301-089-001	NARROW ARM LINER, 6089	319.09kg	
17-401-591-001	SPIDER RIM LINER	732.06kg	
17-501-426-001	SPIDER ARM SHIELD, STANDARD 6089	5090.31kg	
07-248-700-001	SPIDER CAP, STANDARD - 89 MACHINING	7144.1kg	
17-301-088-002	PINION SHAFT ARM LINER, RIGHT HAND HALF ONLY, ACM-180, SG6089	205.8kg	
17-301-088-003	PINION SHAFT ARM LINER, LEFT HAND HALF ONLY, ACM-180, 6089	205.8kg	
17-107-640-008	SLIP RING MOTOR, AND LR STARTER, 800 HP, 600 RPM, 4000/60, GE, GYRATORY QUALITY WITH SOLE PLATE		
17-501-426-002	SPIDER ARM SHIELD, Splitter type	6190.28kg	
17-501-426-003	SPIDER ARM SHIELD, Rock box XT510	7528.33kg	
07-346-904-001	Hydroset cylinder bushing	364.35kg	
07-248-798-001	PISTON WEAR PLATE	235.2kg	
07-445-076-002	ECCENTRIC BUSHING	1263.15kg	
17-402-309-505	ECCENTRIC ASSEMBLY [INCH] 1.25 TH	1214.25kg	
17-402-309-504	ECCENTRIC ASSEMBLY [INCH] 1.38 TH	1214.25kg	
17-402-309-503	ECCENTRIC ASSEMBLY [INCH] 1.50 TH	1214.25kg	
17-402-309-502	ECCENTRIC ASSEMBLY [INCH] 1.81 TH	1214.25kg	
17-402-309-801	Eccentric assembly	9343.98kg	
17-202-834-501	UPPER COUNTERWEIGHT ASSEMBLY	288.09kg	
17-106-851-004	GASKET [INCH] 0.125 THK * 12.5 * 18 OD		