

As a trusted Chinese manufacturer and sourcing partner, LulanPanda delivers high-quality industrial equipment and components at highly competitive prices. With over two decades of expertise in producing cone crushers and spare parts, we have established robust partnerships with certified factories across China, ensuring both precision engineering and cost efficiency for global clients.

Core Offerings

- Cone Crushers & Spare Parts: Specialized manufacturing since 2003, offering OEM-compliant solutions.
- Extended Product Range: Drill bits, electric lifts, and diverse industrial machinery components.
- Custom Sourcing: Leverage our nationwide supplier network to procure any Made-in-China product tailored to your specifications.

Why Partner With Us?

- ✓ Quality Assurance: Rigorous ISO-compliant production standards.
- ✓ Cost Advantage: Factory-direct pricing with no intermediaries.
- ✓ End-to-End Service: From product development to logistics support.

Let's Collaborate

Whether you require standard equipment or customized industrial solutions, our team is committed to optimizing your supply chain. Contact us today to discover how we can add value to your operations.

Sandvik CH440 Cone Crusher parts list

Part Number	Description	Weight	Packing
452.0230-901	Bottom shell www.LulanPanda.com		
442.7201-00	Cover		
843.1267	Stud screw, SMS1460, M12x45		
847.0147-00	Washer BRB 13x24 HB200 ISO 7089		
845.0030-00	Lock nut M12 8 FZB ISO 4032	0.02kg	
442.7140-00	Liner-Pin S&W Arm	58.8kg	700mm * 240mm * 463mm
442.7141-00	Liner-Pin S&W Arm	46.2kg	
900.0027-00	Elbow 1 1/2" A4 SMS 435		
442.7146-01	Bottom shell bushing	108.15kg	595mm * 595mm * 490mm
853.0464-00	Pin CP m6 12x30 SMS 2374		
900.0921-00	Swivel branch tee adapter 3/4"		
900.1412-00	Pipes Pipe KR 3/4" x70		
900.0276-00	Cover 3/4" www.LulanPanda.com		
442.7106-01	Dust collar		
840.0634-00	Screw M6S 16x25 8.8 ISO 4017		
442.7109-01	Ring		
853.0464-00	Pin CP m6 12x30 SMS 2374		
840.1151-00	Screws M6S 16x65 8.8 ISO 4017		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
442.7110-01	Locating bar	3.15kg	
442.7168-01	Shim T=0.1		
442.7168-02	Shim T=0.5		
442.7168-03	Shim T=0.7		
442.7168-04	Shim T=1.0		
841.0019-00	Screw MC6S 10x40 8.8 fzb		
442.7170-01	Gasket		
442.7108-01	Seal ring inner	2.1kg	
840.0071-00	Screw M6S 16x65 8.8 ISO 4014		
847.0060-00	Washer TBRBS 17x42 www.LulanPanda.com		
840.1073-00	Screws M6S 42x220 8.8	3.26kg	
845.0322-00	Nut M6M M42 8 FZB ISO 4032		
847.0171-00	Washer BRB 43x80 HB 200 SS 3576	0.11kg	
899.0278-00	Protective Cap SW65 2 H20		
442.9530-01	Screw M6S 42x100		
899.0278-00	Protective Cap SW65 2 H20		
442.7151-01	Eccentric	294kg	549mm * 549mm * 560mm
442.9643-01	Eccentric bushing 13+16+20+24, without keyway 442.9404	130.2kg	443mm * 443mm * 552mm
442.9642-01	Eccentric bushing 24 28 32	130.2kg	443mm * 443mm * 552mm
442.9406-01	Eccentric bushing 32+36+40+44	132.3kg	443mm * 443mm * 552mm
442.7142-01	Hub		
442.7169-00	Ring		
840.1157-00	Screws M6S 12x40 10.9 ISO4017		
847.0147-00	Washer BRB 13x24 HB200 ISO 7089		
442.9609-01	Key R25x14x250		
841.0027-00	Screw MC6S 12x70 12.9		
841.0025-00	Screw MC6S 12x50 12.9		
847.0180-00	Washer DIN 137 B 13x24		
442.7093-00	Gear and pinion set	134.4kg	920mm * 920mm * 200mm
442.7171-01	Key		
442.7107-01	Eccentric wearing plate	24.15kg	700mm * 700mm * 127mm

853.0646-00	Pin Prym N 16x45	0.11kg	
442.7163-01	Hydroset cylinder	413.7kg	740mm * 740mm * 655mm
840.0671-00	Screw M6S 24x90 8.8 ISO 4014	0.42kg	
847.0124-00	Washer BRB 25x45 HB200 SS 3576		
442.7166-01	Hydroset cylinder bushing	45.15kg	500mm * 500mm * 385mm
840.0019-00	Screws M6S 8x12 8.8		
847.0012-00	Washer BRB 8,4x16 HB200 ISO 7089		
873.0892-00	Seals O-ring 532,26x6.99		
442.9672-00	Piston	195.3kg	470mm * 470mm * 458mm
853.0119-00	Pin CP 25m6x60 SMS 2374		
442.7122-01	Piston wearing plate	27.3kg	370mm * 370mm * 155mm
442.7121-01	Step washer	24.15kg	370mm * 370mm * 145mm
442.7112-00	Chevron packing	7.35kg	470mm * 470mm * 143mm
442.7167-01	Packing clamp plate	7.35kg	
841.0266-00	Screw MC6S 12x25 8.8		
442.9663-00	Hydroset cylinder	132.3kg	
840.0671-00	Screw M6S 24x90 8.8 ISO 4014		
840.0676-00	Screw M6S 24x90 8.8 ISO 4017		
847.0124-00	Washer BRB 25x45 HB200 SS 3576		
900.2302-00	Plug STI R1/2" -ED		
873.0835-00	Seals O-ring 419.3x5.7 SMS1586		
873.1276-00	Seals O-ring 453x5.7 SMS 1586		
442.8783-01	Plug		
873.0111-00	O-ring 44,2x3 SMS 1586		
840.0023-00	Screw M6S 8x25 8.8 ISO 4017		
847.0012-00	Washer BRB 8,4x16 HB200 ISO 7089		
840.0019-00	Screws M6S 8x12 8.8		
442.9966-00	Pinion shaft housing assembled		
442.7506-01	Pinion shaft housing		
442.7136-01	Gasket T=0.5		
442.7136-03	Gasket T=1.5		
442.7136-02	Gasket T=0,8		
442.7093-02	Pinion	134.4kg	
868.0282-00	Bearings Spherical Roller 23122 CC/W33/C3	5.88kg	
868.0804-00	Tapered roller bearing 452322 M2/W502	13.65kg	
442.7130-01	Spacer inner	1.89kg	
442.7131-01	Spacer outer	1.47kg	
873.0779-00	Seals O-ring 84,1x5,7 SMS 1586	0.01kg	
873.0399-00	Seals O-ring 99,1x5,7		
873.1208-00	Oil seal ring 130x160x12		
873.1208-00	Oil seal ring 130x160x12		
442.9684-01	Bearing cover inner	4.2kg	
442.7133-01	Bearing cover outer	7.35kg	
840.0045-00	Screw M6S 12x30 8.8 ISO 4017		
847.0147-00	Washer BRB 13x24 HB200 ISO 7089		
840.0066-00	Screw M6S M16x40 8.8 fzb ISO4017		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
442.7134-01	Gasket		
442.7135-01	Gasket T=0,5		
442.7135-02	Gasket T=0,8		
853.0590-00	Spring Pin Prym N 8x28		
442.9937-01	Pinion shaft	79.8kg	
857.0337-00	Key 22x14x95 SMS2307	0.26kg	
900.0022-00	Elbow 3/4 A4 SMS 435		
900.2026-00	Magnetic plug 0606-12		
873.0385-00	Tredo Nr.20 3/4"		
442.7577-01	Oil level plug		
873.0108-00	Seals O-ring 34,2x3 SMS 1586	0.11kg	
442.7578-01	Pipe		
855.0108-00	3 Retaining Rings Sga 85		
840.1063-00	Screw M6S 16x120H 8.8		
845.0009-00	Nut M6M M16 8 FZB ISO 4032		
442.7259-00	Main shaft ass. excl mantle		
442.7100-01	Main shaft	1330.35kg	1870mm * 470mm * 530mm
442.7117-01	Main shaft sleeve	42kg	
853.0119-00	Pin CP 25m6x60 SMS 2374		
442.7120-01	Main shaft step	25.2kg	370mm * 370mm * 145mm
855.0026-00	Retaining Ring Sga 100 SS1581	0.21kg	
442.8332-01	Head centre	1341.9kg	1130mm * 1130mm * 688mm
442.7230-01	Mantle B, M-EC, M1	643.65kg	1175mm * 1175mm * 713mm
442.7225-01	Mantel A,F+MF, M1	698.25kg	1175mm * 1175mm * 733mm
442.9073-01	Mantel	691.95kg	
442.8039-01	Mantle EF, M1	803.25kg	1190mm * 1190mm * 733mm
442.7105-01	Head nut	52.5kg	522mm * 522mm * 205mm
442.8333-01	Inner head ring	16.8kg	
442.7115-01	Burn ring	4.2kg	520mm * 520mm * 120mm
442.7102-01	Dust seal ring	13.65kg	840mm * 840mm * 175mm
442.7103-01	Retaining ring	72.45kg	1000mm * 1000mm * 142mm
442.7523-01	Retainer	0.11kg	113mm * 175mm * 124mm
442.7524-01	Scraper www.LulanPanda.com	2.62kg	180mm * 340mm * 108mm
840.0069-00	Screw M6S 16x55 8.8 ISO 4017		

840.0071-00	Screw M6S 16x65 8.8 ISO 4014		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
442.8553-00	Top shell ass excl concave ring		
442.7518-00	Filler ring assembly MC		
442.7519-00	Filler ring assembly MF		
442.7180-01	Top shell	3020.85kg	1870mm * 1870mm * 1011mm
442.7190-01	Arm shield	46.2kg	
900.1162-00	2 Pipe couplings KR 1/4" " GA 10-LK		
808.0220-00	Steel Pipe DIN 2391/C-ST 35,4 10x1,5		
914.0093-00	Lubrication Nipple AH R 1/4"		
442.7492-01	Spider cap	220.5kg	690mm * 690mm * 250mm
912.0114-00	Air Filter P10102 R		
900.0169-00	Nipple 1/4 R 1/2 3048		
900.0002-00	Eblow 1/2 3049 Al		
873.0838-00	Seals O-ring 19,3x5,7 SMS 1586	0.11kg	
840.0078-00	Screw M6S 20x60 8.8 ISO 4017	0.21kg	
847.0165-00	Washer TBRB 21x36 1370 SS 1466	0.11kg	
442.9408-01	Spider bushing	73.5kg	500mm * 500mm * 264mm
840.0652-00	Screw M6S 20x90 8.8 ISO 4017		
847.0132-00	Washer BRB 21x36 HB200 SS 3576		
442.7193-01	Spider bushing oil seal ring	1.05kg	395mm * 395mm * 126mm
900.0981-00	Plug BSPT 1" hexagon		
442.8416-01	Concave ring EF, M1	870.45kg	1322mm * 1322mm * 680mm
442.8417-01	Concave ring F, M1 www.LulanPanda.com	885.15kg	1322mm * 1322mm * 685mm
442.8418-01	Concave ring MF, M1	854.7kg	1322mm * 1322mm * 685mm
442.8420-01	Concave ring MC, M1	850.5kg	1322mm * 1322mm * 680mm
442.8421-01	Concave ring C, M1	887.25kg	1322mm * 1322mm * 675mm
452.3027-001	Concave EC Topgrip	823.2kg	1322mm * 1322mm * 665mm
442.8419-01	Concave ring M, M1	887.25kg	1322mm * 1322mm * 670mm
442.7485-01	Filler ring MC, M, EF	626.85kg	1159mm * 1159mm * 475mm
442.7484-01	Filler ring MF, F		
840.1074-00	Screw M6S 30x280 8.8 ISO 4014		
840.1074-00	Screw M6S 30x280 8.8 ISO 4014		
442.7251-03	Washer 80x30x85		
442.7251-02	Washer 80x30x140		
442.7252-01	Shim t=1		
442.7252-02	Shim t=3		
442.7252-03	Shim t=5		
442.7252-04	Shim t=10		
442.7252-01	Shim t=1		
442.7252-02	Shim t=3		
442.7252-03	Shim t=5		
442.7252-04	Shim t=10		
442.8908-03	Hose 31,5/0,6 L=210		
442.8687-01	Screw M6S 30x360 8.8		
845.0284-00	Lock Nut M30 8 FZB DIN 985	0.11kg	
442.7253-01	Sleeve	0.42kg	
442.7271-01	Washer	0.32kg	
863.0058-00	Disc spring 90x46x5		
442.8425-01	Support ring	145.95kg	
442.8290-01	Dowel pin www.LulanPanda.com		
442.7273-00	Hydroset		
442.7255-00	Wrench and tool set		
831.0016-00	Casting Compound		
442.7140-00	Liner-Pin shaft arm, Arm liners	58.8kg	
442.7141-01	Liner-Narrow arm, Arm liners	46.2kg	
452.0243-00	Bottomshell liner kit		
442.8794-01	Wearing plates, Included in Bottomshell liner kit		
442.8798-01	Wearing plates, Included in Bottomshell liner kit		
442.8797-01	Wearing plates, Included in Bottomshell liner kit	2.1kg	
442.8796-01	Wearing plates, Included in Bottomshell liner kit		
442.8795-01	Wearing plates, Included in Bottomshell liner kit		
452.0239-001	Wearing plates, Included in Bottomshell liner kit		
452.0238-001	Wearing plates, Included in Bottomshell liner kit		
442.8799-06	Rod 1312-00 4-kt 12x60		
840.0049-00	Screw M6S 12x50 8.8 ISO 4014		
847.0059-00	Washer TBRB 13,5x36 1370		
442.7269-00	Feed hopper with distributor complete		
442.7191-00	Feed hopper	372.75kg	
442.7191-90	Feed hopper with insp. door	372.75kg	
840.0070-00	Screw M6S 16x60 8.8 ISO 4014, Fasteners for distributor parts		
845.0009-00	Nut M6M M16 8 ISO 4032, Fasteners for distributor parts		
847.0016-00	Washer BRB 17x30 HB 200 ISO 7089, Fasteners for distributor parts		
442.7267-00	Feed distributor -RH, Fasteners for distributor parts	189kg	
442.7267-90	Feed distributor -LH, Fasteners for distributor parts	189kg	
442.7268-01	Bracket, Fasteners for distributor parts, Fasteners for distributor parts		
840.0065-00	Screw M6S 16x35 8.8 ISO 4017, Fasteners for distributor parts		
845.0009-00	Nut M6M M16 8 ISO 4032, Fasteners for distributor parts		
847.0016-00	Washer BRB 17x30 HB 200 ISO 7089, Fasteners for distributor parts		
442.7270-00	Feed hopper with cone, complete		

442.7191-00	Feed hopper		
442.7191-90	Feed hopper with resp. door		
840.0070-00	Screw M6S 16x60 8.8 ISO 4014, Fasteners for cone parts		
845.0009-00	Nut M6 8 ISO 4032		
847.0016-00	Washer BRB 17x30 HB 200 ISO 7089		
442.7192-00	Feed hopper cone-LH, For concave EC		
442.7192-90	Feed hopper cone-RH, For concave EC		
442.8159-00	Feed hopper cone-LH, For concave C		
442.8159-90	Feed hopper cone-RH, For concave C		
442.8030-00	Feed hopper cone-LH, For concave MC		
442.8030-90	Feed hopper cone-RH, For concave MC		
442.9777-00	Rubber compression mounting for crusher		
845.0387-00	Nut lock ISO 7040 M24 8 FZB		
847.0124-00	Washer BRFB 25x45 www.LulanPanda.com		
442.9779-00	Top plate		
864.0046-00	Rubber compression mounting SAW 150 B		
840.0044-00	Screw M6S12x25		
847.0147-00	Washer BRB 13x24		
442.9780-01	Fixing plate, lower		
442.9777-90	Rubber compression mountings for crusher on subframe		
864.0046-00	Vibration damper SAW 150 B		
840.0044-00	Screw M6S12x25		
847.0147-00	Washer BRB 13x24		
442.9780-01	Fixing plate, lower		
840.0048-00	Screw M6S 12x45 8.8 ISO 1417		
845.0030-00	Nut M6MN 12 8 FZB ISO 7040	0.02kg	
840.0045-00	Screw M6S 12x30 8.8		
847.0147-00	Washer BRB 13x24		
442.1954-01	Clamp www.LulanPanda.com		
873.0390-00	Seal ring TRED0 30		
650.0173-03	Hydraulic hose 2" SAE 100 R10 R2" x545		
442.8179-00	Protection 2134-01		
900.0659-00	Adapter R2" xR2"		
442.8624-00	Check valve		
840.0055-00	Screw M6S 12x90 8.8		
847.0060-00	Washer TBRBSB 17x42 t=8		
919.0231-00	Adapter ISO228-G2A - ISO228-G2A, Between check valve and accumulator		
442.6508-00	Connection piece www.LulanPanda.com		
442.6407-01	Seat 2541-03 D 128/68x10		
442.6403-01	Valve 2244-05 D 78x71		
127.0004-30	Spring 42x4x62		
442.6406-01	Body 2172-03 D 130/100x52		
873.0130-00	O-ring 114, 3x5, 7-1 SMS 1586		
442.6405-01	Valve guide D 125/20x46, 5		
442.6402-01	Flange 2142-50 D 195/R2x64		
840.0532-00	Screw M6S 20x110 8.8 ISO 4014		
919.0074-00	Protection plug R2" outside		
919.0070-00	Protection plug R 3/4 outside		
919.0219-00	Accumulator charging pressure 5,0 MPA Without ASR/ With ASR Plus		
919.0206-00	Bladder complete 25 l		
919.0125-00	Charging equipment FP Unit		
442.8642-00	Over pressure unit, Complete		
442.8642-90	Over pressure unit for compressed air, Complete		
900.1424-00	Hose coupling 3/4		
900.1358-00	Clips 28 SMS 2298 Dy 23-27mm		
819.0187-00	Hose 1 www.LulanPanda.com		
900.0040-00	Tee ISO49 B1 3/4		
900.0365-00	Hexagon nipple R 3/4		
900.0022-00	Elbow 3/4 A4 SMS 435		
900.1139-00	Clip RSGU 1.22/15		
900.0005-00	"Elbow ISO49 A1 3/4" "		
442.9325-00	Over pressure fan		
912.0138-00	Air filter Purola 0154		
900.0108-00	Wrought iron pipe fittings 1x3/4		
900.0209-00	Plug R ISO 49 T8 FZV		
900.0022-00	Elbow 3/4 A4 SMS 435		
900.1139-00	Clip RSGU 1.22/15		
900.0005-00	Elbow ISO49 A1 3/4		
900.0180-00	Nipple ISO49 N8 1/2x1/4		
912.0113-00	Air filter 504-2S 5 Micron		
900.0169-00	Nipple 1/4 ISO49 N8		
902.0645-00	Regulator 216-2-8		
900.0182-00	Nipple ISO49 N8 3/4x1/4		
900.0054-00	Tee ISO49 B1 3/4x3/8		
900.0209-00	Plug R 3/8 ISO 49 T8 FZV		
923.0267-00	Pressure gauge 2060 D100 0-1000 PA		
900.0172-00	Nipple ISO49 N8 3/4		
442.9949-00	V-belt drive SPC, 4-pol 50 Hz, Complete		
879.0359-00	V-belt Pulley 375 MGT 125 10xSPC		
869.0235-00	Bushing MGT NR 125 ø100		

857.0336-00	Key R 28x16x110 SMS 2307		
442.9951-01	Spacer ring D115/100,5x58		
442.7238-01	Washer 2142-50 D 120/18x15		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
840.0065-00	Screw M6S M16x35 8.8 fzb ISO 4017		
879.0496-00	V-belt Pulley 450 MGT 125 10xSPC		
869.0235-00	Bushing MGT no 125 Ø100		
857.0336-00	Key T 28x16x110 SMS 2307		
442.9951-01	Spacer ring D115/100,5x58		
442.7238-01	Washer 2142-50 D 120/18x15		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
840.0065-00	Screw M6S 16x35 8.8 ISO 4017		
879.0359-00	V-belt pulley 375 MGT 125 10xSPC		
442.9929-00	V-belt drive 8V 4-pol 50 Hz,Complete		
869.0329-00	Bushing QD M100 Ø100		
442.7238-01	Washer 2142-50 D 120/18x14		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
840.0066-00	Screw M6S M16x340 8.8 fzb ISO 4017		
879.0617-00	V-belt Pulley QD DY17" 10x8V		
879.0624-00	V-belt Pulley QD DY14" 10x8V		
879.0356-00	Key R 28x16x140 SMS 2306		
126.0383-001	Risk of crushing		
126.0384-001	Warning flying fragments		
126.0385-001	Warning sign read manual		
885.0250-00	Sign to mark centre of gravity		
126.0444-001	SANDVIK logotype silver 120		
126.0414-001	Sign product name		
126.5007-01	Identification plate		
885.0267-00	Warning sign Danger		
442.7110-01	Locating bar	3.15kg	
442.7168-01	Shim t=0,1		
442.7168-02	Shim t=0,5		
442.7168-03	Shim t=0,7		
442.7168-04	Shim t=1,0		
841.0019-00	Screw MC6S 10x40 12.9		
442.7136-01	Gasket T=0.5		
442.7136-02	Gasket T=0.8		
442.7136-03	Gasket T=1.5		
868.0282-00	Bearing		
868.0804-00	Bearing		
442.7130-01	Spacer www.LulanPanda.com	1.89kg	
442.7131-01	Spacer	1.47kg	
873.0779-00	O-ring		
873.0399-00	O-ring		
873.1208-00	Sealing ring		
442.7134-01	Gasket		
442.7135-01	Gasket		
442.7135-02	Gasket		
873.0385-00	Sealing Ring Tredo 20		
873.0108-00	O-ring		
442.8687-01	Screw M6S 30x360 8.8		
845.0284-00	Nut Lock M30 www.LulanPanda.com		
442.7253-01	Sleeve		
442.7271-01	Washer		
863.0058-00	Disc spring		
442.7140-00	Pin shaft arm liner	58.8kg	
442.7141-00	Narrow arm liner	46.2kg	
442.8794-01	Wearing plates		
442.8798-01	Wearing plates		
442.8797-01	Wearing plates		
442.8796-01	Wearing plates		
442.8795-01	Wearing plates		
452.0239-001	Wearing plates		
452.0238-001	Wearing plates		
442.8799-06	Rod 1312-00 4-kt 12x60		
840.0049-00	Screw M6S 12x50 8.8 ISO 4014		
847.0059-00	Washer TBRB 13,5x36 1370		
912.0126-00	Filter HC69		
912.0129-00	Filter cartridge HC2		
912.0139-00	Filter cartridge HC2 852516 MIC		
912.0155-00	Filter cartridge HC2 852514 MIC		
BG00566212 main-shaft	Main shaft assembly excluding mantle		
BG00566212 head-center	Main shaft assembly excluding mantle		
442.7098-00/452.0230-901/452.0230-901	BOTTOM SHELL H/S 4000		
442.7201-00 N11851782	COVER		
843.1267-00 65-965-002-009	STUD, DOUBLE END DIN938-M12X45-5.8-UNPLTD		
847.0147-00 00921305012S	WASHER, PLAIN ISO7089-12-200HV-A3A		
845.0030-00 704204000000	NUT, HEXAGONAL, TORQUE ISO7040-M12-8-A3A		
442.7140-00 MM1224534	PINIONSHAFT ARMLNR 14MNCR H/S4000		
442.7141-00 MM1224535	NARROW ARM LINER 14MNCR H/S4000		
900.0027-00 900.0027-00	ELBOW ISO 49 DN80 R3 INCH		

442.7146-01	BTMSHELL BUSHING H/S4000, N11851199	108.15kg	
853.0464-00 853.0464-00	PIN CP 12M6x30 SMS 2374		
900.0921-00 900.0921-00	TEE ADAPTER G 3/4 B x G 3/4		
900.1412-00 900.1412-00	PIPE 3/4 X 70		
900.0276-00 900.0276-00	PROTECTION CAP		
452.0243-901	BOTTOM SHELL LINER KIT, N11852114		
442.8794-01 N11851466	WEAR PLATE / BOTTOM SHELL /CH440 (ASSY N11852114)		
442.8798-01 N11851470	WEAR PLATE / BOTTOM SHELL /CH440 (ASSY N11852114)		
442.8797-01 N11851469	WEAR PLATE / BOTTOM SHELL /CH440 (ASSY N11852114)		
442.8796-01 N11851468	WEAR PLATE / BOTTOM SHELL /CH440 (ASSY N11852114)		
442.8795-01 N11851467	WEAR PLATE / BOTTOM SHELL /CH440 (ASSY N11852114)		
452.0239-001 N11852115	WEAR PLATE / BOTTOM SHELL /CH440 (ASSY N11852114)		
452.0238-001 N11852116	WEAR PLATE / BOTTOM SHELL /CH440 (ASSY N11852114)		
442.8799-06 N11851471	BAR (ASSY N11852114)		
442.7106-01 N11851178	DUST COLLAR H/S 4000		
840.0634-00 2942810	BOLT ISO4014 M16X25 8.8-A3F		
442.7109-01 N11851181	RETAINING RING		
853.0464-00 853.0464-00	PIN CP 12M6x30 SMS 2374		
840.1281-00 7001530325	SCREW, HEXAGONAL ISO4017-M16X80-8.8-A3A		
847.0016-00 212803	SMS-L ACC Washer BRB 3x17/30		
442.7110-01 N11851182	SUPPORT BAR H/S4000	3.15kg	
442.7168-04 N11851207	SHIM T=1,0 H/S4000		
442.7168-03 N11851206	SHIM T=0,7 H/S4000		
442.7168-02 N11851205	SHIM T=0,5 H/S4000		
442.7168-01 N11851204	SHIM T=0,1 H/S4000		
841.0019-00 2878650	SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M10X40-8.8-A3F		
442.7170-01 N11851210	GASKET TAN FIBRE H/S4000		
442.7108-01	SEAL RING INNER H/S4000, N11851180	2.1kg	
840.0071-00 04-115639	SCREW, HEXAGONAL ISO4017-M16X65-8.8-UNPLTD		
847.0060-00 SA951189	WASHER, PLAIN SMS1466-17X42X8-ST-FZB		
840.1073-00 840.1073-00	BOLT, HEXAGONAL ISO4014-M42X220-8.8-A3F		
845.0322-00 7001563042	NUT, HEXAGONAL ISO4032-M42-8-A3A		
847.0171-00 847.0171-00	WASHER, PLAIN SS70-BRFB-43X80-200HV-FZB		
899.0278-00 899.0278-00	PROTECTION CAP M42 SW65-2-G68		
442.9530-01 MM0475479	SCREW, HEXAGONAL ISO4017-M42X100-10.9-UNPLTD		
899.0278-00 899.0278-00	PROTECTION CAP M42 SW65-2-G68		
442.8068-01 N11851369	ECCENTRIC /S4000		
442.7151-01 N11851200	ECCENTRIC /H4000 www.LulanPanda.com		
442.9643-01	ECCENTRIC BUSHING 13+16+20+24 /H4000/CH440, N11851661		
442.9642-01	ECCENTRIC BUSHING 24+28+32 / H4000/CH440, N11851660		
442.9406-01	ECCENTRIC BUSHING 32+36+40+44 /H4000/CH440, N11851617		
442.7142-01 N11851198	HUB		
442.7169-00 N11851209	RING /H4000		
841.1157-00 2028000	BOLT, HEXAGONAL ISO4014-M12X40-8.8-A3F		
847.0147-00 00921305012S	WASHER, PLAIN ISO7089-12-200HV-A3A		
442.9609-01 N11851656	KEY M H/S4000		
841.0025-00 7001540191	SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M12X50-12.9-UNPLTD		
841.0025-00 7001540191	SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M12X50-12.9-UNPLTD		
847.0180-00 1003064476	WASHER, LOCK, HELICAL SPRING, REGULAR		
442.7093-00/442.9330-00 N11851	GEAR SET H/S4000	134.4kg	
442.7171-01 N11851211	KEY T50X28X60		
442.7107-01	ECCENTRIC WEARING PLATE H/S4000, N11851179		
853.0646-00 853.0646-00	PIN ROLL N 16X45-UV40		
442.7163-01 N11851201	MPS CYLINDER BUSHING		
840.0671-00 00920146329S	SCREW, HEXAGONAL ISO4017-M24X90-10.9-UNPLTD		
847.0124-00 847.0124-00	WASHER BRB 25X45 T=4 mm		
442.7166-01 N11851202	PISTON CYLINDER BUSHING H/S4000		
840.0019-00 7001530094	SCREW, HEXAGONAL ISO4017-M8X12-8.8-A3A		
847.0012-00 SA951124	WASHER, PLAIN ISO7089-8-200HV-TZN		
873.0892-00 873.0892-00	O-RING 530X7 SMS 1587		
442.9672-00 N11851826	PISTON TPE H/S4000		
853.0119-00 853.0119-00	PARALLEL PIN SMS2374-25-M6X60-E295		
BG00259470	STEP BEARING SET (2260/2280/4075) LAPPED, N11852206	78.75kg	370mm * 370mm * 246mm
442.7122-01	PISTON WEARING PLATE, N11851187		
442.7121-01	STEP WASHER, N11851186	24.15kg	370mm * 370mm * 145mm
442.7112-00 N11851183	CHEVRON PACKING		
900.1933-00 900.1933-00	PLUG VSTI-ED, VSTI R1 1/2, 7580208		
442.7167-01 N11851203	MPS CLAMP PLATE H/S4000		
841.0266-00 704104000000	SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M12X25-8.8-A3A		
442.9663-00	Hydrose cylinder cover, N11851665		
840.0671-00 00920146329S	SCREW, HEXAGONAL ISO4017-M24X90-10.9-UNPLTD		
840.0676-00 840.0676-00	SCREW M6S 24X140 8.8 ISO 4014		
847.0124-00 847.0124-00	WASHER BRFB 25X45 T=4 mm		
902.0605-00 902.0605-00	VALVE AIR BLEEDER UV 121		
873.0835-00 873.0835-00	O-RING SMS1586-419.3X5.7-NBR70		
442.7202-01 N11851219	GASKET TAN FIBRE D 570/432		
873.1276-00 873.1276-00	O-RING SMS1586-453.0X5.7-NBR70		
442.8783-01 N11851770	PLUG		
873.0819-00 65-751-532-091	O-RING SMS1586-59.50X3.00-NBR70		
840.0026-00 7001530110	SCREW, HEXAGONAL ISO4017-M8X40-8.8-A3A		
847.0012-00 SA951124	WASHER, PLAIN ISO7089-8-200HV-TZN		

840.0019-00 7001530094	SCREW, HEXAGONAL ISO4017-M8X12-8. 8-A3A		
984.0391-00	TRANSDUCER PROBE	2. 31kg	
442.9966-901/ 452.6395-901 N11	PINION SHAFT HOUSING ASSY		
442.7506-01 N11851252	PINION SHAFT HOUSING H/S4000		
442.7136-03 N11851197	GASKET T= 1, 5 H/S4000@		
442.7136-02 N11851196	GASKET T= 0, 8 H/S4000		
442.7136-01 N11851195	GASKET T=0, 5 H/S4000		
868.0282-00 868.0282-00	ROLLER BRNG 23122 CC/W33/C3		
868.0804-00 868.0804-00	ROLLER BRNG 452322 M2/W502		
442.7130-01 N11851189	SPACER RING /H4000 www.LulanPanda.com	1. 89kg	
442.7131-01 N11851190	SPACER RING H/S4000	1. 47kg	
873.0779-00 873.0779-00	O-RING SMS1586-84. 10X5. 70-NBR70		
873.0399-00 873.0399-00	O-RING SMS1586-97. 79X5. 33-NBR70		
873.1208-00 873.1208-00	SEAL RING ISO6194-130X160X12MM-VITON		
873.1208-00 873.1208-00	SEAL RING ISO6194-130X160X12MM-VITON		
442.9684-01 N11851669	BRNG COVER INNER H/S4000		
442.7133-01 N11851191	BRNG COVER H/S4000		
840.0045-00 2934040	SCREW, HEXAGONAL ISO4017-M12X30-8. 8-A		
847.0147-00 00921305012S	WASHER, PLAIN ISO7089-12-200HV-A3A		
840.0066-00 7001530310	BOLT, HEXAGONAL ISO4014-M16X40-8. 8-A3F		
847.0016-00 212803	SMS-L ACC Washer BRB 3x17/30		
442.7134-01 N11851192	GASKET T= 0, 8 H/S4000		
442.7135-02 N11851194	GASKET T= 0, 8 H/S4000		
442.7135-01 N11851193	GASKET T= 0, 5 H/S4000		
853.0590-00 853.0590-00	PIN, SPRING, SLOTTED, HEAVY DUTY ISO8752-8X28-ST-ZNPH		
442.7129-01/442.9937-01 N11851	PINION SHAFT H/S4000		
857.0337-00	KEY T 22X14X95		
857.0336-00 857.0336-00	KEY T28X16X110, SMS 2306		
900.0022-00 65-711-379-005	ELBOW ISO49-A4-3/4-FE-A		
900.2026-00 900.2026-00	MAGNETIC PLUG 3/4		
873.0385-00 873.0385-00	RING, SEAL TREDO NR 20		
442.7577-01 N11851269	PLUG OIL LEVEL /H4000		
873.0108-00 873.0108-00	O-RING SMS1586-34. 20X3. 00-NBR70		
442.7578-01 N11851270	PIPE		
442.8703-00 N11851866	PUMP ASSY P3AAN0075FL20B01N 6P 71 0. 25kW		
906.0367-00	PUMP, HYDRAULIC P3AAN0075FL20B01N		
930.0248-00	COUPLING SPIDEX A19. ALU ID 14-7 KEY2		
923.0193-00 923.0193-00	GAUGE, PRESSURE D63 0 -1. 6 Mpa		
912.0129-00 912.0129-00	FILTER CARTRIDGE PC 507 HC-2		
855.0108-00 704101000000	RING, RETAINING, EXTERNAL DIN471-85X160X12-NPH		
442.7238-01 N11851220	WASHER H/S4000		
840.0065-00 7001530308	SCREW, HEXAGONAL ISO4017-M16X35-8. 8-A3A		
847.0016-00 212803	SMS-L ACC Washer BRB 3x17/30		
840.1063-00 7001530331	SCREW, HEXAGONAL ISO4017-M16X120-8. 8-A3A		
845.0009-00 N01563016	NUT, HEXAGONAL ISO4032-M16-8-A3A		
452.1699-901	MAIN SHAFT ASSEMBLY S4000, 442. 9035-AD, N11851877	3958. 5kg	2312mm * 1020mm * 1080mm
442.7745-AD N11851874	MAIN SHAFT ASSEMBLY H4000		
442.8062-01 N11851366	MAIN SHAFT S4000 / USE ASSY N11851877		
442.7100-01	MAIN SHAFT H4000 / USE ASSY N11851874, N11851175		
BG00213813	TAPERED MAINSHAFT SLEEVE CH440:2: BLOCK U. S. A!!, N11852051	38. 22kg	
442.7117-01 N11851184	MAIN SHAFT SLEEVE	42kg	325mm * 325mm * 459mm
853.0119-00 853.0119-00	PARALLEL PIN SMS2374-25-M6X60-E295		
442.7120-01 N11851185	MAIN SHAFT STEP		
855.0026-00 N01602100	RING, RETAINING, EXTERNAL DIN471-100X3-ST-ZNPH		
442.8332-01 N11851391	HEAD H4000 / USE ASSY N11851874	1341. 9kg	1130mm * 1130mm * 688mm
442.8063-01 N11851367	HEAD S4000 / USE ASSY N11851877		
442.7230-03	MANTLE B 21MNCR CH440, MM1328259	643. 65kg	1175mm * 1175mm * 713mm
442.7225-03	MANTLE A 21MNCR CH440, MM1328257	698. 25kg	1175mm * 1175mm * 733mm
442.8089-02	MANTLE A 18MNCR CS440, MM1328230	1334. 55kg	
442.8039-02	MANTLE EF 18MNCR CH440, MM1328226	803. 25kg	1190mm * 1190mm * 733mm
442.8070-02	MANTLE B 18MNCR CS440, MM1328190	1204. 35kg	1160mm * 1160mm * 1151mm
442.9073-02	MANTLE HC 18MNCR CH440, MM1328181	691. 95kg	
442.7225-02	MANTLE A 18MNCR CH440, MM1328174	698. 25kg	1175mm * 1175mm * 733mm
442.8070-03	MANTLE B 21MNCR CS440, MM1328138	1204. 35kg	
442.8089-03	MANTLE A 21MNCR CS440, MM1328137	1334. 55kg	
442.8070-01	MANTLE B 14MNCR CS440, MM1225653	1204. 35kg	
442.8089-01	MANTLE A 14MNCR CS440, MM1224791	1334. 55kg	
442.8039-03	MANTLE EF 21MNCR CH440, MM1224740	803. 25kg	1190mm * 1190mm * 733mm
442.8039-01	MANTLE EF 14MNCR CH440, MM1224738	803. 25kg	1190mm * 1190mm * 733mm
442.7225-01	MANTLE A 14MNCR CH440, MM1224552	698. 25kg	1175mm * 1175mm * 733mm
442.9073-03	MANTLE HC 21MNCR CH440, MM1224317	691. 95kg	
442.9073-01	MANTLE HC 14MNCR CH440, MM1224316	691. 95kg	
442.7230-02	MANTLE B 18MNCR CH440, MM1223128	643. 65kg	1175mm * 1175mm * 713mm
442.7105-00	HEAD NUT WITH RING, N11851695	52. 5kg	
442.8333-01 N11851392	HEAD NUT INNER	16. 8kg	
442.7115-01 N11927003	BURNING RING H/S4000		
442.7102-01 N11851176	DUST SEAL RING	13. 65kg	840mm * 840mm * 175mm
442.7103-01 N11851177	RETAINER RING DUST SEAL H/S4000		
442.7523-01 N11851254	RETAINER H/S4000		
442.7524-01 N11851255	SCRAPER H/S4000		
840.0069-00 704201000000	SCREW M6S 16X55 8. 8 ISO4017		

840.0071-00 04-115639	SCREW, HEXAGONAL ISO4017-M16X65-8.8-UNPLTD		
847.0016-00 212803	SMS-L ACC Washer BRB 3x17/30		
442.8059-01 N11851365	TOP SHELL EC2 S4000		
442.8553-901	TOP SHELL EC2 H4000, N11851213		
442.9036-01	WEAR PLATE RIM LINER 14MNCR CS440, MM1225661	72.45kg	708mm * 440mm * 230mm
853.0979-00 853.0979-00	PIN 2172-00 D32X32 /S4800		
442.8075-01	SPIDER ARM SHIELD 14MNCR CS440, MM1224762	252kg	1025mm * 640mm * 700mm
442.7190-01 MM1223043	SPIDER ARM SHIELD 14MNCR CH440		
442.8077-01 N11851371	FIXING PIN D 32X45 (FOR S-MODEL)		
442.8078-01 N11851827	DAMPER (FOR S-MODEL)		
442.8079-01 N11851372	CHECK, RUBBER BUMPER 10X60X250 (FOR S-MODEL)		
900.0425-00 900.0425-00	PIPE COUPLING		
900.1262-00 65-965-021-001	ADAPTER, ELBOW NIPPLE 90 DEG 1/4 IN. STR. FEMALE TO TAPERED MALE (FOR S-MODEL)		
900.1030-00 900.1030-00	REDUCER RI-08-04 1/2"-1/4 (FOR S-MODEL)		
808.0220-00 808.0220-00	PIPE, STEEL 10 X 1.5 MM, L=1,35 M		
650.0086-11 650.0086-11	HOSE ASSEMBLY RIAT RI/4 X 650 (FOR S-MODEL)		
914.0093-00 914.0093-00	NIPPLE, LUBRICATING AH KR1/4		
442.8090-01 N11851374	BRACKET S4000		
840.0021-00 7001530102	SCREW, HEXAGONAL ISO4017-M8X20-8.8-A3A (FOR S-MODEL)		
900.0243-00 65-711-002-002	SOCKET RSK 1058 .250 Rp 1/4 Fe 900.0243 SA (FOR S-MODEL)		
900.0652-00 65-965-019-002	STRAIGHT ADAPTER G 1/4 B -19 X G 1/4 B -19 900.0652S (FOR S-MODEL)		
442.9164-00	SPIDER CAP TPE /S4000, N11851532	321.3kg	
442.7492-01 N11851250	SPIDER CAP CS 60 /H4000		
912.0114-00 912.0114-00	FILTER, AIR PI 0102 MIC, 77575806		
900.0169-00 65-711-487-002	NIPPLE, HEXAGONAL ISO49-N8-1/4-FE-A		
900.0314-00 900.0314-00	SLEEVE (FOR S-MODEL)		
900.0002-00 900.0002-00	ELBOW ISO49-A1-1/4-FE-A		
900.2008-00 900.2008-00	ELBOW 45 DEG SMS 453-10 (FOR S-MODEL)		
873.0838-00 873.0838-00	O-RING SMS1586-499.30X5.70-NBR70		
840.0078-00 N01530001	SCREW M6S 20X60 8.8 ISO4017 /H4800		
840.0079-00 7001530421	SCREW M6S 20X70 8.8 ISO4017 /S4800		
847.0165-00 847.0165-00	WASHER TBRB 21X36		
BG00237121	SPIDER BUSHING MNBR, N11852031	73.5kg	500mm * 500mm * 264mm
442.9408-01 N11851618	SPIDER BUSHING S	73.5kg	500mm * 500mm * 264mm
840.0652-00 SA950815	SCREW M6S 20X60 8.8 ISO4014		
847.0132-00 N01626520	WASHER BTRB 21X36		
442.7193-01 N11851217	SPIDER SEAL RING	1.05kg	
900.0981-00 900.0981-00	PLUG BSPT 1 INX		
442.8418-03	CONCAVE MF 21MNCR CH440, MM1328267		
452.3027-003	CONCAVE EC TOPGRIP 21MNCR CH440, MM1328258	849.45kg	1322mm * 1322mm * 665mm
442.8421-02	CONCAVE C 18MNCR CH440, MM1328240	887.25kg	1322mm * 1322mm * 675mm
442.8420-02	CONCAVE M 18MNCR CH440, MM1328234	850.5kg	1322mm * 1322mm * 680mm
442.8418-02	CONCAVE MF 18MNCR CH440, MM1328233	854.7kg	40mm * 40mm * 685mm
442.8416-02	CONCAVE EF 18MNCR CH440, MM1328219	870.45kg	1322mm * 1322mm * 680mm
452.3027-002	CONCAVE EC TOPGRIP 18MNCR CH440, MM1328180	849.45kg	1322mm * 1322mm * 665mm
442.8417-02	CONCAVE F 18MNCR CH440, MM1328177	885.15kg	1322mm * 1322mm * 685mm
442.8419-02	CONCAVE M 18MNCR CH440, MM1328175	887.25kg	1322mm * 1322mm * 670mm
442.8417-03	CONCAVE F 21MNCR CH440, MM1328150	885.15kg	1322mm * 1322mm * 685mm
442.8419-03	CONCAVE M 21MNCR CH440, MM1328133	887.25kg	1322mm * 1322mm * 670mm
442.8421-03	CONCAVE C 21MNCR CH440, MM1225664	887.25kg	1322mm * 1322mm * 675mm
442.8421-01	CONCAVE C 14MNCR CH440, MM1225663	887.25kg	1322mm * 1322mm * 675mm
442.8416-03	CONCAVE EF 21MNCR CH440, MM1224755	870.45kg	1322mm * 1322mm * 680mm
442.8416-01	CONCAVE EF 14MNCR CH440, MM1224753	870.45kg	1322mm * 1322mm * 680mm
442.8417-01	CONCAVE F 14MNCR CH440, MM1224551	885.15kg	1322mm * 1322mm * 685mm
442.8419-01	CONCAVE M 14MNCR CH440, MM1223160	887.25kg	1322mm * 1322mm * 670mm
442.8420-03	CONCAVE M 21MNCR CH440, MM1223036	850.5kg	1322mm * 1322mm * 680mm
442.8420-01	CONCAVE M 14MNCR CH440, MM1223035	850.5kg	1322mm * 1322mm * 680mm
442.8418-01	CONCAVE MF 14MNCR CH440, MM1223009		
831.0016-00 N08010111	BACKING COMPOUND (10 KG)		
442.7485-01	FILLER RING MC, M, EF / H4000, N11851249		
442.7484-01 N11851248	FILLER RING MF, F / H4000		
900.1821-00 900.1821-00	PIPE 1.25 X 165" KREA SMS 1787"		
840.1074-00 7001530637	BOLT, HEXAGONAL ISO4014-M30X280-8.8-A3A		
442.7251-03 N11851223	WASHER		
442.7251-02 N11851222	WASHER		
442.7252-04 N11851227	SHIM 10MM		
442.7252-03 N11851226	SHIM 5MM		
442.7252-02 N11851225	SHIM 3MM		
442.7252-01 N11851224	SHIM 1MM www.LulanPanda.com		
442.8908-03 N11851942	HOSE 31,5/0,6 L= 210		
442.8687-01 N11851420	SCREW M6S 30x380 8.8 /H4000		
845.0284-00 704204000000	LOCK NUT M6MN M30 8 DIN985		
442.7253-01 N11851228	SLEEVE /H4000/8000		
442.7271-01 N11851233	WASHER /H4000/8000		
847.0125-00 N01626530	WASHER, PLAIN ISO7089-30-200HV-A3A		
863.0058-00 863.0058-00	CONICAL DISC SPRNG DIN2093-A90-UNPLTD		
442.8425-01	CONCAVE SUPPORT RING, N11851405		
442.8290-01 N11851385	GUIDE PIN D 40X85		
442.8114-90	CONCAVE RING EC 18MNCR CS440, MM1328191	995.4kg	

442.8098-90	CONCAVE RING LOWER C 18MNCR CS440, MM1328188	920.85kg	
452.0273-902	CONCAVE RING LOWER MC 18MNCR CS440, MM1328156	937.65kg	1328mm * 1328mm * 537mm
452.1955-902	CONCAVE RING EC, STEPPED 2 18MNCR CS440, MM1328145		
442.8114-91	CONCAVE RING EC 21MNCR CS440, MM1328140	995.4kg	
442.8098-91	CONCAVE RING LOWER C 21MNCR CS440, MM1328139	920.85kg	
452.1972-901	CONCAVE RING LOWER MC STEPPED 2 18MNCR CS440, MM1224765		
442.8098-00	CONCAVE RING LOWER C 14MNCR CS440, MM1223174	920.85kg	
452.0273-903	CONCAVE RING LOWER MC 21MNCR CS440, MM1223173		
452.0273-901	CONCAVE RING LOWER MC 14MNCR CS440, MM1223172		
442.8114-00	CONCAVE RING EC 14MNCR CS440, MM1222987	995.4kg	
452.1955-903	CONCAVE RING EC, STEPPED 2 21MNCR CS440, MM1222986		
452.1955-901	CONCAVE RING EC, STEPPED 2 14MNCR CS440, MM1222985		
442.8115-90	CONCAVE SEGMENT UPPER EC 18MNCR CS440, MM1328192	92.4kg	
442.8115-00	CONCAVE SEGMENT UPPER EC 14MNCR CS440, MM1328178	92.4kg	
442.8099-90	CONCAVE SEGMENT UPPER C 18MNCR CS440, MM1225655	112.35kg	589mm * 477mm * 330mm
442.8099-00	CONCAVE SEGMENT UPPER C 14MNCR CS440, MM1225654	112.35kg	
914.0170-00 914.0170-00	OIL LEVEL INDICATOR HCD 532-1000		
902.0746-00 902.0746-00	VALVE, CHECK NRSF-3/4R 200KPA		
912.0127-00 912.0127-00	DIFFERENTIAL PRESSURE GAUGE PIS3097/2, 2		
923.0192-00 923.0192-00	THERMOMETER IFC60 0-120 L100		
930.0237-00	COUPLING HALF D38 05-32-540		
906.0142-00 906.0142-00	SEAL SET W38-84087S		
912.0126-00 706301000000	FILTER ELEMENT, OIL PC230		
906.0387-00 906.0387-00	FAN BLADE 775-9-PPG-4ZL		
910.0067-00 910.0067-00	COOLER CELLPACKET LD056 539056		
912.0087-00 912.0087-00	DUST REMOVER DIRT TRAP SDC 1/2-0,6 MM		
902.0723-00	VALVE PRESS. RELIEF 474322 0,7MPa		
984.1008-00 984.1008-00	FLOW SWITCH 1100-LEVEL FLOW SWITCH		
930.0205-00 930.0205-00	COUPLING HE 44-100-116-801 PUMP'G UNIT		
906.0377-00 906.0377-00	PUMP, HYDRAULIC P3BAN1003CL10B01N		
906.0270-00	PUMP HPI PUMP, P3BAN2004HL10B02, 17-107-518-002		
972.0182-00 972.0182-00	MOTOR 2PETAL90-2, 2s		
919.0165-00	ACCUMULATOR EHV ACCU 24.5-330/90	73.5kg	
900.0655-00 900.0655-00	ADAPTER R3/4 X R3/4 702-12-12		
912.0128-00 912.0128-00	FILTER HEAD PI 2205-56 (-47)		
923.0379-00 923.0441-00	GAUGE, PRESSURE 100M20-2 0-10MPa/Psi		
984.0605-00 984.0605-00	IMMERSION HEATER L=545 MM 380/220V-1500W		
879.0359-00 879.0359-00	PULLEY, V-BELT 375/MGT 125 10XSPC		
869.0295-00	BUSHING 125-90		
869.0283-00	BUSHING 125-95		
869.0278-00	BUSHING 125-85		
869.0261-00	BUSHING 125-80		
869.0235-00	BUSHING 125-100		
912.0138-00 912.0138-00	FILTER, AIR PUROLATOR PI 0154		
912.0139-00 17-107-488-002	FILTER ELEMENT AIR BLOWER		
912.0113-00 912.0113-00	FILTER, AIR LUFTFILTER504-2S 5 MICRON		
902.0645-00 902.0645-00	VALVE AIR REGULATOR 216-2-8		
923.0267-00 923.0267-00	GAUGE, PRESSURE D100 0-10 MBAR R3/8		
864.0046-00 864.0046-00	DAMPER ELEMENT SAW 150B		
442.1561-01 442.1561-01	KEY		
984.1423-00 N11852165	PHOTOELECTRIC SENSOR		
452.5575-901	PINION SHAFT REPAIR KIT, N11852118		
452.5778-901	BOTTOM SHELL ARM LINER KIT, N11852117		
442.8159-90 N11851380	FEED HOPPER CONE C - RIGHT		
442.8159-90 N11851379	FEED HOPPER CONE C - LEFT		
MM1218198	MANTLE LIFTING TOOL (for Metso re-engineered mantles)		
825.0182-00	SPIDER BUSHING GREASE (18 KG)		
442.7267-00 N11851230	FEED DISTRIBUTOR RIGHT		
442.7267-90 N11851231	FEED DISTRIBUTOR LEFT		
442.7268-01 N11851232	HOLDER		
875.0276-00 N03222100	V-BELT SPC 2650		
875.0249-00 7003222190	V-BELT SPC 4500		
BG00395484	Top shell excluding concave	3255kg	
BG01116734	Spider Cap	161.7kg	
BG00579403	Pinion Shaft Housing Assembly		
BG00228120	Piston Step Bearing	28.35kg	370mm * 370mm * 155mm
BG00228541	Step Washer	25.2kg	370mm * 370mm * 146mm
BG00227004	Main Shaft Step Bearing	25.2kg	370mm * 370mm * 145mm
452.0231-001	Bottom shell		
452.5792-901	Fastener kit for concave		
BG00570208	Bottom Shell Assembly	5172.3kg	
BG00514234	Mainshaft cover CH440/CS440		
902.0747-00	VALVE 607.03 U check valve		
BG00566212	Main shaft assembly excluding mantle	2987.25kg	1940mm * 1340mm * 1400mm
442.5663-90	Check valve		
BG00566233	Main shaft Assembly including mantle	2887.5kg	
BG00296295	Mainshaft including mantle		
BG00600996	Hydraulic Pump		
BG00296337	Mainshaft assembly	3150kg	
BG00262713	MANTLE OPTIAGG - S	657.3kg	
442.7140-01	CH440/CS440 Arm shield	46.2kg	700mm * 260mm * 463mm

978.0595-00	Connection box		
923.0521-00	Power Transuder		
840.0027-00	Screw		
902.0657-00	Base plate www.LulanPanda.com		
978.0640-00	TANK MEASSURMENT UNIT		
819.0178-00	CTHS440 Hose SAE 100 R4 1 1/2" x675		
P3BAN1003CL10B01N	PUMP, HYDRAULIC		
P3BAN2004HL10B02	PUMP HPI PUMP		
825.0171-00	Grease Tribol tin		
442.1901-00	CTHS440 HOSE RETURN OIL L=1000		
452.5798-901	Locating Bar Kit		
442.7180-00	TOP SHELL EC2 H4000		
919.0244-00	Acumulador		
442.8416-01	H4000 CH440 Bowl lin		
442.8038-01	H4000 CH440 Bowl		
442.8422-01	H4800 CH440 Bowl liner	849.45kg	
442.7259-901	Main shell assembly	2919kg	
442.9665-00	MAIN SHIP POSITION SENSOR		
910.0176-01	Cooler AC 056 -60Hz-460V		
442.8422-02	H4800 CH440 Bowl liner	849.45kg	
BG01316829	Valve		
879.0636-00	Pulley		
BG00882436	Seal Kit		
869.0336-00	Taper lock		
BG00517163	Drive coupling Hydroset set		
BG00548567	Motor half coupling		
BG00548569	Pump half coupling		
BG00517161	Spider		
BG00517164	Drive coupling Lubrication set		
BG00517165	Motor half coupling		
BG00517166	Pump half couplin www.LulanPanda.com		
442.8553-902	Top shell assembly	6846kg	