

As a trusted Chinese manufacturer and sourcing partner, LulanPanda delivers high-quality industrial equipment and components at highly competitive prices. With over two decades of expertise in producing cone crushers and spare parts, we have established robust partnerships with certified factories across China, ensuring both precision engineering and cost efficiency for global clients.

Core Offerings

- Cone Crushers & Spare Parts: Specialized manufacturing since 2003, offering OEM-compliant solutions.
- Extended Product Range: Drill bits, electric lifts, and diverse industrial machinery components.
- Custom Sourcing: Leverage our nationwide supplier network to procure any Made-in-China product tailored to your specifications.

Why Partner With Us?

- ✓ Quality Assurance: Rigorous ISO-compliant production standards.
- ✓ Cost Advantage: Factory-direct pricing with no intermediaries.
- ✓ End-to-End Service: From product development to logistics support.

Let's Collaborate

Whether you require standard equipment or customized industrial solutions, our team is committed to optimizing your supply chain. Contact us today to discover how we can add value to your operations.

Sandvik CH660 Cone Crusher parts list

Part Number	Description	Weight	Packing
442.8735-00	Bottom shell	6720kg	2240mm * 2240mm * 1195mm
442.8860-00	Foot assembly		
840.0669-00	Screw M6S 24x70, 8.8, ISO 4017		
847.0124-00	Washer BRB 25x45 HB 200		
442.7201-00	Cover		
843.1267-00	Stud screw PS 12x24, 8.8		
847.0147-00	Washer BRB 13x24, 8.8, ISO 7089		
845.0030-00	Lock nut M16, 8.8, ISO 7040	0.02kg	
442.8760-00	Liner - Pin shaft arm	63kg	790mm * 455mm * 410mm
442.8759-00	Liner - Narrow arm	50.4kg	660mm * 350mm * 505mm
900.2108-00	Elbow, 4, A4, ISO 49		
442.8742-01	Bottom shell bushing, R 223.1117, 11	185.85kg	692mm * 692mm * 560mm
853.0464-00	Dowel, CP, 12m6x30, SMS 2374		
900.0921-00	T-adapter G 3/4 BxG 3/4		
900.1412-00	Pipe, R 3/4"x70 B? 1330-05		
900.0276-00	Cap Rp 3/4 Fe RSK 124 9044		
442.8741-01	Dust collar		
840.0634-00	Screw, M6S, 16x25, 8.8, ISO 4017		
442.8744-01	Spacer ring 2134-01 D640/470x1		
853.0464-00	Dowel, CP 12m6x30, SMS 2374		
840.0943-00	Screw, M6S, 16x70 H		
847.0016-00	Washer, BRB, 17x30, HB 200, ISO 7089		
442.8762-01	Locating bar	3.15kg	342mm * 120mm * 124mm
442.8809-01	Shim, t=0.1	0.11kg	342mm * 70mm * 100mm
442.8809-02	Shim, t=0.5		
442.8809-03	Shim, t=0.7		
442.8809-04	Shim, t=1.0		
841.0019-00	Screw, MC6S, 10x40, 12.9		
442.8808-01	Gasket 0.8x1180/1, R 223.1117, 11	0.12kg	1225mm * 1225mm * 101mm
442.8747-01	Seal ring - inner	2.1kg	590mm * 590mm * 115mm
840.0072-00	Screw, M6S, 16x70, 8.8, ISO 4014		
847.0060-00	Washer, TBRB, 17x42, 1370		
840.1073-00	Screw, M6S, 42x220, 8.8, ISO 4014		
845.0322-00	Nut, M6M, M42, 8, ISO 4032		
847.0171-00	Washer, BRB, 43x80, HB 200		
899.0278-00	Protective cap, M42 SW65-2-G68 black		
442.7243-01	Screw, M6S, 42x100		
899.0278-00	Protective cap, M42 SW65-2-G68 black		
442.8733-01	Eccentric	488.25kg	639mm * 639mm * 650mm
442.8824-01	Eccentric bushing, 18+20+24+28, R 223.1117, 11	231kg	
442.8825-01	Eccentric bushing, 28+32+36+40, R 223.1117, 11	219.45kg	514mm * 514mm * 638mm
442.8826-01	Eccentric bushing, 40+44+48+50, R 223.1117, 11	231kg	514mm * 514mm * 638mm
442.8729-01	Hub	294kg	1060mm * 1060mm * 244mm
442.8743-00	Ring 2134-01 D610/470x20		
840.0066-00	Screw, M6S, 16x40, 8.8, ISO 4017		
847.0016-00	Washer, BRB, 17x30, HB 200, ISO 7089		
442.9610-01	Key, R, 28x16x320		
841.0028-00	Screw, MC6S, 12x100, 12.9		
841.0025-00	Screw, MC6S, 12x50, 12.9		
847.0180-00	Washer, B12, 13x24, DIN 137		
442.8723-00	Gear and pinion set	240.87kg	1077mm * 1077mm * 213mm
442.8807-01	Key 50x28x75		
442.8761-02	Ecc. wearing plate, R 223.1117, 11	26.25kg	800mm * 800mm * 119mm
853.0646-00	Spring pin prym, N, 16x45		
442.8722-01	Hydroset cylinder	647.85kg	730mm * 730mm * 790mm
840.0672-00	Screw, M6S, 24x100, 8.8, ISO 4014		

847.0124-00	Washer, BRB, 25x45, HB 200		
442.8724-01	Hydroset cylinder bushing, R 223.1117, 11	82.95kg	595mm * 595mm * 470mm
840.0019-00	Screw, M6S, 8x12, 8.8, ISO 4017		
847.0012-00	Washer, BRB, 8.4x16, HB 200, ISO 7089		
873.1152-00	O-ring, 625x7.0, SMS 1586		
442.8758-00	PISTON ASM, Piston part no 442.8738-01	359.1kg	560mm * 560mm * 499mm
853.0119-00	Dowel, CP, 25m6x60, SMS 2374		
442.8730-01	Piston wearing plate, R 223.1117, 11	38.85kg	430mm * 430mm * 165mm
442.8731-01	Step washer, R 223.1117, 11	38.85kg	430mm * 430mm * 159mm
442.8739-00	Chevron pack ring, R 223.1117, 11	2.1kg	560mm * 560mm * 158mm
442.8725-01	Pad plate		
841.0266-00	Screw, M6S, 12x25, 8.8		
442.8726-01	Hydroset cylinder cover		
840.0674-00	Screw, M6S, 24x120, 8.8, ISO 4014		
847.0124-00	Washer, BRB, 25x45, HB 200		
902.0605-00	Air bleeder valve UV 121		
873.1153-00	O-ring, 510x5.7, SMS 1586, R 223.1117, 11		
873.1277-00	O-ring 548.0x5.7 SMS 1586, R 223.1117, 11		
442.8783-01	Plug		
873.0111-00	O-ring, 44.2x3, SMS 1586		
840.0023-00	Screw, M6S, 8x25, 8.8, ISO 4017		
847.0012-00	Washer, BRB, 8.4x16, HB 200, ISO 7089		
840.0019-00	Screw, M6S, 8x12, 8.8, ISO 4017		
442.8764-01	Pinion shaft housing	211.05kg	570mm * 530mm * 841mm
442.8803-01	Gasket, t=0.5, R 223.1117, 11		
442.8803-02	Gasket, t=0.8, R 223.1117, 11		
442.8803-03	Gasket, t=1.5, R 223.1117, 11		
442.8723-02	Pinion	240.87kg	
868.0799-00	Bearing, 22224 E/C3		
868.0806-00	Bearing, 452324 M2/W502		
442.8771-01	Spacer 150/110x41		
442.8771-01	Spacer 150/110x41		
873.0128-00	O-ring, 109.1x5.7, SMS 1586		
873.0128-00	O-ring, 109.1x5.7, SMS 1586		
873.1161-00	Oil seal ring, Typ 4 150x180x15, R 223.1117, 11		
873.1161-00	Oil seal ring, Typ 4 150x180x15, R 223.1117, 11		
442.8766-01	Plate	7.35kg	335mm * 335mm * 148mm
442.8765-01	Plate	9.45kg	380mm * 380mm * 136mm
840.0035-00	Screw, M6S, 10x25, 8.8, ISO 4017		
847.0144-00	Washer, BRB, 10.5x22, HB 200		
840.0067-00	Screw, M6S, 16x45, 8.8, ISO 4017		
847.0016-00	Washer, BRB, 17x30, HB 200, ISO 7089		
442.8775-01	Gasket 0.8x290/21, R 223.1117, 11		
442.8774-01	Gasket, T=0.5, R 223.1117, 11		
442.8774-02	Gasket, T=0.8, R 223.1117, 11	0.11kg	
853.0590-00	Spring pin, prym, N 8x28		
442.8772-01	Pinion shaft	111.3kg	175mm * 175mm * 1223mm
857.0350-00	Key, T 25x14x95, SMS 2307		
900.0022-00	Elbow, 3/4, A4, ISO 49		
900.2026-00	Magnetic plug, 0606-12		
873.0385-00	Sealing ring TREDO, 20		
442.8778-01	Plug 2142-50 D40x70		
873.0108-00	O-ring, 34.2x3, SMS 1586		
442.7578-01	Pipe 18/15x93		
855.0132-00	Retaining ring, SgA 110, SS 1581		
840.1063-00	Screw, M6S, 16x120H		
845.0009-00	Nut, M6M, M16, 8, ISO 4032		
442.8767-01	Main shaft		550mm * 2226mm * 610mm
442.8792-01	Mainshaft sleeve, R 223.1117, 11	86.1kg	390mm * 390mm * 572mm
853.0119-00	Dowel, CP, 25m6x60, SMS 2374		
442.8732-01	Main shaft step, R 223.1117, 11	39.9kg	430mm * 430mm * 150mm
855.0026-00	Retaining ring, SgA, 100, SS 1581		
442.8763-01	Head centre		1370mm * 1370mm * 730mm
442.9355-01	Mantle EF, R 223.1117 M1, 11		
442.9355-02	Mantle EF, R 223.1117 M2, 11		
831.0016-00	Casting compound (EF), R 223.1117, 11		
442.8819-01	Mantle A, R 223.1117 M1, 11	1251.6kg	
442.8819-02	Mantle A, R 223.1117 M2, 11	1251.6kg	
831.0016-00	Casting compound (A), R 223.1117, 11		
442.9760-01	Mantle HEAVY-CHOKE, R 223.1117 M1, 11	1258.95kg	1445mm * 1445mm * 810mm
442.9760-02	Mantle HEAVY-CHOKE, R 223.1117 M2, 11	1258.95kg	1445mm * 1445mm * 810mm
831.0016-00	Casting compound (HC), R 223.1117, 11		
442.8820-01	Mantle B, R 223.1117 M1, 11	1148.7kg	1448mm * 1448mm * 810mm
442.8820-02	Mantle B, R 223.1117 M2, 11	1148.7kg	1448mm * 1448mm * 810mm
831.0016-00	Casting compound (B), R 223.1117, 11		
442.9760-01	Mantle HEAVY-CHOKE, R 223.1117 M1, 11	1258.95kg	1445mm * 1445mm * 810mm
442.9760-02	Mantle HEAVY-CHOKE, R 223.1117 M2, 11	1258.95kg	1445mm * 1445mm * 810mm
831.0016-00	Casting compound (HC), R 223.1117, 11		
442.8800-01	Head nut	84kg	603mm * 603mm * 220mm
442.8791-01	Inner head nut, R 223.1117, 11	27.3kg	450mm * 450mm * 215mm
452.0269-001	Burning ring, R 223.1117, 11		581mm * 581mm * 120mm
442.8802-01	Dust seal ring, R 223.1117, 11	18.9kg	980mm * 980mm * 180mm
442.8801-01	Retaining ring	97.65kg	1160mm * 1160mm * 145mm
442.8804-01	Retainer	0.42kg	195mm * 116mm * 130mm
442.8805-01	Scraper	3.15kg	435mm * 200mm * 108mm
840.0069-00	Screw, M6S, 16x55, 8.8, ISO 4017		
840.0071-00	Screw, M6S, 16x65, 8.8, ISO 4014		

847.0016-00	Washer, BRB, 17x30, HB 200, ISO 7089		
442.9037-00	Top shell, EC2	5098.8kg	2240mm * 2240mm * 1800mm
442.8812-01	Arm shield	77.7kg	590mm * 428mm * 260mm
900.0425-00	Screw pipe coupling, GE 10-PLR		
808.0220-00	Pipe, DIN 2391/C-ST 35.4 10x1.5 L=0.9		
914.0093-00	Grease nipple, AH R 1/4		
442.8753-01	Spider cap	362.25kg	775mm * 775mm * 345mm
912.0114-00	Air filter, PI 0102, R 1/4		
912.0155-00	Filter cartridge 852514 Mic, R 223.1117, 11		
900.0169-00	Nipple, 1/4, N8, ISO 49		
900.0002-00	Elbow, 1/4, A1, ISO 49		
873.1160-00	O-ring, 529.3x5.7, SMS 1586, R 223.1117, 11	0.04kg	581mm * 581mm * 106mm
840.0650-00	Screw, M6S, 20x65, 8.8, ISO 4017		
847.0165-00	Washer, TBRB, 21x36, 1370		
442.8754-01	Spider bushing, R 223.1117, 11	91.35kg	570mm * 570mm * 308mm
840.0652-00	Screw, M6S, 20x90, 8.8, ISO 4014		
847.0132-00	Washer, BRB, 21x36, HB 200		
442.8755-01	Spider bushing oil seal ring, R 223.1117, 11	1.58kg	465mm * 465mm * 128mm
900.0981-00	Plug, BSPT 1, INSEX		
442.9356-01	Concave ring, EF, R 223.1117, EF M1, 11		
442.9356-02	Concave ring, EF, R 223.1117, EF M2, 11		
831.0016-00	Casting compound (EF), R 223.1117, 11		
442.9415-00	Wear plate, EF		
442.8818-01	Concave ring, F, R 223.1117, 11	1230.6kg	1617mm * 1617mm * 762mm
442.8818-02	Concave ring, F, R 223.1117, 11	1230.6kg	1617mm * 1617mm * 762mm
831.0016-00	Casting compound, (F), R 223.1117, 11		
442.8817-01	Concave ring, MF, R 223.1117, 11	1283.1kg	1479mm * 1479mm * 810mm
442.8817-02	Concave ring, MF, R 223.1117, MF M2, 11	1283.1kg	1479mm * 1479mm * 810mm
831.0016-00	Casting compound, (MF), R 223.1117, 11		
442.8863-01	Filler ring, MF, (F, MF)		
831.0016-00	Casting compound (MF), R 223.1117, 11		
840.1074-00	Screw, M6S, 30x280, 8.8, ISO 4014		
442.8881-01	Washer		
442.7252-01	Shim, t=1		
442.7252-02	Shim, t=3		
442.7252-03	Shim, t=5		
442.7252-04	Shim, t=10		
442.8908-01	Hose 31.5-0.6 SS 248225		
442.8816-01	Concave ring, M, R 223.1117, M M1, 11	1356.6kg	
442.8816-02	Concave ring, M, R 223.1117, 11	1356.6kg	
831.0016-00	Casting compound, (M), R 223.1117, 11		
442.8815-01	Concave ring, MC, R 223.1117, 11	1386kg	
442.8815-02	Concave ring, MC, R 223.1117, MC M2, 11	1386kg	
831.0016-00	Casting compound, (MC), R 223.1117, 11		
442.8823-01	Filler ring, MC, (M, MC)		
831.0016-00	Casting compound (MC), R 223.1117, 11		
840.1074-00	Screw, M6S, 30x280, 8.8, ISO 4014		
442.8881-01	Washer		
442.7252-01	Shim, t=1		
442.7252-02	Shim, t=3		
442.7252-03	Shim, t=5		
442.7252-04	Shim, t=10		
442.8908-01	Hose 31.5-0.6, SS 248225		
442.8814-01	Concave ring, C, R 223.1117, C M1, 11	1267.35kg	1617mm * 1617mm * 755mm
442.8814-02	Concave ring, C, R 223.1117, 11		
831.0016-00	Casting compound (C), R 223.1117, 11		
442.9230-01	Concave ring, CX, R 223.1117, 11	1457.4kg	1617mm * 1617mm * 755mm
442.9230-02	Concave ring, CX, R 223.1117, CX M2, 11	1457.4kg	1617mm * 1617mm * 755mm
831.0016-00	Casting compound (CX), R 223.1117, 11		
442.8813-01	Concave ring, EC, R 223.1117, 11		1617mm * 1617mm * 736mm
442.8813-02	Concave ring, EC, R 223.1117, 11	1337.7kg	1617mm * 1617mm * 736mm
831.0016-00	Casting compound (EC), R 223.1117, 11		
840.1075-00	Screw, M6S, 30x380, 8.8, ISO 4014, R 223.1117, 11		
845.0284-00	Lock nut, M30, 8, DIN 985, R 223.1117, 11		
442.7253-01	Sleeve, R 223.1117, 11		
442.7271-01	Washer, R 223.1117, 11		
863.0058-00	Disc spring, 90x46x5, R 223.1117, 11		
442.8793-01	Support ring	185.85kg	1765mm * 1765mm * 155mm
442.8290-01	Dowel		
442.9040-01	Wearing plate HB 360-440 16x741x374		
442.9041-01	Wearing plate HB 360-440 16x617x380	15.54kg	
442.9042-01	Wearing plate HB 360-440 16x604x454		
442.9043-01	Wearing plate HB 360-440 16x603x454	34.34kg	641mm * 494mm * 116mm
804.0004-00	Rod 1312-00, 4-kt 12, L=60		
847.0059-00	Washer TBRB 13.5x36		
840.0049-00	Screw M6S 12x40, 8.8, ISO 4014		
442.9044-00	Feed hopper		
840.0070-00	Screw, M6S, 16x60, 8.8, ISO 4017		
847.0003-00	Washer, UB-18, SMS 93		
847.0016-00	Washer BRB 17x30 HB 200, ISO 7089		
845.0009-00	Nut, M6M, M16, 8, ISO 4032		
442.8853-01	Bracket 1312-00 L 70x70x7x1780		
840.0065-00	Screw, M6S, 16x35, 8.8, ISO 4017		
847.0016-00	Washer, BRB, 17x30 HB 200, ISO 7089		
845.0009-00	Nut, M6M, M16, 8, ISO 4032		
442.5621-00	Feed distributor, RH		
442.5621-90	Feed distributor, LH		

442.9044-00	Feed hopper, MC		
840.0070-00	Screw, M6S, 16x60, 8.8, ISO 4017		
847.0003-00	Washer, UB-18, SMS 93		
847.0016-00	Washer, BRB 17x30, HB 200, ISO 7089		
845.0009-00	Nut, MGM, M16, 8, ISO 4032		
442.9045-00	Part of cone, left, EC, CX	98.7kg	1319mm * 626mm * 116mm
442.9045-90	Part of cone, right, EC, CX	98.7kg	1319mm * 626mm * 116mm
442.9046-00	Part of cone, left, C		
442.9046-90	Part of cone, right, C		
442.9047-00	Part of cone, left, MC		
442.9047-90	Part of cone, right, MC		
442.9044-90	Feed hopper, C, EC		
864.0066-00	Rubber compression mounting SAW 300 A		
840.1135-00	Screw M6S 20x35, 8.8, ISO 4017		
847.0132-00	Washer BRB 21x36 HB 200		
442.5904-01	Fixing plate 2134-01 25x310x310, Variant -00		
840.0078-00	Screw M6S 20x60, 8.8, ISO 4017		
845.0203-00	Lock nut M20, 8, ISO 7040		
864.0080-00	Rubber compression mounting SAW 150 A		
442.9833-01	Fixing plate, Variant -00		
840.0049-00	Screw M6S 12x50, 8.8, ISO 4014		
840.0044-00	Screw M6S 12x25, 8.8, ISO 4017		
847.0147-00	Washer BRB 13x24 HB 200, ISO 7089		
845.0030-00	Lock nut M12, 8, ISO 7040	0.02kg	
845.0273-00	Lock nut M36, 8, DIN 985		
847.0162-00	Washer BRB 37x66 HB 200, ISO 7089		
442.9781-00	Top plate		
864.0066-00	Rubber compression mounting SAW 300 A		
840.1135-00	Screw M6S 20x35, 8.8, ISO 4017		
847.0132-00	Washer BRB, 21x36 HB 200		
442.5904-01	Fixing plate 2134-01 25x310x310		
840.1169-00	Screw M6S 20x30, 8.8, ISO 4017		
919.0174-00	Accumulator, 20 L, 4.2 MPa, R 223.1112, 8		
442.8777-00	Check valve, R 223.1111, 7	23.1kg	
900.0964-00	Adapter G 3/4 BxG 3/4		
900.2265-00	Plug, VSTI-R 3/4"-ED		
873.0385-00	Seal ring TREDO, 20		
873.0390-00	Seal ring TREDO, 30		
900.0659-00	Adapter, G 2BxG 2 B		
840.0076-00	Screw, M6S, 20x40, 8.8, ISO 4017	0.21kg	
452.0441-01	Clamp		
452.0440-01	Accumulator Support		
840.0048-00	Screw M6S 12x45, 8.8, ISO 4017		
847.0059-00	Washer, TBRBSB, 13.5x36 1370		
840.0650-00	Screw, M6S 20x65, 8.8, Fzb, ISO 4017		
847.0132-00	Washer BRB 21x36, HB200		
650.0286-01	Hose, SAE 100 R10 R2x1480		
650.0286-02	Hose, SAE 100 R10 R2x1480		
442.8779-00	Hose guard HB 360-440		
442.8933-00	Bracket		
840.0047-00	Screw M6S M12x40, 8.8, ISO 4017		
847.0147-00	Washer BRB 13x24 HB 200, ISO 7089		
845.0030-00	Lock nut M12, 8, ISO 7040	0.02kg	
442.8934-00	Wearing liner		
442.8934-90	Wearing liner		
840.0065-00	Screw M6S M16x35, 8.8, ISO 4017		
840.0016-00	Washer BRB 17x30 HB 200, ISO 7089		
900.2041-00	Elbow adapter G 3/4 BxG 3/4		
847.0059-00	Washer TBRBSB 13.5x36, 1370		
442.8776-01	Flange 2142-50, D 195x88		
442.6407-01	Seat 2541-03, D 128/68x10		
442.6403-01	Valve 2244-05, D 78x78		
127.0004-30	Compression spring, 114.3x11.4x62		
442.6406-01	Body 2172-03, D 125/100x52		
873.0130-00	O-ring, 114.3x11.4x3 SMS 1586		
442.6405-01	Valve guide 114.3x11.4x125/20x46.5		
442.6402-01	Flange 2142-50, D 195/R2x64		
840.0532-00	Screw, M6S, 20x110, 8.8, ISO 4014		
919.0143-00	Protection plug, R 2 utv. M-60.0		
919.0070-00	Protection plug, R 3/4, utv.		
919.0174-00	Accumulator, complete, 20 L 4.2 MPa		
919.0170-00	Bladder complete 20 l, For acc. without CE mark		
919.0205-00	Bladder complete 20 l, CE, For acc. with CE mark		
919.0173-00	Fluidport complete		
919.0125-00	Charging equipment CGH-300, Option		
900.0275-00	Sleeve, Rp 3/4 Fe		
900.1424-00	Hose fitting R 3/4		
900.1358-00	Hose clip 28, SMS 2298		
819.0187-00	Hose PVC TR 10070-590612 L=5 m		
900.0054-00	Tee 3/4"x3/8", B1, ISO 49		
900.0209-00	Plug R 3/8", T8, ISO 49		
442.9325-00	Over pressure fan, Variant - 00		
912.0138-00	Airfilter Purolator PI 0154 Mic, Variant - 00		
912.0139-00	Filter cartridge 852516 Mic, Variant - 00		
900.0108-00	Sleeve 1"x3/4", M2, ISO 49, Variant - 00		
900.0180-00	Nipple R 1/2"x1/4", N8, ISO 49, Variant - 90		
912.0113-00	Airfilter 504-2s 5 micron, Variant - 90		

900.0169-00	Nipple 1/4", N8, ISO 49, Variant - 90		
902.0645-00	Air regulator 216-2-8, Variant - 90		
900.0182-00	Nipple 3/4"x1/4", N8, ISO 49, Variant - 90		
900.0054-00	Tee 3/4"x3/8", B1, ISO 49, Variant - 90		
900.0269-00	Nipple pipe R 3/4 Fe, Variant - 90		
923.0267-00	Pressure gauge 2060 D100; 0-1000Pa R 3/8"		
879.0497-00	V-belt pulley 500 MGT125 12xSPC	141.75kg	
869.0286-00	Bushing MGT Nr 125, Di 110		
857.0336-00	Key T 28x16x110, SMS 2307		
442.8788-01	Distance 2172-03 D 124.5/110.5	1.89kg	
442.8787-01	Washer 2142-50 D 124.5/18x15	1.47kg	
847.0016-00	Washer BRB 17x30 HB 200, ISO 7089		
840.0066-00	Screw M6S 16x40, 8.8, ISO 4017		
879.0499-00	V-belt pulley 400 MGT125 12xSPC		
869.0261-00	Bushing MGT Nr 125, Di 80, According to order		
869.0278-00	Bushing MGT Nr 125, Di 85, According to order		
869.0295-00	Bushing MGT Nr 125, Di 90, According to order		
869.0283-00	Bushing MGT Nr 125, Di 95		
869.0235-00	Bushing MGT Nr 125, Di 100		
875.0269-00	V-belt SPC 3000, Standard C-C = 792 According to order		
869.0330-00	Bushing QD N110 mm, Di 110		
857.0356-00	Key T 28x16x140, SMS 2307		
442.8787-01	Washer 2142-50 D 124.5/18x15		
847.0016-00	Washer BRB 17x30 HB 200, ISO 7089		
840.0066-00	Screw M6S 16x40, 8.8, ISO 4017		
879.0618-00	V-belt pulley QD Dy22.4" 12x8V		
869.0338-00	Bushing QD M3-38, Di 3 3/8, See order		
869.0339-00	Bushing QD M3-58, Di 3 5/8, According to order		
869.0333-00	Bushing QD M3-78, Di 3 7/8, According to order		
879.0626-00	V-belt pulley QD Dy15" 12x8V		
875.0364-00	V-belt 8V 1400, Standard C-C = 1036 According to order		
442.8792-01	Main shaft sleeve		
442.8819-01	Mantle A, C, EC, M1		
442.8819-02	Mantle A, C, EC, M2		
442.8820-01	Mantle B, F, MF, M, MC, C, EC, M1	1148.7kg	
442.8820-02	Mantle B, F, MF, M, MC, C, EC, M2	1148.7kg	
442.9355-01	Mantle EF, EF, M1		
442.9355-02	Mantle EF, EF, M2		
442.9760-01	Mantle HEAVY-CHOKE, F, MF, M, MC, C, EC, M1	1258.95kg	1445mm * 1445mm * 810mm
442.9760-02	Mantle HEAVY-CHOKE, F, MF, M, MC, C, EC, M2	1258.95kg	1445mm * 1445mm * 810mm
442.8800-00	Head nut with bushing	87.15kg	
452.0269-001	Burning bushing		
442.8754-01	Spindle bushing		
442.9356-01	Concave ring EF, EF M1		
442.9356-02	Concave ring EF, EF M2		
442.8818-01	Concave ring F, F M1		
442.8818-02	Concave ring F, F M2		
442.8817-01	Concave ring MF, MF M1	1283.1kg	1479mm * 1479mm * 810mm
442.8817-02	Concave ring MF, MF M2	1283.1kg	1479mm * 1479mm * 810mm
442.8816-01	Concave ring M, M M1		
442.8816-02	Concave ring M, M M2		
442.8815-01	Concave ring MC, MC M1	1386kg	
442.8815-02	Concave ring MC, MC M2	1386kg	
442.8814-01	Concave ring C, C M1		
442.8814-02	Concave ring C, C M2	1267.35kg	1617mm * 1617mm * 755mm
442.9230-01	Concave ring CX, CX M1		
442.9230-02	Concave ring CX, CX M2		
442.8813-01	Concave ring EC, EC M1		
442.8813-02	Concave ring EC, EC M2		
831.0016-00	Casting compound		
442.8742-01	Bushing - bottom shell	185.85kg	
442.8808-01	Gasket 0.8x1180/1		
442.8824-01	Eccentric bushing, 18+20+24+28		
442.8825-01	Eccentric bushing, 28+32+36+40	219.45kg	
442.8826-01	Eccentric bushing, 40+44+48+50	231kg	
442.8761-02	Wearing plate	26.25kg	
442.8724-01	Hydroset cylinder bushing		
442.8730-01	Piston wearing plate	37.8kg	
442.8731-01	Step washer		
442.8739-00	Hydroset packing		
873.1153-00	O-ring 510x5.7, SMS 1586		
873.1277-00	O-ring 548.0x5.7 SMS 1586		
442.8803-01	Gasket, t=0.5		
442.8803-02	Gasket, t=0.8		
442.8803-03	Gasket, t=1.5		
873.1161-00	Seal ring Typ 4, 150x180x15		
873.1161-00	Seal ring Typ 4, 150x180x15		
442.8775-01	Gasket 0.8x290/21		
442.8774-01	Gasket, t=0.5		
442.8774-02	Gasket, t=0.8		
442.8732-01	Main shaft step	39.9kg	
442.8791-01	Head nut - inner		
442.8802-01	Dust seal ring		
912.0155-00	Filter cartridge 852 514 Mic		
873.1160-00	O-ring, 529.3x5.7, SMS 1586		
442.8755-01	Oil seal ring		
840.1075-00	Screw, M6S, 30x380, 8.8, ISO 4014		

845.0284-00	Lock nut, M30, 8, DIN 985		
442.7253-01	Sleeve		
442.7271-01	Washer		
863.0058-00	Disc spring, 90x46x5		
442.8879-00	Lifting tool, Eccentric bushing		
442.8880-00	Lifting tool, Bottom shell bushing		
843.1511-00	Lowering rod with nut M24x750, Removal of piston		
845.0012-00	Nut M6M M24 8, Lowering rod M24x750		
442.7284-00	Lowering rod, M16x600, Removal main shaft step		
442.9996-00	Piston stop plate, Holding piston		
840.0542-00	Screw M6S 24x75, For piston stop plate		
442.7282-01	Eye bolt, Remove plate, piston		
899.0157-00	Eye bolt LT, M48, Mainshaft		
899.0160-00	Eye bolt LT M20, Spider bushing		
899.0147-00	Eye bolt LT, M16, Dust collar, piston		
899.0155-00	Eye bolt LT, M12, Bottom shell bush, ecc. bushing		
899.0244-00	Eye bolt LT, M8, Main shaft sleeve		
920.0110-00	Ring spanner striking NV 65 mm, Screw & Nut M42		
920.0151-00	Ring spanner striking NV 36 mm, Screw M6S 24		
920.0131-00	U-ring spanner NV 46 mm, Screw & Nut M30		
920.0135-00	U-ring spanner NV 36 mm, Screw & Nut M24		
920.0134-00	U-ring spanner NV 30 mm, Screw & Nut M20		
920.0022-00	U-ring spanner NV 24 mm, Screw & Nut M16		
920.0245-00	U-ring spanner NV 19 mm, Screw & Nut M10		
920.0186-00	U-ring spanner NV 13 mm, Screw & Nut M8		
920.0041-00	Socket screw key, NV 17, Screw MC6S 20		
920.0038-00	Socket screw key, NV 10, Screw MC6S 12		
920.0037-00	Socket screw key, NV 8, Screw MC6S 10		
920.0035-00	Socket screw key, NV 5, Air bleeder valve		
920.0032-00	Socket screw key, NV 5/8", Plug Spider Cap		
442.0800-91	Chunk of lead, Check of close side setting		
923.0422-00	Feeler gauge 0.05-1 mm, L=300		
452.3765-001	Bottom shell	6953.1kg	2240mm * 2240mm * 1195mm
452.3760-901	Top shell		2240mm * 2240mm * 1300mm
BG00565178 N11852352	BOTTOM SHELL CH/CS660 5-ARMS W/RUBBER LINING	8711.85kg	
BG00565215	BOTTOM SHELL CH/CS660 5-ARMS W/STEEL LINING, N11852072		
442.8735-00 N11851843	BOTTOM SHELL H/S6000 3-ARMS		
452.3765-001 N11852487	BOTTOM SHELL BARE 5-ARMS CH/CS660		
442.8860-00 N11851844	FOOT ASSEMBLY		
840.0669-00 7001530521	SCREW, HEXAGONAL ISO4017-M24X70-8.8-A3A		
847.0124-00 847.0124-00	WASHER BRFB 25X45 T=4 mm		
842.0013-00 MM0479658	SCREW, SET, HEXAGON SOCKET, CUP POINT ISO4029-M12X50-45H-A3R		
442.7201-00 N11851782	COVER		
843.1267-00 65-965-002-009	STUD, DOUBLE END DIN938-M12X45-5.8-UNPLTD		
847.0147-00 00921305012S	WASHER, PLAIN ISO7089-12-200HV-A3A		
845.0030-00 704204000000	NUT, HEXAGONAL, TORQUE ISO7040-M12-8-A3A		
442.8760-00 MM1224536	PINIONSHAFT ARMLNR 14MNCR CH/CS660 (3-armed)		
452.5222-001	PINIONSHAFT ARMLNR CH660:2 (x1 for 5-armed), BG00277273, MM1222981	103.95kg	1018mm * 965mm * 555mm
442.8759-00	NARROW ARM LINER 14MNCR CH/CS660 (3-armed), MM1224537		
452.5227-001	NARROW ARM LINER CH660:2 (x4 for 5-armed), MM1222984	94.5kg	591mm * 580mm * 361mm
900.2108-00 900.2108-00	ELBOW R4 ISO49 A4"		
442.8742-01	BOTTOMSHELL BUSHING H/S6000, N11851439		
853.0464-00 853.0464-00	PIN CP 12M6x30 SMS 2374		
900.0921-00 900.0921-00	TEE ADAPTER G 3/4 B x G 3/4		
900.1412-00 900.1412-00	PIPE 3/4 X 70		
900.0276-00 900.0276-00	PROTECTION CAP		
452.7282-901	WEAR LINER KIT, HB400 W/FASTENERS BTM-SHELL 5-ARM, N11852214		
442.9039-00 N11851829	BOTTOM SHELL LINER KIT 3-ARMS		
891.1772-901	RUBBER LINER ASSEMBLY BOTTOMSHELL, Wear Protection Kit, 5-ARM CH/CS660, N11852488	210kg	
452.4129-001 N11852191	DUST COLLAR KIT		
442.8741-01	DUST COLLAR 452.4151, N11851438	291.9kg	1225mm * 1225mm * 545mm
840.0634-00	BOLT ISO4014 M16X25 8.8-A3F		
442.8744-01 N11851830	RING H/S6000		
853.0464-00 853.0464-00	PIN CP 12M6x30 SMS 2374		
840.1281-00 7001530325	SCREW, HEXAGONAL ISO4017-M16X80-8.8-A3A		
847.0016-00 212803	SMS-L ACC Washer BRB 3x17/30		
442.8762-01 N11851447	LOCATING BAR H/S6000		
442.8809-04 N11851485	SHIM T=1.0 H/S6000		
442.8809-03 N11851484	SHIM T=0.7 H/S6000		
442.8809-02 N11851483	SHIM T=0.5 H/S6000		
442.8809-01 N11851482	SHIM T=0.1 H/S6000		
841.0019-00 2878650	SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M10X40-8.8-A3F		
442.8808-01 N11851481	GASKET /H6000		
442.8747-01 N11851441	SEAL RING INNER H/S6000		
840.0072-00 N01530321	BOLT, HEXAGONAL ISO4014-M16X70-8.8-A3A		
847.0060-00 SA951189	WASHER, PLAIN SMS1466-17X42X8-ST-FZB		
840.1073-00 840.1073-00	BOLT, HEXAGONAL ISO4014-M42X220-8.8-A3F		
845.0322-00 7001563042	NUT, HEXAGONAL ISO4032-M42-8-A3A		
847.0171-00 847.0171-00	WASHER, PLAIN SS70-BRFB-43X80-200HV-FZB		
899.0278-00 899.0278-00	PROTECTION CAP M42 SW65-2-G68		
442.9530-01 MM0475479	SCREW, HEXAGONAL ISO4017-M42X100-10.9-UNPLTD		
899.0278-00 899.0278-00	PROTECTION CAP M42 SW65-2-G68		
442.8973-01 N11851512	ECCENTRIC /S6000/CS660		
442.8733-01 N11851436	ECCENTRIC /H6000/CH660		
442.9033-01 N11851516	ECCENTRIC BUSHING 20+25+30+35+40 /S6800/CS660	228.9kg	

442.8826-01	ECCENTRIC BUSHING 40+44+48+50 /H6000, N11851488	231kg	514mm * 514mm * 638mm
442.8825-01 N11851487	ECCENTRIC BUSHING 28+32+36+40 /H6000	219.45kg	
442.8824-01 N11851486	ECCENTRIC BUSHING 18+20+24+28 /H6000		
442.8729-001 N11851432	HUB H/S6000		
442.8743-00 N11851440	RING H/S6000		
840.0066-00 7001530310	BOLT, HEXAGONAL ISO4014-M16X40-8.8-A3F		
847.0016-00 212803	SMS-L ACC Washer BRB 3x17/30		
442.9610-01 N11851657	KEY R 28X16X320, H/S6000		
841.0025-00 7001540191	SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M12X50-12.9-UNPLTD		
841.0028-00 N01540200	SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M12X100-12.9-UNPLTD		
847.0180-00 1003064476	WASHER, LOCK, HELICAL SPRING, REGULAR		
442.8723-00	GEAR SET CPL H/S6000, N11851428	240.87kg	
442.8807-01 N11851480	KEY		
442.8761-01	ECCENTRIC WEARING PLATE H/S6000, N11851446	26.25kg	800mm * 800mm * 119mm
853.0646-00 853.0646-00	PIN PRYM N 16X45		
847.0059-00 847.0059-00	WASHER TBRB 13.5X36 1370		
442.8722-01 N11851831	MPS CYLINDER HOUSING		
840.0672-00 N01530528	BOLT, HEXAGONAL ISO4014-M24X100-8.8-A3A		
847.0124-00 847.0124-00	WASHER BRFB 25X45 T=4 mm		
442.8724-01 N11851429	MPS CYL BUSHING H/S6000		
840.0019-00 7001530094	SCREW, HEXAGONAL ISO4017-M8X25-8.8-A3A		
847.0012-00 SA951124	WASHER, PLAIN ISO7089-8-200HV-TZN		
873.1152-00 873.1152-00	O-RING 625 SMS1587		
442.8758-00 N11851832	PISTON ASSEMBLY CH660/CS660		
853.0119-00 853.0119-00	PARALLEL SHIM 52374-25-M6X60-E295		
BG00259473	STEP BEARING SET (260/2280/4075) LAPPED, N11852120	127.05kg	430mm * 430mm * 274mm
442.8730-01 N11851433	PISTON WEARING PLATE	37.8kg	
442.8731-01 N11851434	STEP WASHER		
442.8739-00 N11851437	CHEVRON PACKING		
900.1933-00 900.1933-00	PLUG VSTI-ED, VSTI R1 1/2, 7580208		
442.8725-01 N11851430	MPS CLAMP PLATE PACKING H/S6000		
841.0266-00 704104000000	SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M12X25-8.8-A3A		
442.8726-01 N11851431	CYLINDER COVER H/S6000		
840.0674-00 MM0419711	SCREW, HEXAGONAL ISO4017-M24X120-8.8-A3A		
847.0124-00 847.0124-00	WASHER BRFB 25X45 T=4 mm		
902.0605-00 902.0605-00	VALVE AIR BLEEDER UV 121		
873.1153-00 873.1153-00	O-RING 510 X5.7 SMS1587 (FOR OLDER COVER 442.8726-01)		
873.0838-00 873.0838-00	O-RING SMS1586-499.30X5.70-NBR70 (FOR NEWER COVER 452.4865-001)		
873.1277-00 873.1277-00	O-RING 548.0X5.7 SMS 1586 CH/CS660		
442.8783-01 N11851770	PLUG		
873.0111-00 65-751-532-026	O-RING SMS1586-44.20X3.00-NBR70		
840.0023-00 N01530104	SCREW, HEXAGONAL ISO4017-M8X25-8.8-A3A		
847.0012-00 SA951124	WASHER, PLAIN ISO7089-8-200HV-TZN		
840.0019-00 7001530094	SCREW, HEXAGONAL ISO4017-M8X12-8.8-A3A		
984.0623-00	TRANSDUCER PROBE		
442.8847-901/BG00598827 N11851950	PINION SHAFT HOUSING ASSY H/S6000		
442.8764-01 N11851449	PINION SHAFT HOUSING BARE H/S6000		
442.8803-03 N11851477	GASKET T=1.5 H/S6000		
442.8803-02 N11851476	GASKET T=0.8 H/S6000		
442.8803-01 N11851475	GASKET T=0.5 H/S6000		
868.0799-00 MM0301431	SPHERICAL ROLLER BEARING 22224 E/C3		
868.0806-00 868.0806-00	SPHERIC BEARING 452324 M2/W502, 8		
442.8771-01 N11851453	SPACER RING H/S6000		
442.8771-01 N11851453	SPACER RING H/S6000		
873.0128-00 873.0128-00	O-RING 109.1X5.7 SMS1586		
873.0128-00 873.0128-00	O-RING 109.1X5.7 SMS1586		
873.1161-00 873.1161-00	SEAL RING 150x180x15 ISO 6194-1		
873.1161-00 873.1161-00	SEAL RING 150x180x15 ISO 6194-1		
442.8766-01 N11851451	BRNG COVER INNER H/S6000		
442.8765-01 N11851450	BRNG COVER OUTER H/S6000		
840.0035-00 N01530136	SCREW M6S 10X25 8.8 ISO4017		
847.0144-00 SA951126	WASHER ISO7089-10-200HV-FZB		
840.0067-00 7001530309	SCREW M6S 16X45 8.8 ISO4017		
847.0120-00 847.0120-00	WASHER TBRB 17X30		
442.8775-01 N11851457	GASKET T=0.8 /H6000		
442.8774-02 N11851456	GASKET T=0.8 /H6000		
442.8774-01 N11851455	GASKET T=0.5 /H6000		
853.0590-00 853.0590-00	PIN, SPRING, SLOTTED, HEAVY DUTY ISO8752-8X28-ST-ZNPH		
442.8772-01	PINION SHAFT H/S6000, N11851454		
857.0350-00 857.0350-00	KEY T 25X14X95		
857.0336-00 857.0336-00	KEY T 28X16X110 SMS 2307		
900.0022-00 65-711-379-005	ELBOW ISO49-A4-3/4-FE-A		
900.2026-00 900.2026-00	MAGNETIC PLUG 3/4		
873.0385-00 873.0385-00	RING, SEAL TREDO NR 20		
442.8778-01 N11851459	PLUG OIL LEVEL /H6000		
873.0108-00 873.0108-00	O-RING SMS1586-34.20X3.00-NBR70		
442.7578-01 N11851270	PIPE		
855.0132-00 704101000000	RETAING RING SGA 110 SS1581		
442.8787-01 N11851461	WASHER		
442.8788-01 N11851462	SPACER		
442.8788-01 N11851462	SPACER		
840.0066-00 7001530310	BOLT, HEXAGONAL ISO4014-M16X40-8.8-A3F		
847.0016-00 212803	SMS-L ACC Washer BRB 3x17/30		
840.1063-00 7001530331	SCREW, HEXAGONAL ISO4017-M16X120-8.8-A3A		
845.0009-00 N01563016	NUT, HEXAGONAL ISO4032-M16-8-A3A		
452.4222-901	MAIN SHAFT ASSEMBLY S6000, 452.1700-901/452.1640-901 N11852162		
442.8848-901 /452.3272-901 N11851912	MAIN SHAFT ASSEMBLY H6000		

442.8971-01 N11851511	MAIN SHAFT S6000 / USE ASSY N11852162		
442.8767-01 N11851452	MAIN SHAFT H6000 / USE ASSY N11851912		
BG00325390	MAIN SHAFT SLEEVE TAPERED CH/CS660 / H6000 U.S.A., N11852099	86.1kg	
442.8792-01	MAIN SHAFT SLEEVE N11851464		
853.0119-00 853.0119-00	PIN CP 25mm SMS2374		
442.8732-01 N11851435	MAIN SHAFT STEP	39.9kg	
855.0026-00 N01602100	RING, RETAINING INTERNAL DIN471-100X3-ST-ZNPH		
442.8974-01 N11851513	HEAD S6000 / USE ASSY		
442.8763-01 N11851448	HEAD H6000 / USE ASSY N11851912		
442.8819-03	MANTLE A 21MNCR CH660, MM1328297		
442.9760-02	MANTLE HC 18MNCR CH660, MM1328227	1258.95kg	1445mm * 1445mm * 810mm
442.8820-02	MANTLE B 18MNCR CH660, MM1328204		
442.8821-02	MANTLE D 18MNCR CH660, MM1328193	1214.85kg	1463mm * 1463mm * 810mm
442.8819-02	MANTLE A 18MNCR CH660, MM1328184	1260kg	1479mm * 1479mm * 810mm
442.8820-03	MANTLE B 18MNCR CH660, MM1328142		1448mm * 1448mm * 810mm
452.1543-003	MANTLE D SPECIAL 21MNCR CH660, MM1225429		
442.9760-03	MANTLE HC 21MNCR CH660, MM1224576	1258.95kg	1445mm * 1445mm * 810mm
442.9760-01	MANTLE HC 14MNCR CH660, MM1224575	1258.95kg	1445mm * 1445mm * 810mm
442.8819-01	MANTLE A 14MNCR CH660, MM1224555		
442.8820-01	MANTLE B 14MNCR CH660, MM1224519		
442.8821-03	MANTLE D 21MNCR CH660, MM1224290	1214.85kg	1463mm * 1463mm * 810mm
442.8821-01	MANTLE D 14MNCR CH660, MM1224289	1214.85kg	1463mm * 1463mm * 810mm
442.8983-03	MANTLE B 21MNCR CS660, MM1222976	2010.75kg	1333mm * 1333mm * 1353mm
442.8983-02	MANTLE B 18MNCR CS660, MM1222975		
442.8983-01	MANTLE B 14MNCR CS660, MM1222974		
442.8800-00	HEAD NUT WITH RING, N11851472		
442.8791-01	HEAD NUT INNER, N11851463		
452.0269-001 442.6427-01	BURNING RING H51/ H6000		
442.8802-01	DUST SEAL RING, N11851474		
442.8801-01 N11851473	RET RING H/S 6000		
442.8804-01 N11851478	RETAINER H/S6000		
442.8805-01 N11851479	SCRAPER H/S6000		
840.0069-00 704201000000	SCREW M6S 16X55 8.8 ISO4017		
840.0071-00 04-115639	SCREW, HEXAGONAL ISO4017-M16X65-8.8-UNPLTD		
847.0016-00 212803	SMS-L ACC Washer BRB 3x17/30		
N11852213	TOPSHELL PACKAGE, CH660, STD SPIDER BUSHING / XT750 CONCAVE		
N11852212	TOPSHELL PACKAGE, CH660, ENHANCED SPIDER BUSHING / XT750 CONCAVE		
N11852211	TOPSHELL PACKAGE, CH660, ENHANCED SPIDER BUSHING / XT710 CONCAVE		
BG00395290	TOPSHELL PACKAGE, CH660, STD SPIDER BUSHING / XT710 CONCAVE, N11852189		
BG00395488	TOP SHELL ASSY / RAISED ARMS CH660 (NEW STYLE), N11852331	5181.75kg	2240mm * 2240mm * 1300mm
442.9037-00 N11851517	TOP SHELL EC2 (OLD STYLE)		
452.5837-901	TOP SHELL W/O SPIDER S6800/CS660, N11851510		
452.3760-901 N11852387	TOP SHELL (BARE MACHINING) WITH RAISED ARMS		
442.8975-01	SPIDER RIM LINER (x12) /S6800/CS660, N11851739	66.15kg	491mm * 391mm * 358mm
853.0983-00 MM0461945	PIN 2172-00 D40X40 /S6800		
442.8976-01 N11851740	SPIDER ARM SHIELD /S6800/CS660	577.5kg	
442.8812-01 MM1224234	SPIDER ARM SHIELD 14MNCR CH660		
900.0425-00 900.0425-00	PIPE COUPLING		
900.1262-00 65-965-021-001	ADAPTER, ELBOW NIPPLE 90 DEG 1/4 IN. STR. FEMALE TO TAPERED MALE (FOR S-MODEL)		
900.1030-00 900.1030-00	REDUCER RI-08-04 1/2"-1/4 (FOR S-MODEL)		
452.4153-001 N11852389	PIPE, STEEL DIN 2391/C-ST 35, 4, 10X1, 5		
650.0086-19 650.0086-19	HOSE SAE 100 RIAT RI1/4 X 1100 (FOR S-MODEL)		
914.0093-00 914.0093-00	NIPPLE, LUBRICATING AH KR1/4		
900.1030-00 900.1030-00	REDUCER RI-08-04 1/2-1/4"		
442.9086-01 N11851833	BRACKET (FOR S-MODEL)		
840.0021-00 7001530102	SCREW, HEXAGONAL ISO4017-M8X20-8.8-A3A (FOR S-MODEL)		
840.1124-00 1003736739	BOLT, HEXAGONAL ISO4014-M42X280-10.9-UNPLTD (FOR S-MODEL)		
845.0322-00 7001563042	NUT, HEXAGONAL ISO4032-M42-8-A3A (FOR S-MODEL)		
847.0171-00 847.0171-00	WASHER, PLAIN SS70-BRFB-43X80-200HV-FZB (FOR S-MODEL)		
442.9172-01 N11851834	KEY (FOR S-MODEL)		
899.0278-00 899.0278-00	PROTECTION CAP M42 SW65-2-G68 (FOR S-MODEL)		
900.0243-00 65-711-002-002	SOCKET RSK 1058 .250 Rp 1/4 Fe 900.0243 SA (FOR S-MODEL)		
900.0652-00 65-965-019-002	STRAIGHT ADAPTER G 1/4 B -19 X G 1/4 B -19 900.0652S (FOR S-MODEL)		
442.9530-01 MM0475479	SCREW, HEXAGONAL ISO4017-M42X100-10.9-UNPLTD (FOR S-MODEL)		
899.0278-00 899.0278-00	PROTECTION CAP M42 SW65-2-G68 (FOR S-MODEL)		
442.8969-00	SPIDER S6000/BG00395422 N11851835	4647.3kg	
452.3841-001	SPIDER CAP CH660 (NEW STYLE) N11852332	357kg	800mm * 800mm * 290mm
442.8977-01 N11851754	SPIDER CAP /S6000		
442.8753-01	SPIDER CAP TPE, N11851443		
912.0114-00 912.0114-00	BREATHER		
912.0155-00 912.0155-00	FILTER ELEMENT 852.514 MIC		
900.0169-00 65-711-487-002	NIPPLE, HEXAGONAL ISO49-N8-1/4-FE-A		
900.0134-00 65-965-010-003	HYDRAULIC FITTING BUSHING 3/8IN X 1/4IN (S-MODEL)		
900.0002-00 900.0002-00	ELBOW ISO49-A1-1/4-FE-A		
900.2008-00 900.2008-00	ELBOW 45 DEG SMS 453-10 (FOR S-MODEL)		
900.0431-00 N11852394	FITTING, COMPRESSION 15-LR		
873.1401-00	O-RING 594.1X5.7 SMS1587 CH660-NEW STYLE, N11852333		
873.1160-00 873.1160-00	O-RING 529.3X5.7 SMS1587 H6000 - OLD STYLE		
840.0650-00 7001530430	SCREW M6S 20X80 ISO4017 / S6000/CS660		
840.0080-00 7001530422	SCREW M6S 16X80 8.8 ISO4017 / CH660		
847.0165-00 847.0165-00	WASHER TBRB 21X36		
452.5862-901	SPIDER CAP DOME, TOP / CS660, S6800, N11852073	451.5kg	
442.8754-MNBR/BG00248051 N11852032	SPIDER BUSHING MNBR		
442.8754-01 N11851444	SPIDER BUSHING STD		

191.2376-00 N11852395	TEMPERATURE SENSOR KIT, TRPF		
191.3213-00 N11852396	CONNECTION BOX CBT		
900.2624-00 N11852397	JAM NUT 1/2 INCH		
900.0654-00 N11852398	ADAPTER G1/2 BxG 172B		
840.0652-00 SA950815	SCREW M6S 20X90 8.8 ISO4014		
847.0132-00 N01626520	WASHER BRB 3x21/36		
442.8755-01	SPIDER SEAL RING, N11851445		
900.0981-00 900.0981-00	PLUG BSPT 1 INX		
442.8816-03	CONCAVE M 21MNCR CH660, MM1328301		
442.8814-03	CONCAVE C 21MNCR CH660, MM1328299		
442.8813-03	CONCAVE EC 21MNCR CH660, MM1328298		
442.8813-02	CONCAVE EC 18MNCR CH660, MM1328237		
442.8817-02	CONCAVE MF 18MNCR CH660, MM1328225	1251.6kg	1479mm * 1479mm * 810mm
442.8816-02	CONCAVE M 18MNCR CH660, MM1328208		
442.8815-02	CONCAVE MC 18MNCR CH660, MM1328207	1386kg	
442.8818-02	CONCAVE F 18MNCR CH660, MM1328203		
442.9230-02	CONCAVE CX 18MNCR CH660, MM1328194		
442.8814-02	CONCAVE C 18MNCR CH660, MM1328185		
442.9230-03	CONCAVE CX 21MNCR CH660, MM1328132		
442.8816-01	CONCAVE M 14MNCR CH660, MM1225656		
442.8815-03	CONCAVE MC 21MNCR CH660, MM1225652	1386kg	
442.8815-01	CONCAVE MF 14MNCR CH660, MM1225651	1386kg	
442.8817-03	CONCAVE MF 21MNCR CH660, MM1225650	1283.1kg	1479mm * 1479mm * 810mm
442.8817-01	CONCAVE MF 14MNCR CH660, MM1225649	1283.1kg	1479mm * 1479mm * 810mm
442.8814-01	CONCAVE C 14MNCR CH660, MM1224786		
442.8813-01	CONCAVE EC 14MNCR CH660, MM1224301		
442.9230-01	CONCAVE CX 14MNCR CH660, MM1224291		
442.8818-03	CONCAVE F 21MNCR CH660, MM1223042		
442.8818-01	CONCAVE F 14MNCR CH660, MM1223041		
MM1223000	CONCAVE CX, WITH LIFTING LUGS 21MNCR CH660		
BG00420435	CONCAVE CX, WITH LIFTING LUGS 18MNCR CH660, MM1222999	1470kg	
MM1222998	CONCAVE CX, WITH LIFTING LUGS 14MNCR CH660		
831.0016-00 N08010111	BACKING COMPOUND (10 KG)		
442.8823-01 N11851847	FILLER RING M/MC		
442.8863-01	FILLER RING F/MF, N11851493	1203.3kg	1449mm * 1449mm * 580mm
840.1074-00 7001530637	BOLT, HEXAGONAL ISO4014-M30X280-8.8-A3A		
442.7252-04 N11851227	SHIM 10MM		
442.7252-03 N11851226	SHIM 5MM		
442.7252-02 N11851225	SHIM 3MM		
442.7252-01 N11851224	SHIM 1MM		
442.8908-02 N11851503	HOSE 31.5/0.6 L=245		
442.7251-03 N11851223	WASHER		
442.8881-01 N11852489	WASHER FOR FILLER RING CH660		
442.9415-00	WEAR PLATE FOR CONCAVE EF, N11852491		
840.1075-00 N11851420	Screw M6S 30x380		
845.0284-00 7042040000000	Lock nut M30 8 FZB DIN 985		
442.7253-01 N11851228	SLEEVE		
442.7271-01 N11851233	WASHER		
863.0058-00 863.0058-00	CONICAL DISC SPRING DIN2093-A90-		
442.8793-01	CONCAVE SUPPORT RING, N11851465		
442.8290-01 N11851385	GUIDE PIN D 40X85		
442.9071-90	CONCAVE RING LOWER C 18MNCR CS660, MM1328212	2167.2kg	1587mm * 1587mm * 625mm
442.9071-00	CONCAVE RING LOWER C 14MNCR CS660, MM1224573		
442.9072-90	CONCAVE RING UPPER C 18MNCR CS660, MM1328231	1863.75kg	1840mm * 1840mm * 650mm
442.9072-00	CONCAVE RING UPPER C 14MNCR CS660, MM1224574	1863.75kg	1840mm * 1840mm * 650mm
900.2026-00 900.2026-00	MAGNETIC PLUG 3/4		
452.2382-902 N11852524	FEED HOPPER CONE CX RIGHT		
194.0409-003 N11852205	CABLE		
190.4590-91	ELECTRIC CABLE SET, N11852204		
923.0521-00	CURRENT TRANSDUCER, N11852203		
190.4591-00 N11852202	CONNECTION BOX		
966.3828-00 N11852201	SWITCH, PUSH BUTTON		
194.0402-92 N11852200	CABINET, ELECTRICAL		
975.0296-00	POWER SUPPLY, N11852199		
194.0575-00	CABINET, ELECTRICAL, N11852198	10.5kg	590mm * 460mm * 300mm
452.2382-901 N11851523	FEED HOPPER CONE CX LEFT		
MM1230513	MANTLE LIFTING TOOL (for Metso re-engineered mantles)		
825.0182-00 825.0122-00	SPIDER BUSHING GREASE (18 KG)		
899.0157-00 MM0445238	BOLT, EYE, LIFTING M48		
BG00575600	Foot assembly CH660 CS660	340.2kg	
910.0109-00	Cooling element, Alucooler, Cooler		
900.0103-00	Air-oil cooler		
442.7907	Boss		
442.8756	Foot	80.85kg	310mm * 398mm * 480mm
442.4982	Foot		
442.4983	Foot		
452.4309	Main shaft		
452.4311	Shaft center	2404.5kg	1370mm * 1370mm * 730mm
442.8738	Piston	359.1kg	560mm * 560mm * 499mm
452.4865-001	Hydroset cylinder	267.75kg	
442.9803-00	Gear and pinion set	241.5kg	1081mm * 1081mm * 295mm
452.4130-901	H6800, CH660 mainshaft assembly	6185.55kg	
902.0747-00	CTHS660 Valve 607.03 w/o base plate		
442.8938-00	CTHS660 Pump unit HPI 1003 8.6 L/min		
452.4982-901	Foot assembly	80.85kg	310mm * 420mm * 650mm
452.4983-901	Foot assembly	80.85kg	310mm * 420mm * 650mm
452.0820-001	Mantle EF	1481.55kg	1460mm * 1460mm * 803mm

452.0832-001	Concave EF	1260kg	
BG00207523	Lining Bottom Shell Kit Bolt Set		
BG00420434	Concave ring CX M1	1470kg	
452.4297-901	Foot Assembly	250.95kg	
452.4128	ECCENTRIC ASSEMBLY	1253.7kg	
452.4127-00	PINIONSHAFT HOUSING ASSEMBLY	354.9kg	
891.2133-901	RUBBER LINING WALL PROTECTION KIT FOR BOTTOM SHELL	172.2kg	
442.4329-90	Pump, Assembly, Lubrication	63.42kg	
442.9165-01	Wearing ring	160.65kg	710mm * 710mm * 180mm
BG00212915	Main Shaft Step Bearing	43.05kg	430mm * 430mm * 150mm
BG00213342	Piston Step Bearing	40.95kg	430mm * 430mm * 165mm
BG00213489	Step washer	47.25kg	430mm * 430mm * 159mm
452.3760-001	Top Shell	5097.75kg	2240mm * 2240mm * 1300mm
891.1647-902	Bottom Shell Inspection Door	0.11kg	
452.6027-001	Mantle	1250.55kg	
452.4933-901	Liner hydroset cylinder cover		
452.0820-002	Mantle EF	1481.55kg	1460mm * 1460mm * 803mm
910.0081-00	Water cooled heat exchanger		
891.2033-901	Arm protection set	378kg	
891.2034-901	Arm protection set		
BG00563413	Mainshaft assembly include mantle		
BG00517170	Spin-on filter element	0.73kg	
BG00516552	Air breather G 3/4 A LI-FU2 19 1		
194.0565-003	CABLE M12 MAL 5P 3M FOR ASRI2.X		
442.8703-00	Motor drive pump		
984.1504-00	PRESSURE TRANSDUCER 25MPa M12A MAL		
875.0246-00	V-belt SPC 3150		
452.7737-901	V-belt pulley 500 MTG125 12×SPC		
BG00277273	Narrow Arm Liner	96.6kg	
452.4202-901	Feed Cone EC		
891.1897-901	Conical Feed Hopper Liners EC Kit Rubber		
891.1898-901	Rubber Lining Cone EC		
891.0401-001	Rubber Plug		
BG00205920	Lining Bottom Shell Kit Bolt		
452.7288-001	Wear plate		
452.7289-001	Wear plate		
891.1902-901	Rubber lining C kit		
BG00974893	Base for lining		
902.0656-00	Valve HAWE MVE 6F 7.5 MPa		
MDOP-66010	Mantle	1491kg	1424mm * 1424mm * 804mm
MDOP-66011	Concave	1428kg	1598mm * 1598mm * 626mm
891.1858-901	RUBBER LINING	15.02kg	
900.0252-00	CTHS660 Socket Rp 3/8" 128 1		
891.2132-901	Rubber lining MC cone kit		
891.1909-901	Rubber lining cone MC See section		
891.0401-005	Rubber plug 254x30		
452.4131-901	TOP SHELL ASSY / RAISED ARMS CH660 (NEW STYLE), N11852331		
891.1895-901	Feed hopper, upper, lining kit		
650.0342-01	CTHS660 Hose 3/4 SAE 100 R2AT L= 1830		
910.0113-00	Oil cooling fan		
452.5543-901	Filter element		
452.4216-901	Feed Cone MC		
452.4214-901	Feed Cone C		
442.8943-00	Return Oil Hose		
650.0087-09	Hose SAE 100 R2AT 3/8"x550		
650.0087-11	CTHS660 Hose SAE 100 R2AT R 3/8"x650		
650.0092-12	CTHS660 Hose SAE 100 R2AT R 1 1/2" L=700		
650.0093-21	CTHS660 Hydraulic hose		
650.0093-30	CTHS660 Hydraulic hose		
650.0097-20	CTHS660 Hydraulic hose		
847.0130-00	O-ring 114.3x5.7 SMS 1586		
904.0500-00	Hose		
904.0499-00	Hose		
902.0813-00	CTHS660 Pilot operated check valve		
AF01900010	NUT, HEXAGON		
BG00368222	CONNECTION		
452.4303-001	Pressure transducer kit 25 MPa M12A male		
BG00882439	SET OF SEAL TO PUMP		
BG00248051	SPIDER BUSHING		