

As a trusted Chinese manufacturer and sourcing partner, LulanPanda delivers high-quality industrial equipment and components at highly competitive prices. With over two decades of expertise in producing cone crushers and spare parts, we have established robust partnerships with certified factories across China, ensuring both precision engineering and cost efficiency for global clients.

Core Offerings

- Cone Crushers & Spare Parts: Specialized manufacturing since 2003, offering OEM-compliant solutions.
- Extended Product Range: Drill bits, electric lifts, and diverse industrial machinery components.
- Custom Sourcing: Leverage our nationwide supplier network to procure any Made-in-China product tailored to your specifications.

Why Partner With Us?

- ✓ Quality Assurance: Rigorous ISO-compliant production standards.
- ✓ Cost Advantage: Factory-direct pricing with no intermediaries.
- ✓ End-to-End Service: From product development to logistics support.

Let's Collaborate

Whether you require standard equipment or customized industrial solutions, our team is committed to optimizing your supply chain. Contact us today to discover how we can add value to your operations.

Sandvik CH880 Cone Crusher parts list

Part Number	Description	Weight	Packing
442. 9443-00	Eccentric sleeve		
442. 9444-00	Bottomshell bushing		
442. 9446-00	Piston wearing plate, spider washer		
442. 9511-00	Holding piston		
840. 0692-00	Piston sleeve		
442. 7284-90	Main shaft step		
843. 1529-00	Piston		
845. 0013-00	Lowering rod M30x1000		
899. 0336-00	Main shaft		
899. 0032-00	Filler ring (MF, M), Hydroset cylinder cover		
899. 0160-00	Spider bushing, filler ring (MC)		
899. 0147-00	Dust collar, piston, support ring		
899. 0155-00	Bottomshell bushing, ecc. bushing, mainshaft sleeve		
899. 0099-00	Hydroset cylinder bushing		
899. 0244-00	Inner head nut		
920. 0110-00	Screw and nut M42		
920. 0109-00	Screw and nut M36		
920. 0238-00	Screw M30		
920. 0243-00	Screw and nut M36		
920. 0131-00	Screw and nut M30		
920. 0135-00	Screw and nut M24		
920. 0134-00	Screw and nut M20		
920. 0022-00	Screw and nut M16		
920. 0244-00	Screw and nut M12		
920. 0245-00	Screw and nut M10		
920. 0042-00	Screw MC6S, 24		
920. 0040-00	Screw MC6S, 16		
920. 0038-00	Screw MC6S, 12		
920. 0037-00	Screw MC6S, 10		
920. 0035-00	Air bleeder valve		
920. 0032-00	Plug, spider cap		
442. 0800-91	Check of close side setting		
923. 0422-00	Feeler Gauge 0.05-1mm, L=300		
452. 0452-001	Scraper ring		
452. 0642-901	Bottomshell		
452. 1064-001	Foot		
840. 0693-00	Screw M6S 30x110 8.8		
847. 0125-00	Washer BRFB 31x58		
442. 7201-90	Cover	6.3kg	
843. 1267-00	Stud screw 12x45		
847. 0147-00	Washer BRB 13x24		
845. 0030-00	Lock nut M12,8	0.02kg	
452. 0317-901	Liner - pin shaft arm		
452. 0314-901	Liner - narrow arm		
442. 9396-00	Bend		
900. 2199-00	Flange SAE 3000, 4", parted		
840. 0070-00	Screw M6S 16x60		
847. 0016-00	Washer BRB 17x30		
873. 0129-00	O-ring 109.5x3 SMS 1586		
442. 9248-01	Bottomshell bushing, See chapter 11	388.5kg	
853. 0464-00	Dowel CP 12m6x30		
900. 0921-00	Tee adapter R 3/4"		
900. 0655-00	Adapter R 3/4"		
900. 0276-00	Cover 3/4"		

873.0385-00	Seal ring 12x20		
452.0313-901	Wearing plate, See chapter 3		
442.9307-01	Duct collar	624.75kg	1565mm * 1565mm * 720mm
840.0064-00	Screw M6S 16x30 8.8		
442.9309-01	Ring	35.7kg	885mm * 885mm * 120mm
853.0464-00	Dowel CP 12m6x30		
840.0072-00	Screw M6S 16x70, 8.8		
840.0943-00	Screw M6S 16x70, H, 8.8		
847.0016-00	Washer BRB 17x30		
442.9308-01	Locating bar	3.15kg	326mm * 65mm * 170mm
442.9362-01	Shim t=0.1		
442.9362-02	Shim t=0.5		
442.9362-03	Shim t=0.7		
442.9362-04	Shim t=1.0		
841.0256-00	Screw MC6S 10x50, 12.9		
442.9363-01	Gasket, See chapter 11		
442.9310-01	Seal ring - inner	4.2kg	808mm * 808mm * 115mm
840.0672-00	Screw M6S 24x100, 8.8		
847.0063-00	Washer TBRSB 26x65		
840.1175-00	Screw M6S 42x320, 8.8		
845.0322-00	Nut M6M 42, 8		
847.0171-00	Washer BRFB 43x80 HB 200		
442.9979-01	Washer		
899.0278-00	Protective cap M42, SW65, black		
442.9530-02	Screw M6S 42x140 8.8		
899.0278-00	Protective cap M42, SW65, black		
442.9245-01	Eccentric	1113kg	843mm * 843mm * 900mm
442.9357-01	Eccentric bushing 24+28+32+36, See chapter 11, casting 442.9247	630kg	699mm * 699mm * 885mm
442.9358-01	Eccentric bushing 36+40+44+48, See chapter 11	630kg	699mm * 699mm * 885mm
442.9359-01	Eccentric bushing 48+52+56+60, See chapter 11	630kg	699mm * 699mm * 885mm
442.9360-01	Eccentric bushing 60+64+68+70, See chapter 11	619.5kg	699mm * 699mm * 885mm
442.9246-01	Hub		1390mm * 1390mm * 255mm
442.9274-00	Ring	32.55kg	855mm * 855mm * 125mm
840.0068-00	Screw M6S 16x50, 8.8		
847.0016-00	Washer BRB 17x30		
442.9469-01	Key R 32x18x360		
841.0036-00	Screw MC6S 16x100, 12.9		
841.0032-00	Screw MC6S 16x60, 12.9		
847.0181-00	Washer B 17x30, DIN 137		
442.9639-00	Gear and pinion set, 50Hz		1440mm * 1440mm * 380mm
442.9311-00	Gear and pinion set, 100Hz		
442.9275-01	Key		
442.9249-01	Eccentric wearing plate, See chapter 11	54.6kg	1040mm * 1040mm * 130mm
853.0646-00	Spring 17x16mm N 16x45		
442.9980-01	Hydroset cylinder		
840.1176-00	Screw M6S 30x200, 10.9		
847.0310-00	Washer BRB 31x56, HB 305		
442.9256-01	Hydroset cylinder bushing, See chapter 11	141.75kg	740mm * 740mm * 558mm
840.0032-00	Screw M6S 10x16, 8.8		
847.0144-00	Washer BRB 10.5x22		
873.1211-00	O-ring 810.0x8.4, SMS 1586		
442.9743-00	Hydroset piston		
853.0988-00	Dowel CP 30m6x70		
442.9724-01	Piston wearing plate	98.7kg	550mm * 550mm * 163mm
442.9722-01	Step washer, See chapter 11	112.35kg	590mm * 590mm * 176mm
442.9257-00	Chevron Packing, See chapter 11	4.2kg	760mm * 760mm * 158mm
442.9304-01	Packing clamp plate	17.85kg	720mm * 720mm * 120mm
841.0267-00	Screw MC6S 12x30, 8.8		
442.9255-00	Hydroset cylinder cover		
900.2302-00	Plug VSTI R1/2"-ED		
840.1176-00	Screw M6S 30x200, 10.9		
840.1177-00	Screw M6S 30x260, 10.9		
847.0310-00	Washer BRFB 31x56, HB 305		
902.0605-00	Air bleeder valve		
873.1233-00	O-ring 706.0x5.7, SMS 1586, See chapter 11		
873.1210-00	O-ring 759.0x5.7, SMS 1586, See chapter 11		
442.9806-01	Pinionshaft housing	496.65kg	722mm * 670mm * 1145mm
442.9364-01	Gasket t=0.5, See chapter 11		
442.9364-02	Gasket t=0.8, See chapter 11		
442.9364-03	Gasket t=1.5, See chapter 11		
868.0832-00	Bearing 32230 J2		
868.0832-00	Lager, 32230 J2, 轴承		
845.0164	Nut KM 30 150x2		
847.0299	Lock washer MB 30		
442.9809-01	Wear ring		
442.9334-01	Spacer www.LulanPanda.com	3.15kg	210mm * 210mm * 153mm
442.9808-01	Spacer		210mm * 210mm * 143mm
873.0136-00	O-ring 139.3x5.7, SMS 1586		
873.0136-00	O-ring 139.3x5.7, SMS 1586		
873.1219-00	Oil seal ring BASL 170x200x15, See chapter 11		
873.1219-00	Oil seal ring BASL 170x200x15, See chapter 11		
442.9261-01	Plate		
442.9260-01	Plate	18.9kg	430mm * 430mm * 143mm
840.0046-00	Screw M6S 12x35 8.8		

847.0147-00	Washer BRB 13x24		
840.0078-00	Screw M6S 20x60		
847.0132-00	Washer BRB 13x24		
442.9365-01	Gasket, See chapter 11		
442.9366-01	Gasket, See chapter 11		
853.0590-00	Steel pin Prym N 8x28		
442.9807-01	Pinion shaft	217.35kg	230mm * 230mm * 1600mm
900.2388-00	Plug SR 1010 KS		
857.0353-00	Key T 32x18x120, SMS 2307		
857.0354-00	Key T 36x20x140, SMS 2307		
900.0022-00	Elbow 3/4", A4 SMS 435		
842.0020-00	Screw SK6SS 20x25		
442.9346-01	Oil level plug		
873.0387-00	Seal ring TRED0 26		
855.0030-00	Retaining ring SgA 140		
840.1063-00	Screw M6S 16x120H 8.8		
845.0009-00	Nut M6M 16, 8		
452.0522-901	Mainshaft		
442.9294-01	Mainshaft sleeve, See chapter 11	224.7kg	545mm * 545mm * 792mm
853.0988-00	Dowel CP 30m6x70		
442.9723-01	Mainshaft step, See chapter 11	103.95kg	590mm * 590mm * 185mm
855.0026-00	Retaining ring SgA 100		
452.0264-001	Mantle EF, See chapter 11	3675kg	2056mm * 2056mm * 1106mm
831.0016-00	Casting compound (EF), See chapter 11		
442.9314-01	Mantle A, See chapter 11	3865.05kg	2056mm * 2056mm * 1106mm
831.0016-00	Casting compound (A), See chapter 11		
442.9758-01	Mantle HEAVY-CHOKE, See chapter 11	3885kg	
831.0016-00	Casting compound (HC), See chapter 11		
442.9339-01	Mantle B, See chapter 11		
831.0016-00	Casting compound (B), See chapter 11		
442.9758-01	Mantle HEAVY-CHOKE, See chapter 11	3885kg	
831.0016-00	Casting compound (HC), See chapter 11		
442.9270-00	Head nut with burning ring, See chapter 11	233.1kg	920mm * 920mm * 284mm
442.9269-01	Inner head nut, See chapter 11	66.15kg	620mm * 620mm * 270mm
442.9306-01	Burning ring, See chapter 11	7.35kg	844mm * 844mm * 122mm
442.9271-01	Dust seal ring, See chapter 11	67.2kg	1480mm * 1480mm * 198mm
442.9272-01	Retaining ring		
442.9367-01	Retainer		
442.9368-01	Scraper	1.05kg	490mm * 280mm * 112mm
840.0069-00	Screw M6S 16x55, 8.8		
840.0074-00	Screw M6S 16x80, 8.8		
847.0016-00	Washer BRB 17x30		
452.0259-901	Top shell EC2		
442.9265-00	Arm shield	323.4kg	840mm * 589mm * 350mm
914.0093-00	Grease nipple AHKR 1/4"		
900.0142-00	Pipe bushing 1 x ? ISO 49 N4		
811.0202-00	Copper pipe 28x1.5		
900.0437-00	Coupling GE-28-LR		
452.0266-001	Spider cap	1155kg	1040mm * 1040mm * 490mm
912.0114-00	Air filter P10102 R		
912.0155-00	Filter cartridge 852514 M, See chapter 11		
900.0169-00	Nipple 1/4" N, SMS 471		
900.0002-00	Elbow 1 1/2" SMS 433		
900.0142-00	Pipe bushing 1 x ? ISO 49 N4		
808.0220-00	Steel pipe 10x1.5		
900.0425-00	Coupling GE 10-PLR		
873.1232-00	O-ring 790.0x5.7, SMS 1586, See chapter 11		
840.0653-00	Screw M6S 20x100, 8.8		
847.0132-00	Washer BRFB 21x36		
442.9266-01	Spider bushing, See chapter 11	182.7kg	750mm * 750mm * 384mm
191.2376-00	Temperature transmitter TRPF		
191.2365-00	Terminal box		
900.0142-00	Pipe bushing 1 x ? ISO 49 N4		
900.0075-00	Pipe bend 90 R1/4		
808.0220-00	Steel pipe 10x1.5		
900.0425-00	Coupling GE 10-PLR		
840.0652-00	Screw M6S 20x90, 8.8		
847.0132-00	Washer BRFB 21x36		
452.0418-001	Oil seal ring, See chapter 11		
452.0418-001	Scraper www.LulanPanda.com		
452.0417-001	Ring	5.25kg	620mm * 620mm * 112mm
452.0419-001	Support ring		
841.0225-00	Screw MC6S 6x45 8.8 Zn		
900.0981-00	Plug KR 1" INSEX		
452.1067-001	Concave ring EFX, See chapter 11		
452.0579-001	Concave ring EEF, See chapter 11	3785.25kg	
452.0263-001	Concave ring EF, See chapter 11	3045kg	2292mm * 2292mm * 708mm
831.0016-00	Casting compound (EF, EEF, EFX), See chapter 11		
442.9520-00	Filler ring MC, See chapter 11		
831.0016-00	Casting compound (MC), See chapter 11		
840.1115-00	Screw M6S 30x360, 8.8		
452.1068-001	Washer		
442.7252-01	Shim t=1		
442.7252-02	Shim t=3		
442.7252-03	Shim t=5		

442.7252-04	Shim t=10		
442.8908-02	Hose 31.5-0.6 SS 248225		
847.0125-00	Washer BRFB 31x58		
452.1069-901	Wearing plate		
840.0069-00	Screw M6S 16x55, 8.8 FZB ISO 4017		
847.0060-00	Washer TBRSB 17x42		
442.9471-01	Concave ring MC (F), See chapter 11		
831.0016-00	Casting compound (MC, F), See chapter 11		
442.9520-00	Filler ring MC, See chapter 11		
831.0016-00	Casting compound (MC), See chapter 11		
840.1115-00	Screw M6S 30x360, 8.8		
452.1068-001	Washer		
442.7252-01	Shim t=1		
442.7252-02	Shim t=3		
442.7252-03	Shim t=5		
442.7252-04	Shim t=10		
442.8908-02	Hose 31.5-0.6 SS 248225		
847.0125-00	Washer BRFB 31x58		
840.0634-00	Screw M6S 16x25, 8.8 FZB ISO 4017		
442.9337-01	Concave ring M, See chapter 11		
831.0016-00	Casting compound (M), See chapter 11		
442.9338-00	Filler ring M, See chapter 11		
831.0016-00	Casting compound (M), See chapter 11		
840.1115-00	Screw M6S 30x360, 8.8 FZB ISO 4014		
452.1068-001	Washer		
442.7252-01	Shim t=1		
442.7252-02	Shim t=3		
442.7252-03	Shim t=5		
442.7252-04	Shim t=10		
442.8908-02	Hose 31.5-0.6 SS 248225		
847.0125-00	Washer BRFB 31x58		
840.0634-00	Screw M6S 16x25, 8.8 FZB ISO 4017		
442.9312-01	Concave ring MF, See chapter 11		
831.0016-00	Casting compound (MF), See chapter 11		
442.9332-00	Filler ring MF, See chapter 11		
831.0016-00	Casting compound (MF), See chapter 11		
840.1115-00	Screw M6S 30x360, 8.8		
452.1068-001	Washer		
442.7252-01	Shim t=1		
442.7252-02	Shim t=3		
442.7252-03	Shim t=5		
442.7252-04	Shim t=10		
442.8908-02	Hose 31.5-0.6 SS 248225		
847.0125-00	Washer BRFB 31x58		
840.0634-00	Screw M6S 16x25, 8.8 FZB ISO 4017		
442.9398-01	Concave ring C, See chapter 11	4301.85kg	2262mm * 2262mm * 1043mm
831.0016-00	Casting compound (C), See chapter 11		
442.9336-01	Concave ring EC, See chapter 11		
831.0016-00	Casting compound (EC), See chapter 11		
840.1136-00	Screw M6S 36x540, 8.8, See chapter 11		
845.0273-00	Lock nut M6MN 36, 8, See chapter 11		
442.9353-01	Sleeve, See chapter 11		110mm * 110mm * 196mm
442.9354-01	Washer, See chapter 11		
863.0015-00	Disc spring 100x51x6, See chapter 11		
442.9313-01	Clamping ring		
442.8290-01	Dowel pin	1.05kg	85mm * 85mm * 185mm
442.9791-00	Hydroset system, See chapter 8		
442.9484-00	Hoses and protection, See chapter 9		
452.0321-001	Wear plate		
452.0321-002	Wear plate		
452.0322-001	Wear plate		
452.0322-002	Wear plate		
452.0312-001	Wear plate	56.7kg	
452.0427-001	Wear plate		
452.0428-001	Wear plate		
803.0625-00	Round bar 1312-00 D 20, L=100		
458.0141-01	Mounting plate		
458.0142-01	Wearing rubber		
840.0072-00	Screw M6S 16x70, 8.8 ISO 4014		
840.0069-00	Screw M6S 16x55, 8.8 ISO 4017		
847.0048-00	Square washer S4B 17.5x50 DIN 436		
845.0215-00	Lock nut M16, 8 ISO 7040		
442.9737-00	Feed hopper, lower		
442.9736-00	Feed hopper, upper		
847.0132-00	Washer BRFB 21x36		
845.0203-00	Lock nut M20, 8 FZB ISO 7040		
840.0650-00	Screw M6S 20x80, 8.8 ISO 4017		
840.0080-00	Screw M6S 20x80, 8.8 ISO 4014		
845.0010-00	Nut M20, 8 FZB ISO 4032		
847.0132-00	Washer BRFB 21x36		
442.9751-01	Rubber sheet, upper		
442.9751-02	Rubber sheet, upper		
442.9750-01	Rubber sheet, door		
442.9747-01	Rubber liner		
840.0068-00	Screw M6S 16x50, 8.8 ISO 4017		

847.0016-00	Washer BRB 17x30		
845.0215-00	Lock nut M16, 8 FZB ISO 7040		
847.0132-00	Washer BRFB 21x36		
840.0648-00	Screw M6S 20x45, 8.8 ISO 4017		
845.0203-00	Lock nut M20, 8 FZB ISO 7040		
873.1287-00	Rubber plug PP D45/35x40		
840.0071-00	Screw M6S 16x65, 8.8 ISO 4014		
442.9756-01	Support www.LulanPanda.com		
442.9755-00	Support		
840.0068-00	Screw M6S 16x50, 8.8 ISO 4017		
845.0215-00	Lock nut M16, 8 FZB ISO 7040		
442.9521-00	Distributor, right design		
442.9521-90	Distributor, left design		
847.0016-00	Washer BRB 17x30		
442.9737-00	Feed hopper, lower		
442.9738-00	Cone plates EC		
442.9740-00	Cone plates C		
442.9739-00	Cone plates MC		
847.0016-00	Washer BRB 17x30		
840.0069-00	Screw M6S 16x55, 8.8 ISO 4017		
845.0215-00	Lock nut M16, 8 FZB ISO 7040		
442.9736-00	Feed hopper, upper		
847.0132-00	Washer BRFB 21x36 HB200		
845.0203-00	Lock nut M20, 8 FZB ISO 7040		
840.0650-00	Screw M6S 20x65, 8.8 ISO 4017		
840.0080-00	Screw M6S 20x65, 8.8 ISO 4014		
845.0010-00	Nut M&M M24, 8 FZB ISO 4032		
847.0132-00	Washer BRFB 21x36 HB 200		
442.9751-01	Rubber sheet, upper		
442.9751-02	Rubber sheet, upper		
442.9750-01	Rubber sheet, door		
442.9747-01	Rubber liner		
840.0068-00	Screw M6S 16x50, 8.8 ISO 4017		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
845.0215-00	Lock nut M16, 8 FZB ISO 7040		
442.9744-01	Rubber liner EC		
442.9746-01	Rubber liner C		
442.9745-01	Rubber liner MC		
840.0071-00	Screw M6S 16x65, 8.8 ISO 4014		
873.1287-00	Rubber plug PP D45/35x40		
840.0071-00	Screw M6S 16x65, 8.8 ISO 4014		
458.0390-00	Sub-frame		
873.0718-00	Rubber strip 2254 50x30 L=2.0m		
847.0142-00	Washer BRB 53x92 HB200		
845.0274-00	Lock nut M48 8 FZB DIN 985		
840.1117-00	Screw M6S 48x180 8.8 ISO4014		
930.0273-00	Intermediate shaft with coupl. D=120		
930.0265-00	Pump P100B + box		
458.0406-01	Shim T=1		
458.0406-02	Shim T=0.5		
458.0406-03	Shim T=0.3		
847.0162-00	Washer BRB 37x66 HB200 ISO7089		
442.9650-91	Damper set		
458.0396-00	Guard		
458.0772-00	Sealing strip		
442.9749-01	Foot		
458.0363-00	Frame, R.H. as shown		
458.0363-90	Frame, L.H. Mirror-Inverted		
840.0672-00	Screw M6S 24x100, 8.8 Fzv ISO 4014		
847.0124-00	Washer BRB 25x45 HB200		
845.0216-00	Lock nut M24, 8 FZB DIN 985		
442.9344-01			
840.0693-00	Screw M6S 16x65, 8.8 Fzv ISO 4014		
847.0125-00	Washer BRB 31x58 HB200		
453.0545-00	Frame		
458.0773-01	Slide rail		
840.1038-00	Screw N6S 36x130, 8.8 Fzv ISO 4017	1.47kg	
847.0162-00	Washer BRB 37x66 HB200 ISO 7089		
845.0273-00	Lock nut M36, 8 Fzb DIN 985		
847.0162-00	Washer BRB 37x66 HB200 ISO 7089		
845.0273-00	Lock nut M36, 8 Fzb DIN 985		
453.0497-00	V-belt guard, R.H. as shown		
453.0497-90	V-belt guard, L.H. Mirror-Inverted		
847.0147-00	Washer BRB 13x24 HB200 ISO 7089		
845.0030-00	Lock nut M12, 8 Fzb ISO 7040	0.02kg	
840.0048-00	Screw M6S 12x45, 8.8 Fzb ISO 4017		
873.1231-00	Seal strip		
442.9650-92	Damper set, See chapter 7b		
458.0305-00	Motor frame, R.H. as shown		
458.0406-03	Shim T=0.3		
458.0406-02	Shim T=0.5		
840.0718-00	Screw M6S 36x180, 8.8 Fzv ISO 4014		
847.0162-00	Washer BRB 37x66 HB200 ISO 7089		
845.0273-00	Lock nut M36, 8 Fzb DIN 985		
840.0078-00	Screw M6S 20x60, 8.8 Fzb ISO 4017		

930.0262-00	Coupling RB 2.15, D=110/120		
857.0336-00	Key T 28x16x110, SMS 2307		
842.0019-00	Screw SK6SS 16x40		
458.0348-01	Shaft		
458.0307-01	Spacer		
458.0349-01	Bearing housing		
868.0829-00	Roller bearing		
868.0830-00	Clamping sleeve		
871.0110-00	Guide ring		
873.1289-00	Felt seal		
873.0898-00	V-ring		
871.0404-00	Cover end		
840.0672-00	Screw M6S 24x100, 8.8 Fzv ISO 4014		
840.0677-00	Screw M6S 24x150, 8.8 Fzv ISO 4014		
847.0124-00	Washer BRB 25x45 HB200		
845.0216-00	Lock nut M24, 8 Fzb DIN 985		
458.0531-00	Protective cap for shaft		
847.0147-00	Washer BRB 13x24 HB200 ISO 7089		
845.0030-00	Lock nut M12, 8 Fzb ISO 7040	0.02kg	
840.0665-00	Screw M6S 24x50, 8.8 Fzv ISO 4017		
649.0168-04	Support block		
869.0305-00	Bushing MGT Nr 160 Di 140		
869.0308-00	Bushing MGT Nr 160 Di 110		
857.0356-00	Key T 28x16x140, SMS 2307		
442.9342-01	Washer 2142-50 D 158/22x15		
442.9343-01	Spacer 2172-03 D158/140.5x94		
847.0132-00	Washer BRB 21x36 HB200		
840.0077-00	Screw M6S 20x50, 8.8 Fzb ISO 4017		
458.0305-90	Motor frame, L.H. Mirror-Inverted		
879.0588-00	V-belt pulley 710 MGT160 16xSPC		
879.0587-00	V-belt pulley 710 MGT160 16xSPC		
875.0254-00	V-belt SPC 8000		
879.0577-00	V-belt pulley 710 MGT160 14x8V		
879.0578-00	V-belt pulley 710 MGT160 14x8V		
875.0197-00	V-belt 8V 3150		
875.0197-00	V-belt 8V 3150		
879.0567-00	V-belt pulley 710 MGT160 14x8V		
879.0568-00	V-belt pulley 530 MGT160 14x8V		
875.0363-00	V-belt 8V 3000		
879.0668-00	V-belt pulley 630 MGT160 14x8V		
879.0669-00	V-belt pulley 630 MGT160 14x8V		
864.0079-00	Rubber compression mounting SAW 300B		
840.1135-00	Screw M6S 20x35 8.8		
847.0132-00	Washer BRFB 17x30		
442.5904-01	Fixing plate 25x310x310		
864.0124-00	Rubber compression mounting SAW 200A		
840.0064-00	Screw M6S 16x30 8.8 fzb		
847.0016-00	Washer BRFB 17x30		
442.9651-01	Fixing plate 25x220x220		
864.0079-00	Rubber compression mounting SAW 300B		
840.1135-00	Screw M6S 20x35 8.8 fzb		
847.0132-00	Washer BRFB 21x36		
442.5904-01	Fixing plate 25x310x310		
864.0124-00	Rubber compression mounting SAW 200A		
840.0064-00	Screw M6S 16x30 8.8 fzb		
847.0016-00	Washer BRFB 17x30		
442.9651-01	Fixing plate 25x220x220		
448.0553-00	Fixing plate		
458.0554-01	Spacer www.LulanPanda.com		
847.0142-00	Washer BRB 53x92 HB 200		
845.0247-00	Lock nut M48 8 Zn DIN 985		
902.0851-00	Pilot valve block LFA80DB2-6X/100F35X99		
902.0850-00	Main valve LC80DB20E6X/A25-104		
442.9369-01	Adapter D180x123		
873.0237-00	O-ring 89.5x3 SMS 1586		
840.0078-00	Screw M6S 20x60 8.8 ISO 4017		
847.0132-00	Washer BRFB 21x36		
984.0476-00	Position sensor EDS-630-I-SR		
873.0111-00	O-ring 44.2x3 SMS 1586		
841.0239-00	Screw MC6S 8x40 8.8 fzb		
902.0849-00	Seal kit for DBDS10K1X/100, For pos 13		
902.0806-00	Seal kit for LC80DB40E-6X/004, For pos 02		
902.0825-00	Gasket ring for LC80DB40E-6X/004, For pos 02		
902.0852-00	Pilot valve DBDS10K1X/100, Part of item 01		
900.2291-00	Bushing RI 1/2"ED-1/4"		
900.2292-00	Measuring nipple 1/4" O-t?tning		
902.0846-00	Spring for LC80 DB20 E/D6X 2 bar, Part of item 02		
841.0558-00	Screw MC6S 24x120 10.9 fzb, Part of item 01		
442.9499-00	Bracket		
442.9495-01	Plate		
442.9502-01	Support		
442.9497-01	Bar		
442.9496-00	Bar		
442.9496-90	Bar		
442.9498-01	Bar		

442.9501-00	Wearing liner		
442.9501-90	Wearing liner		
442.9493-00	Return oil hose		
442.9494-01	Hose SAE 100 R2AT 2"x2000		
442.9492-01	Hose SAE 100 R2AT 2"x2300		
442.9491-01	Hose SAE 100 R2AT 3/4"x2700		
442.9490-01	Hose SAE 100 R2AT 1"x2100		
900.0659-00	Adapter R 2"		
900.0656-00	Adapter R 1"		
900.0655-00	Adapter R 3/4"		
442.9500-01	Rubber cloth		
442.9503-01	Bolt		
845.0215-00	Lock nut M16 8 FZB ISO 7040		
847.0016-00	Bricka BRB 17x30		
840.0070-00	Screw M6S 16x60 8.8 ISO 4017		
847.0016-00	Washer BRB 17x30		
845.0215-00	Lock nut M16 8 FZB ISO 7040		
840.0053-00	Screw M6S 12x70 8.8 ISO 4014		
847.0147-00	Washer BRB 13x24 FZB		
845.0030-00	Lock nut M12 8 FZB ISO 7040	0.02kg	
442.6176-01	Distributing pipe 1505-02		
442.9505-01	Bar		
442.9507-00	Protection		
840.0064-00	Screw M6S 16x30 8.8 ISO 4017		
847.0016-00	Washer BRB 17x30 FZB		
840.0064-00	Screw M6S 16x30 8.8 ISO 4017		
847.0016-00	Washer BRB 17x30 FZB		
900.0647-00	Adapter R 3/4" x R 1/2"		
873.0386-00	Seal ring TRED0 nr 23		
650.0089-18	Hose SAE 100 R1AT R 3/4"x1000		
650.0090-18	Hose SAE 100 R1AT R 1"x1000		
840.0041-00	Hose M6S 10x60 8.8 ISO 4014		
442.9508-01	Flange		
900.0317-00	Sleeve 1330 4 RSK 1058		
845.0006-00	Nut M6M M10 8 FZB ISO 4032		
847.0144-00	Washer BRB 10.5x21		
840.0064-00	Screw M6S 16x30 8.8 ISO 4017		
847.0016-00	Washer BRB 17x30		
873.0132-00	O-ring 119.5x3 SMS 1586		
900.2277-00	Tee adapter G 1" BxR 1"		
900.2200-00	Adapter G 1 B		
900.0673-00	Reducing RI 1"-1/2"		
902.0605-00	Air bleeder UV 121		
442.9553-01	Hose SAE 100 R2AT 1"x1200		
819.0061-00	Hose 31.5-0.6 SS 248225		
442.9696-01	Rubber cloth Tregular 15x650x775		
442.9697-01	Rubber cloth Tregular 15x250x850		
873.0390-00	Seal ring Tredo nr 30		
873.0384-00	Seal ring Tredo nr 18		
840.0050-00	Screw M6S 12x55, 8.8 ISO 4014		
900.0154-00	Bushing 1 1/2 x 3/4 ISO 49 N4		
900.1424-00	Hose coupling R 3/4		
819.0187-00	Hose 1" www.LulanPanda.com		
900.0275-00	Socket Rp 3/4		
900.2572-00	T-pipe plastic ?		
900.1358-00	Hose clip 28 SMS 2298 Dy 23-27 mm		
452.1168-50/200	Over pressure aggr. 200 V 50 Hz		
452.1168-50/400	Over pressure aggr. 400 V 50 Hz, 460V 60Hz		
452.1168-50/525	Over pressure aggr. 525 V 50 Hz		
452.1168-50/550	Over pressure aggr. 550 V 50 Hz		
442.9325-00	Over pressure fan		
912.0219-00	Air filter FK 200		
972.0845-00	Motor IEC 71-2, 0.37kW, IM3011, 200V 50Hz		
972.0838-00	Motor IEC 71-2, 0.37/0.43kW, IM3011, 400V 50Hz, 460V 60Hz		
972.0843-00	Motor IEC 71-2, 0.37kW, IM3011, 525V 50Hz		
972.0842-00	Motor IEC 71-2, 0.37kW, IM3011, 550V 50Hz		
840.0021-00	Screw M6S M8x20 8.8 fzb ISO 4017		
442.9294-01	Mainshaft sleeve		
452.0264-001	Mantle EF	3675kg	
442.9314-01	Mantle A		
442.9339-01	Mantle B	3160.5kg	
442.9758-01	Mantle HEAVY-CHOKE	3885kg	
442.9270-00	Head nut with burning ring		
442.9306-01	Burning ring		
442.9266-01	Spider bushing		
452.1067-001	Concave ring EFX		
452.0579-001	Concave ring EEF	3785.25kg	
452.0263-001	Concave ring EF		
442.9337-01	Concave ring M		
442.9471-01	Concave ring MC (F)		
442.9312-01	Concave ring MF		
442.9398-01	Concave ring C		
442.9336-01	Concave ring EC		
831.0016-00	Casting compound		
452.1069-901	Wearing plate		

442.9248-01	Bottomshell bushing	388.5kg	
442.9363-01	Gasket		
442.9357-01	Eccentric bushing 24+28+32+36		
442.9358-01	Eccentric bushing 36+40+44+48		
442.9359-01	Eccentric bushing 48+52+56+60		
442.9360-01	Eccentric bushing 60+64+68+70	619.5kg	
442.9249-01	Eccentric wearing plate	54.6kg	
442.9256-01	Hydroset cylinder bushing		
442.9724-01	Piston wearing plate		
442.9722-01	Step washer		
442.9257-00	Chevron Packing		
873.1233-00	O-ring 706.0x5.7, SMS 1586		
873.1210-00	O-ring 759.0x5.7, SMS 1586		
442.9364-01	Gasket t=1.5		
442.9364-02	Gasket t=0.8		
442.9364-03	Gasket t=1.5		
873.1219-00	Oil seal ring BASL 170x200x15		
873.1219-00	Oil seal ring BASL 170x200x15		
442.9365-01	Gasket		
442.9366-01	Gasket t=0.5		
442.9723-01	Mainshaft step		
442.9269-01	Inner head nut		
442.9271-01	Dust seal ring		
912.0155-00	Filter cartridge 852514 Mic		
873.1232-00	O-ring 790.0x5.7, SMS 1586		
452.0418-001	Oil seal ring		
840.1136-00	Screw M6S 36x540, 8.8		
845.0273-00	Lock nut M6MN 36, 8		
442.9353-01	Sleeve		
442.9354-01	Washer		
863.0015-00	Disc spring 100x51x6		
BG00227258	Concave HR	3540.6kg	2262mm * 2262mm * 737mm
BG00282784	CH880/CH890 Mantle, FlexiFeed A	4096.05kg	
452.0642-901 N11852155	BOTTOM SHELL H8000		
452.1064-001/442.9344-01 N11851590	FOOT		
452.0317-901	PINION SHAFT ARM LINER, N11851853		
452.0314-901/442.9506-00 N11851854	NARROW ARM LINER		
442.9248-01 N11851550	BOTTOM SHELL BUSHING	388.5kg	
452.0322-001 N11852411	WEAR PLATE		
452.0322-002 N11852412	WEAR PLATE		
452.0321-001 N11852409	WEAR PLATE		
452.0321-002 N11852410	WEAR PLATE		
442.9307-01 N11851578	DUST COLLAR		
840.0064-00 N01530306	SCREW, HEXAGONAL ISO4017-M16X30-8.8-A3A		
442.9309-01 N11851580	RING		
853.0464-00 853.0464-00	PIN CP 12M6x30 SMS 2374		
840.0072-00 N01530321	BOLT, HEXAGONAL ISO4014-M16X70-8.8-A3A		
840.0943-00 7001530322	BOLT, HEXAGONAL ISO4017-M16X70-8.8-A3A		
847.0016-00 212803	SMS-L ACC Washer BRB 3x17/30		
442.9308-02/442.9308-01 N11851579	SUPPORT BAR www.LulanPanda.com		
442.9362-04 N11851602	SHIM 1.0MM		
442.9362-03 N11851601	SHIM 0.7MM		
442.9362-02 N11851600	SHIM 0.5MM		
442.9362-01 N11851599	SHIM 0.1MM		
841.0256-00 704104000000	SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M10X50-8.8-A3A		
442.9363-01 N11851603	GASKET		
442.9310-01 N11851581	SEALING RING INNER /H8000		
840.1175-00 840.1175-00	BOLT, HEXAGONAL ISO4014-M42X320-8.8-UNPLTD		
845.0322-00 7001563042	NUT, HEXAGONAL ISO4032-M42-8-A3A		
847.0171-00 847.0171-00	WASHER, PLAIN SS70-BRFB-43X80-200HV-FZB		
442.9530-00/442.9530-02 N11851639	JACKING SCREW M42X140		
442.9245-01 N11851548	ECCENTRIC		
442.9359-01 N11851597	ECCENTRIC BUSHING 48+52+56+60		
442.9358-01 N11851596	ECCENTRIC BUSHING 36+40+44+48		
442.9357-01 N11851595	ECCENTRIC BUSHING 24+28+32+36		
442.9246-01 N11851549	HUB		
442.9274-00 N11851567	RING		
442.9469-01 N11851620	KEY		
442.9639-00 N11851659	GEAR ASSEMBLY 50HZ		
452.2051-901/442.9311-00 N11851582	GEAR ASSEMBLY 60HZ		
442.9275-01 N11851568	KEY		
442.9249-01	ECCENTRIC WEARING PLATE, N11851551, 442.9249-02	54.6kg	
853.0646-00 853.0646-00	PIN PRYM N 16X45		
442.9980-01	MPS CYLINDER HOUSING, N11851552		
840.1176-00 N11852207	BOLT M30X200 10.9 ISO4014		
847.0310-00 MM0348849	WASHER, PLAIN ISO7089-30-300HV-A3A		
442.9256-01 N11851554	CYLINDER BUSHING		
873.1211-00 873.1211-00	O-RING 810 x8.4 SMS 1586		
442.9743-00 N11851681	PISTON ASSEMBLY		
853.0988-00 853.0988-00	PIN CP 30M6x70 SMS 2374		
452.2631-901	STEP BEARING SET (2260/2280/4075) LAPPED, 442.9722, 442.9723, 442.9724, N11852195	316.05kg	590mm * 590mm * 301mm
442.9724-01 N11851673	PISTON WEARING PLATE		
442.9722-01 N11851671	STEP WASHER		
442.9257-00 N11851555	CHEVRON PACKING		

442.9304-01 N11851576	CLAMP PLATE		
841.0267-00 7001538186	SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M12X30-8.8-A3A		
442.9255-00	CYLINDER COVER, N11851576		
873.1210-00 873.1210-00	O-RING 759x5.7 SMS		
873.1233-00 873.1233-00	O-RING 706.0x5.7 SMS		
442.8783-01 N11851770			
841.0239-00 704103000000	SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M8X40-8.8-A3A		
984.0476-00 984.0476-00	TRANSFER PROBE		
452.2007-901	PINION SHAFT HOUSING ASSY H8000, N11852160	2940kg	670mm * 1540mm * 730mm
442.9806-01 N11851691	PINION SHAFT HOUSING		
442.9364-03 N11851606	GASKET 1.5MM		
442.9364-02 N11851605	GASKET 0.8MM		
442.9364-01 N11851604	GASKET 0.5MM		
868.0832-00 868.0832-00	BEARING, ROLLER, TAPERED 32230 J2		
868.0832-00 868.0832-00	BEARING, ROLLER, TAPERED 32230 J2		
845.0164-00 845.0164-00	LOCK NUT KM30 150X2		
847.0299-00 847.0299-00	LOCK WASHER MB30		
442.9809-01 N11851694	WEAR RING		
442.9334-01 N11851586	SPACER		
442.9808-01 N11851693	SPACER		
873.0136-00 873.0136-00	O-RING 139.3X5.7 SMS 1586		
873.0136-00 873.0136-00	O-RING 139.3X5.7 SMS 1586		
873.1219-00 873.1219-00	RING, SEAL TYPE 4 170X200X15 ISO		
873.1219-00 873.1219-00	RING, SEAL TYPE 4 170X200X15 ISO		
442.9261-01 N11851559	BEARING COVER INNER		440mm * 440mm * 157mm
442.9260-01 N11851558	BEARING COVER OUTER		
840.0046-00 2972680	BOLT, HEXAGONAL ISO4014-M12X35-8.8-A3F		
847.0147-00 00921305012S	WASHER, PLAIN ISO7089-12-200HV-A3A		
840.0078-00 N01530001	SCREW M6S 20X60 8.8 ISO4017		
847.0132-00 N01626520	WASHER BRB 3x21/36		
442.9365-01 N11851607	GASKET T=0.8 MM		
442.9366-01 N11851608	GASKET T=0.5 MM		
900.0655-00 900.0655-00	ADAPTER R3/4 X R3/4 702-12-12		
853.0590-00 853.0590-00	PIN, SPRING, SLOTTED, HEAVY DUTY		
442.9807-01 N11851692	PINION SHAFT NEW STYLE		
442.9259-01 N11851557	PINION SHAFT OLD STYLE/OBSOLETE		
857.0360-00 857.0360-00	KEY T 32x18x115 SMS 2307 / FOR NEW SHAFT		
857.0353-00 857.0353-00	KEY T 32x18x120 SMS 2307 / FOR OLD SHAFT		
857.0354-00 857.0354-00	KEY T 36x20x140 SMS 2307		
900.0022-00 65-711-379-005	ELBOW ISO49-A4-3/4-FE-A		
442.9346-01 N11851591	OIL LEVEL GAUGE, H8000		
873.0387-00 873.0387-00	RING, SEAL TREDO NR 26		
900.0656-00 65-965-019-006	STRAIGHT ADAPTER		
873.0386-00 65-751-536-006	RING, SEAL		
855.0030-00 855.0030-00	RING, RETAINING, EXTERNAL DIN471-140X4-ST-ZNPH		
442.9343-01 N11851589	WASHER √ I158 / √ I140.5X94		
840.1063-00 7001530331	SCREW, HEXAGONAL ISO4017-M16X120-8.8-A3A		
845.0009-00 N01563016	NUT, HEXAGONAL ISO4032-M16-8-A3A		
N11852113	MAINSHAFT ASSY RE-MACHINED / CYLINDRICAL FIT / H8800		
452.6195-901 N11852106	MAIN SHAFT ASSEMBLY CYLINDRICAL H8000/CH880		
452.0522-901 N11852105	MAINSHAFT ASSY CONICAL TAPERED HEAD SEATING		
N11852103	MAIN SHAFT RE-MACHINED / USE ASSY N11852113		
452.4291-Shaft N11852076	MAIN SHAFT CYLINDRICAL / USE ASSY N11852106		
442.9243-01 N11851546	MAIN SHAFT CONICAL / USE ASSY N11852105		
442.9294-01 N11851569	MAIN SHAFT SLEEVE		
853.0988-00 853.0988-00	PIN CP 30M6x70 SMS 2374		
442.9723-01 N11851672	MAIN SHAFT STEP		
855.0026-00 N01602100	RING, RETAINING, EXTERNAL DIN471-100X3-ST-ZNPH		
N11852112	HEAD FOR RE-MACHINED SHAFT / USE ASSY N11852113		
452.4291-Head N11852079	HEAD CYLINDRICAL FIT H8000 / USE ASSY N11852106		
442.9244-01 N11851547	HEAD CONICAL FIT H8000 / USE ASSY N11852105		
442.9314-02	MANTLE A (XT710) CH880, N11944828	3865.05kg	2056mm * 2056mm * 1106mm
MM0358733	MANTLE SPECIAL EF (XT710) CH880		
452.4051-002	MANTLE EEF (XT710) CH880, MM0352126		
442.9339-02	MANTLE B (XT710) CH880, MM0345524		
MM0345222	MANTLE SPECIAL EF (XT710) CH880		
442.9340-02/452.0264-002	MANTLE EF (XT710) CH880, MM0238783	3675kg	
442.9270-00	HEAD NUT WITH RING, N11851564		
442.9270-01	HEAD NUT W/O RING (ENHANCED), N11851969		
442.9269-01 N11851563	HEAD NUT INNER		
442.9269-01 N11851968	HEAD NUT INNER (ENHANCED)		
442.9306-01 N11851577	BURNING RING H8000		
442.9271-01 N11851565	DUST SEAL RING		
442.9272-01	RETAINING RING, N11851566		
442.9367-01 N11851610	RETAINING RING		
442.9368-01 N11851611	SCREW M6S 20X60 8.8 ISO4017		
840.0069-00 704201000000	BOLT, HEXAGONAL ISO4014-M16X80-8.8-A3A		
840.0074-00 N01530324	SMS-L Washer BRB 3x17/30		
847.0016-00 212803	TOP SHELL EC2 H8000		
452.5427-001 N11851545	SPIDER ARM SHIELD STD		
442.9265-00 N11851855	SPIDER CAP www.LulanPanda.com		
452.0266-001/442.9268-01 N11851562	FILTER, AIR PI 0102 MIC, 77575806		
912.0114-00 912.0114-00	NIPPLE, HEXAGONAL ISO49-N8-1/4-FE-A		
900.0169-00 65-711-487-002	ELBOW ISO49-A1-1/4-FE-A		
900.0002-00 900.0002-00			

873.1232-00 873.1232-00	O-RING 790.0 x 5.7 SMS 1586		
840.0653-00 N01530429	BOLT, HEXAGONAL ISO4014-M20X100-8.8-A3A		
847.0132-00 N01626520	WASHER BRB 3x21/36		
442.9266-MNBR N11852034	SPIDER BUSHING MNBR		
442.9266-01 N11851560	SPIDER BUSHING STD		
N11852440	SPIDER BUSHING SPECIAL WITH 56 MM STROKE MNBR		
840.0652-00 SA950815	BOLT, HEXAGONAL ISO4014-M20X90-8.8-TZN		
847.0132-00 N01626520	WASHER BRB 3x21/36		
452.0418-001	SPIDER SEAL RING, N11851561		
452.0417-001/452.0417-001 N11851945	RING		
452.0419-001/452.0419-001 N11851946	SUPPORT RING		
841.0225-00 704103000000	SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M6X45-8.8-A3A		
900.0981-00 900.0981-00	PLUG BSPT 1 INX		
442.9398-02	CONCAVE COARSE (XT710) CH880, N11944687	4301.85kg	2262mm * 2262mm * 1043mm
442.9471-02	CONCAVE FINE-MEDIUM-COARSE (XT710) CH880, N11944684		
N11944682	CONCAVE EXTRA-FINE SHORT (XT710) CH880		
MM0376018	CONCAVE EXTRA-FINE SPECIAL (XT710) CH880		
452.0579-002	CONCAVE EXTRA-EXTRA-FINE SHORT (XT710) CH880, MM0352127	3785.25kg	
442.9336-02	CONCAVE EXTRA-COARSE (XT710) CH880, MM0346040		2292mm * 2292mm * 1013mm
442.9341-02/452.0263-002	CONCAVE EXTRA-FINE (XT710) CH880, MM0239195		
831.0016-00 N08010111	BACKING COMPOUND (10 KG)		
442.9520-00	FILLER RING MC, F, EF, EEF, EFX, N11851632		
442.9338-00 N11851587	FILLER RING M		
442.9332-00 N11851585	FILLER RING MF		
840.1115-00 840.1115-00	BOLT ISO4014 M30X360 8.8 A3A		
452.1068-001/442.9352-01 N11851592	WASHER		
442.7252-04 N11851227	SHIM 10MM		
442.7252-03 N11851226	SHIM 5MM		
442.7252-02 N11851225	SHIM 3MM		
442.7252-01 N11851224	SHIM 1MM		
442.8908-02 N11851503	HOSE 31.5/0.6 L=245		
840.0069-00 704201000000	SCREW, HEXAGONAL ISO4017-M16X55-8.8-A3A		
847.0060-00 SA951189	WASHER, PLAIN SMS1466-17X42X8-ST-FZB		
840.1279-00	SCREW M36x650 8.8 ISO4014 (FOR CH880), N11852208		
840.1136-00 840.1136-00	SCREW M6S 36X540 8.8 ISO4014 FZB (FOR H8000)		
845.0273-00 704204000000	NUT, HEXAGONAL, TORQUE ISO7040-M36-8-A3A		
442.9353-01 N11851593	SLEEVE		
442.9354-01 N11851594	WASHER		
863.0015-00 863.0015-00	CONICAL DISC SPRING DIN2093-A100-UNPLTD		
442.9313-01 N11851583	SUPPORT RING		
442.8290-01 N11851385	GUIDE PIN D 40X85		
930.0262-00 N11852365			
930.0286-00 N11852131	COUPLING INSTALLATION		
825.0182-00 825.0122-00	SPIDER BUSHING GREASE (18 KG)		
452.6194-901	H8000 Main Shaft Assembly Excluding Mantle		
452.3319-001	Topshell		
452.0281-001	Bottomshell	18375kg	3140mm * 3140mm * 1645mm
452.0320-001	Head Center		
452.0328-001	Mainshaft		
452.3720-901	Foot assembly		
442.9336-005	CH880/CH880 Liner, EC	4254.6kg	2292mm * 2292mm * 1013mm
442.9267-01	SPIDER SEAL RING, N11851561		
442.9253-01	MPS CYLINDER HOUSING, N11851552		
442.9262-00	PINION SHAFT ARM LINER, N11851853		
452.0266-01	Spider cap		
BG00227259	H8800 CH880 Bowl liner		
906.0397-00	Lubricating Pump		