

As a trusted Chinese manufacturer and sourcing partner, LulanPanda delivers high-quality industrial equipment and components at highly competitive prices. With over two decades of expertise in producing cone crushers and spare parts, we have established robust partnerships with certified factories across China, ensuring both precision engineering and cost efficiency for global clients.

Core Offerings

- Cone Crushers & Spare Parts: Specialized manufacturing since 2003, offering OEM-compliant solutions.
- Extended Product Range: Drill bits, electric lifts, and diverse industrial machinery components.
- Custom Sourcing: Leverage our nationwide supplier network to procure any Made-in-China product tailored to your specifications.

Why Partner With Us?

- ✓ Quality Assurance: Rigorous ISO-compliant production standards.
- ✓ Cost Advantage: Factory-direct pricing with no intermediaries.
- ✓ End-to-End Service: From product development to logistics support.

Let's Collaborate

Whether you require standard equipment or customized industrial solutions, our team is committed to optimizing your supply chain. Contact us today to discover how we can add value to your operations.

Sandvik CH890 Cone Crusher parts list

Part Number	Description	Weight	Packing
452. 5824-901	Bottomshell Ar	33600kg	3180mm * 3180mm * 1645mm
452. 5991-901	Wear plates in bottomshell		
452. 9650-	Rubber compression mountings		
452. 2045-901	Eccentric Ar	10563kg	843mm * 843mm * 900mm
452. 6434-901	Dust collar Ar	1727. 25kg	1655mm * 1655mm * 650mm
452. 5938-901	Hydroset cylind	11634kg	1100mm * 1100mm * 1115mm
452. 2007-901	Pinionshaft coupling Ar		
452. 6419-901	Pin shaft Ar	18900kg	2070mm * 3290mm * 2130mm
452. 6235-901	Bottomshell Ar	34125kg	3140mm * 3140mm * 2180mm
452. 3620-901	Feed hopper Ar		
452. 6738	Direct drive on subframe	8820kg	6040mm * 3745mm * 900mm
452. 6164	Overpressure connection assembly	630kg	
452. 6271	Overpressure unit		
452. 6223	Tool list		
452. 6745-901	Sign assembly		
452. 5998-901	Hoses and protection	2079kg	
452. 5972-901	Bottomshell assembly		
452. 3721-901	Foot		
847. 0125-00	Washer BRFB 3lx58 HB 200		
840. 0693-00	Screw M6S M30x110 8.8 ISO4014		
442. 9248-01	Bottomshell bushing	388. 5kg	
442. 9249-02	Eccentric wearing plate	54. 6kg	1040mm * 1040mm * 130mm
853. 0646-00	Pin, Prym N 16x45		
442. 9396-00	Bend		
900. 2199-00	Flange SAE 3000 4"		
847. 0016-00	Washer BRB 17x30 HB200 ISO 7089		
840. 0070-00	Screw M6S 16x60 8.8 FZB ISO 4017		
873. 0129-00	O-ring 109, 5x3 SMS 1586		
891. 2447-901	Inspection door PU		
847. 0147-00	Washer BRB 13x24 HB200 ISO 7089		
845. 0030-00	Lock nut M12 8 FZB ISO 7040	0. 02kg	
853. 0464-00	Pin CP m6 12x30 SMS 2374		
452. 5923-901	Liner pinionshaft arm assembly		
452. 5925-001	Liner narrow arm	193. 2kg	
452. 5991-901	Wear plate complete		
452. 5992-001	Wear plate		
452. 5994-001	Wear plate		
452. 5993-001	Wear plate		
452. 6017-001	Wear plate		
452. 6016-001	Wear plate		
452. 6081-001	Bar		
864. 0079-00	Damper SAW 300B		
840. 1135-00	Screw M6S 20x35 8.8 ISO 4017		
847. 0132-00	Washer round 21x36 ZP		
442. 5904-01	Fixing plate S235JR		
864. 0124-00	Damper SAW 200 A		
840. 0064-00	Screw M6S M16x30 FZB ISO 4017		
847. 0016-00	Washer BRB 17x30 HB200 ISO 7089		
442. 9651-01	Mounting plate		
442. 9245-01	Eccentric Pt.		

442.9246-01	Hub		
442.9274-00	Ring		
840.0068-00	Screw M6S 16x50 8.8 ISO 4017		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
442.9469-01	Key R 28x16x320		
841.0036-00	Screw MC6S 16x60 12.9 ZP		
841.0032-00	Screw MC6S 16x60 ZP		
847.0181-00	Washer DIN 137 B 17x30		
442.9275-01	Key T50x28x90		
442.9357-01	Eccentric bushing 24+28+32+36		
442.9639-00	Gear and pinion set 50Hz		
452.6435-001	Dust Collar	924kg	1655mm * 1655mm * 680mm
853.0464-00	Pin CP m6 12x30 SMS 2374		
442.9309-01	Ring		
442.9310-01	Seal ring Pt.		
442.9362-01	Shim t=0.1		
442.9362-02	Shim t=0.5		
442.9362-03	Shim t=0.7		
442.9362-04	Shim t=1.0		
442.9308-02	Locating bar	3.15kg	
841.0256-00	Screw MC6S 10x50 8.8 FZB		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
840.0943-00	Screw M6S 16x70 8.8 FZB		
840.0064-00	Screw M6S M16x30 fzb ISO 4017		
873.1545-00	O-ring 1390x6.99 NBR70		
873.1548-00	O-ring 40.64x5.33 NBR70		
452.5973-001	Hydroset cylinder		
452.5942-001	Hydroset cylinder cover		
847.0310-00	Washer BRB 31x56 ZP		
840.1176-00	Screw M6S M30x200 10.9		
442.9256-01	Hydroset cylinder bushing		
840.0032-00	Screw M6S M10x16 8.8		
847.0144-00	Washer BRB 10.5x56 ZP		
873.1233-00	O-ring 159, 0x5, 7		
873.1210-00	O-ring 159, 0x5, 7		
873.1211-00	O-ring 810, 0x8, 4		
919.0190-00	Protection plug		
873.0237-00	O-ring 89, 5x3		
984.0421-00	Position sensor EDS-400-I-SR		
841.0628-00	Screw MC6S 8x40 GL28 A2-70		
847.0016-00	Washer BRB M17x30 ZP		
840.0069-00	Screw M6S M16x55 8.8 ZP		
452.6139-001	Flange Measure system		
900.2292-00	Measuring nipple G 1/4 "		
452.6129-901	Measuring tube Holder As.		
853.0988-00	Pin CP 30x70 m6		
452.6075-001	Piston	1050kg	760mm * 760mm * 640mm
442.9304-01	Packing clamping plate, Pt.		
841.0267-00	Screw MC6S M12x30 8.8 ZP		
452.2631-901	Step bearing set		
442.9257-00	Chevron packing assembly		
442.9806-01	Pinion Shaft Housing		
442.9364-02	Gasket t=0.8		
442.9364-03	Gasket t=1.5		
868.0832-00	Bearing 32230 J2		
847.0299-00	Lock washer MB 30		
442.9809-01	Wear ring www.LulanPanda.com		
845.0164-00	Locking Nut KM 30 150x2 ISO 2982		
442.9334-01	Spacer		
442.9808-01	Spacer		
873.1219-00	Oil Seal Ring, Type 4, 170x200x15		
873.0136-00	O-ring 139.3x5.7 SMS 1586		
442.9261-01	Bearing cover inner		
442.9260-01	Bearing cover, outer		
840.0046-00	Screw M6S 12x35 8.8 ISO 4017		
847.0147-00	Washer BRB 13x24 HB200 ISO 7089		
840.0078-00	Screw M6S 20x60 8.8 ISO 4017		
847.0132-00	Washer BRB 21x36 HB200 SS 3576		
442.9365-01	Gasket t=0.8		
442.9364-01	Gasket t=0.5		
853.0590-00	Spring Pin, Prym N 8x28		
442.9807-01	Pinion shaft		
900.2388-00	Plug SR 1010 KS		
857.0360-00	Key T 32x18x115 SMS 2307		
857.0354-00	Key T 36x20x140 SMS 2307		
900.0022-00	Elbow 3/4, A4 SMS 435		
842.0020-00	Screw SK6SS 20x25		
442.9346-01	Oil level gauge		
873.0387-00	Seal ring TREDO 26		
855.0030-00	Retaining ring SgA 140		
840.1063-00	Screw M6S 16x120H 8.8		

845.0009-00	Nut M6M M16 8 FZB ISO 4032		
847.0063-00	Washer TBRSB 26x65		
840.0672-00	Screw M6S 24x100 8.8 ISO 4014		
442.9366-01	Gasket t=0.5		
900.0655-00	Adapter 3/4"		
900.0656-00	Straight adapter G 1 B -11		
873.0386-00	Seal Tredo 23 www.LulanPanda.com		
452.6421-901	Mainshaft,As		
442.9294-01	Main shaft sleeve		
853.0988-00	Pin CP 30m6x70 SMS 2374		
855.0026-00	Retaining Ring Sga 100 DIN 471		
442.9269-01	Head nut Inner		
442.9270-00	Head nut As.		
452.6045-001	Dust seal retaining ring	428.4kg	1840mm * 1840mm * 240mm
847.0016-00	Washer BRB M17x30 ZP ISO 7089		
840.1034-00	Screw M6S 16x60 10.9 ISO 4017		
452.6048-001	Dust seal ring	68.25kg	1480mm * 1480mm * 198mm
442.9367-01	Retainer www.LulanPanda.com		
840.0067-00	Screw M6S 16x45 8.8 ISO 4017		
452.6114-001	Scraper		
452.6722-001	Distance Pt.		
840.0065-00	Screw M6S M16x35 8.8 ISO 4017		
842.0230-00	Screw SK6SS 15x15 ISO 4029		
442.9306-01	Burning ring www.LulanPanda.com		
452.4051-001	Co. Mantle		
452.6235-901	Topshell		
840.1175-00	Screw M6S 42x320 8.8 4014		
845.0322-00	Nut M6M M42 8 FZB ISO 4032		
847.0171-00	Washer BRB 43x80 HB 200 SS 3576		
442.9979-01	Washer		
899.0278-00	Protective cap SW65 2 H20		
442.9530-02	Screw M6S M42x140 ZP		
914.0093-00	Lubrication nipple AH R 1/4 "		
900.0142-00	Pipe bushing		
452.4029-001	Pipe 28x1.5 SMS 1890		
900.0437-00	Compression fitting GE 28-LR		
452.0266-001	Spider cap		
912.0114-00	Air filter P10102 R 1/4"		
900.0169-00	Hexagon nipple N8 DN8/8 zincd		
900.0002-00	Elbow 1/4 ISO49 A1		
452.3952-001	Steel pipe DIN2391/C-ST 35,4 FZ 10x1,5		
900.0425-00	Compression fitting GE 10-LR		
873.1232-00	O-ring 790,0x5,7 SMS 1586		
840.0653-00	Screw M6S M20x100 8.8 ISO 4014		
847.0132-00	Washer round 21x36 ZP ISO 7089		
442.9266-01	Spider bushing		
191.3213-00	Connection box CBT		
900.2624-00	Jam nut 1/2 "		
900.0654-00	Adapter G 1/2 BxG 1/2 B		
452.3950-001	Steel pipe DIN2391/C-ST 35,4 FZ 10x1,5		
840.0652-00	Screw M6S M20x90 8.8 ISO 4017		
452.0418-001	Seal ring / Scraper		
452.0417-001	Ring		
452.0419-001	Support ring		
841.0225-00	Screw MC6S M6x45 8.8 FZB		
842.0316-00	Screw SKSS 24x25 ISO 4029		
840.1115-00	Screw M6S 30x360 8.8		
452.1068-001	Block		
442.7252-01	Shim, DC 01		
442.7252-02	Shim, S235JR		
442.7252-03	Shim, S235JR www.LulanPanda.com		
442.7252-04	Shim, S235JR		
442.8908-02	Hose 31,5/0,6 L=245		
847.0125-00	Washer BRFB 31x58 HB 200		
840.1279-00	Screw M6S M36x650 8.8 fzb		
845.0273-00	Nut M6MN M36 ZP Pt. ISO 4014		
442.9353-01	Sleeve www.LulanPanda.com		
442.9354-01	Washer www.LulanPanda.com		
863.0015-00	Disc spring 100x51x6		
442.9313-01	Support ring		
442.8290-01	Dowel pin		
452.5430-001	Spacer fzb Pt. www.LulanPanda.com	2.62kg	
900.1030-00	Bushing RI 1/2" -1/4"		
900.0981-00	Plug BSPT 1' ' hexagon		
191.2376-00	Temperature sensor, Pt.		
452.9265-00	Arm shield		
452.0514-001	Arm shield www.LulanPanda.com		
442.9336-01	Concave EC	4254.6kg	2292mm * 2292mm * 1013mm
442.9398-01	Concave C		
442.9471-01	Concave MC		
442.9337-01	Concave M		

442.9312-01	Concave MF		
442.9471-01	Concave F		
442.9338-00	Filler ring M		
452.4035-901	Wearing plate assembly, consists of:		
452.1069-901	Wearing plate alternative		
847.0060-00	Washer TBR5B 17x42		
840.0069-00	Screw M6S 16x55 8.8 ISO 4017		
840.0634-00	Screw M6S 16x25 8.8 ISO 4017		
442.9737-00	Feed hopper lower		
452.6128-901	Feed hopper		
442.9736-00	Feed hopper, upper		
840.0078-00	Screw M6S 20x60 8.8 ISO 4017		
847.0132-00	Washer BRB 21x38 zp		
845.0203-00	Lock nut		
442.9747-01	WT6000 (FF) 50x500x750		
442.9750-01	WT6000 (FF) 50x500x550		
840.0068-00	Screw M6S 16x50 8.8 ISO 4017		
845.0215-00	Nut lock ISO 7040 M16 8 fzb		
847.0016-00	Washer BRB 17x30		
840.0071-00	Screw M6S 16x65		
873.1287-00	Rubber plug Ø40x40		
452.3682-901	Cone EC		
458.0390-00	Sub-frame		
442.9650-91	Vibration damper		
458.0772-00	Rail for seal streap		
930.0265-00	Pump P115 + Box		
458.0396-001	Guard		
452.3387-001	YES, Motor template		
458.0406-01	Shims T=1 mm		
458.0406-02	Shims T=0,5mm		
458.0406-03	Shims T=0,3mm		
840.0718-00	Screw M6S 36x180 8.8 ISO 4014		
847.0162-00	Washer BRB 37x68 HB200 ISO 7089		
845.0273-00	Nut M6MN M36 8 ZP Pt.		
845.0274-00	Lock Nut M48 8 FZB DIN 985		
847.0142-00	Washer BRB 53x92 HB200 SS 70		
840.1117-00	Screw M6S 48x180 8.8 ISO 4014	3.15kg	136mm * 136mm * 250mm
845.0010-00	Nut M6M M20 8 FZB ISO 4032		
840.0967-00	Screw M6S M20x90 8.8 ZP ISO 4017		
873.0718-00	Strip 2254 50x30 L=2,0 m		
930.0273-00	Drive shaft with safety coupling, consists of:		
930.0276-00	Coupling Safeset SR-N 180		
930.0277-00	Coupling Holset PM 27 Di=120		
930.0278-00	Intermediate shaft		
930.0274-00	Shear tube		
458.0452-01	Support		
840.0021-00	Screw M6S M8x20 8.8 fzb ISO 4017		
847.0012-00	Washer BRB 8,4x16 ISO 7089		
984.0217-00	Sensor SIH-3010-BPKG		
452.6163-001	Air chamber		
873.0386-00	Seal Trede 23		
900.0436-00	Compression fitting GE-25R		
452.6059-001	Flange Air Inlet Flange		
900.2279-00	Plug VSTI R 1/4" -ED		
840.0044-00	Screw M6S 12x25 8.8 ISO 4017		
847.0147-00	Washer BRB 13x24 HB200 ISO 7089		
840.0053-00	Screw M6S 12x70 8.8 ISO 4017		
847.0015-00	Washer BRB 13,5x24 ZP		
873.0384-00	Seal Trede 18 www.LulanPanda.com		
984.1632-00	Pressure transmitter E913 G1/2 M12		
452.6152-002	Steel pipe DIN 2391C Fz 25x2		
452.6152-003	Steel pipe DIN 2391C Fz 25x2		
840.0054-00	Screw M6S 12x80 8.8 ISO 4014		
900.2587-00	,G 2 1/2"		
840.0049-00	Screw M6S 12x50 8.8 ISO 4014		
452.6273-001	Cover lid, For transportation only.		
900.3078-00	Adapter XGE-25SR/A M36/1"		
873.1295-00	O-ring 69.44x3.53 NBR 70		
900.3077-00	Compression fitting EW-25 S		
900.0778-00	Clamping ring DS-25 S		
873.1547-00	O-ring 120.02x5,33 NBR70		
900.2302-00	Plug VSTI R1/2" -ED		
900.3079-00	Clamp SLK 325 PP www.LulanPanda.com		
900.2118-00	Cover plate DP 3		
840.0588-00	Screw M6S 6x40 8.8 fzb ISO 4014		
847.0164-00	Washer BRB 6,4x12 HB200 ISO7089		
452.6099-001	Protective plate		
900.0193-00	Hexagon nipple 2x 1 1/2 ISO 49 N8		
900.2846-00	Socket 2 1/2x2 ISO49 M2		
900.2809-00	Hose coupling hose 2 1/2" R 2 1/2"		
452.6272-001	Hose		

452.3811-901	Air cleaner www.LulanPanda.com		
900.3080-00	Nipple 2 1/2" SAE 3000		
900.1722-00	Hose clip		
906.0538-00	Overpressure fan Becker SV 5. 133/1		
840.0021-00	Screw M6S M8x20 8.8 fzb ISO 4017		
442.9476-00	Tool Box		
452.6267-001	Tool list		
442.9443-00	Lifting tool eccentric bushing		
442.9444-00	Lifting tool bottom shell bushing		
442.9446-00	Lifting tool		
452.6180-901	Retainer As.		
442.7284-90	Lowering rod		
843.1529-00	Lowering rod		
845.0013-00	Nut M6M M30 8 FZB ISO 4032		
899.0515-00	Lifting eye bolt VWBG 35 M80x120		
899.0511-00	Lifting eye bolt VRS-F-M30 swivel		
899.0510-00	Lifting eye bolt VRS-F-M20 swivel		
899.0509-00	Lifting eye bolt VRS-F-M16 swivel		
899.0508-00	Lifting eye bolt VRS-F-M12 swivel		
899.0507-00	Lifting eye bolt VRS-F-M10 swivel		
899.0512	Lifting eye bolt VRS-F-M8 swivel		
920.0110-00	Slugging wrench 65		
920.0109-00	Slugging wrench 55		
920.0238-00	Slugging wrench 46		
920.0243-00	Tool Combination Wrench 55		
920.0131-00	Combination Wrench 46		
920.0135-00	Combination Wrench 36		
920.0134-00	Combination Wrench 30		
920.0022-00	Combination Wrench 24		
920.0044-00	Combination Wrench 18		
920.0245-00	Tool Combination Wrench NV 16		
920.0042-00	Socket screw key 19 mm		
920.0040-00	Socket screw key 14 mm		
920.0038-00	Socket screw key 10 mm		
920.0037-00	Socket screw key 8 mm		
920.0035-00	Socket screw key 5 mm		
920.0032-00	Socket screw key 5/8" mm		
442.0800-91	Chunk of lead As.		
923.0422-00	Feeler gauge 0.05-1 mm		
452.0452-001	Lifting tool		
904.0585-00	Air bleeder hose		
126.0447-001	SANDVIK logotype silver 180		
126.0772-001	Sign product name		
126.0384-001	Warning flying fragments		
126.5007-01	Identification plate		
126.0345-001	Patent information sign		
885.0267-00	Warning sign Danger		
126.0383-001	Risk of crushing		
126.0385-001	Warning sign read manual		
452.1488-902	YES,Hydroset security valve,As.		
452.6079-001	Hydraulic hose,Rockmaster 2 "		
452.6077-001	Hydraulic hose,Rockmaster 2 "		
452.6078-001	Hydraulic hose,Rockmaster 2 "		
900.2592-00	Flange half SAE 3000 PSI 2 "		
452.1580-001	Hose SAE 100 R1AT 3/4" x1000		
442.9396-00	Bend,As.		
452.1616-901	Return oil hose		
873.0390-00	Seal ring Tredo 30		
900.2599-00	Adapter G 2 BxG 1 B		
452.1579-001	Hose SAE 100 R2AT 1" x1200		
873.1299-00	O-ring 32,92x3,53 NBR 70		
873.0129-00	O-ring 109,5x3		
452.1536-901	Straight hose coupling		
873.0755-00	O-ring 56,74x3,53 NBR 70		
873.0615-00	O-ring 24,99x3,53 NBR 70		
900.2199-00	Flange SAE 3000 PSI 4 "		
900.2602-00	Flange half SAE 3000 PSI 3/4		
900.2385-00	Flange half SAE 3000 PSI 1 "		
452.1591-001	Cover 1" SAE-flange		
452.1590-001	Cover 4" SAE-flange		
452.1592-001	Cover 3/4" SAE-flange		
841.0268-00	Screw M6S M12x35 8.8 ZP		
847.0147-00	Washer round 13x24 ZP		
840.0068-00	Screw M6S M16x50 8.8 ZP		
847.0016-00	Washer BRB M17x30 ZP		
845.0215-00	Lock nut high M16 8 ZP		
841.0253-00	Screw MC6S M10x35 8.8 ZP		
847.0144-00	Washer BRB 10,5x22x2 ZP		
845.0213-00	Lock nut high M10 8 ZP		
840.0066-00	Screw M6S M16x40 8.8 ZP		
452.6153-001	Connection manifold		

847.0338-00	Washer BRB 21x37 ZP		
840.0934-00	Screw M6S M20x150 8.8 ZP		
840.0076-00	Screw M6S M20x40 8.8 ZP		
900.2302-00	Plug VSTI R1/2" -FD		
452.6000-902	YES,Bracket for hydroset seal valve left		
900.1140-00	Clip RSGUL 22x15		
841.0219-00	Screw M6S M16 8.8 ZP		
452.1511-001	Protection		
840.0622-00	Screw M6S M12x20 8.8 ZP		
452.6090-901	Bracket		
452.6093-901	Bracket Fzb		
452.6096-001	Bar		
452.6127-001	Bracket Fzb		
452.6088-901	Wear liner		
452.1425-901	Support		
452.1426-001	Bracket		
847.0016-00	Washer BRB M17x30 ZP		
845.0215-00	Lock nut high M16 8 ZP		
452.6103-001	Rubber protection		
452.6134-001	Bar		
840.1097-00	Screw M6S M16X260		
452.6169-001	Support Fzb		
840.0070-00	Screw M6S M16x60 8.8 ZP		
452.6175-001	Fixing bar Fzb		
452.6166-001	Rubber protection		
840.0065-00	Screw M6S M16x35 8.8 ZP		
840.0072-00	Screw M6S M16x70 8.8 ZP		
840.0067-00	Screw M6S M16x45 8.8 ZP		
452.6170-001	Protective cover Fzb		
847.0147-00	Washer round 13x24 ZP		
840.0044-00	Screw M6S M12x25 8.8 ZP		
873.0390-00	Seal ring Trede 30		
900.0659-00	Adapter G 2 BxG 2 B		
452.1587-001	Hose SAE 100 RIAT 1 x1000		
452.1580-001	Hose SAE 100 RIAT 3/4" x1000		
452.1538-001	Hose SAE 100 R2AT 2" X2000		
452.1616-901	Return oil hose		
452.1591-001	Cover 1" SAE-flange		
841.0253-00	Screw MC6S M10x35 8.8 ZP		
845.0213-00	Lock nut high M10 8 ZP		
847.0144-00	Washer BRB 10,5x22x2 ZP		
900.2385-00	Flange half SAE 3000 PSI 1 "		
873.1299-00	O-ring 32,92x3,53 NBR 70		
452.1592-001	Cover 3/4" SAE-flange		
900.2602-00	Flange half SAE 3000 PSI 3/4		
873.0615-00	O-ring 24,99x3,53 NBR 70		
452.1589-001	Cover 2" SAE-flange		
900.2592-00	Flange half SAE 3000 PSI 2 "		
845.0030-00	Lock nut M12 8 ZP	0.02kg	
847.0147-00	Washer round 13x24 ZP		
841.0268-00	Screw M6S M12x35 8.8 ZP		
873.0755-00	O-ring 56,74x3,53 NBR 70		
452.1536-901	Straight hose coupling		
900.2199-00	Flange SAE 3000 PSI 4 "		
840.0068-00	Screw M6S M16x50 8.8 ZP		
847.0016-00	Washer BRB M17x30 ZP		
845.0215-00	Lock nut high M16 8 ZP		
873.0129-00	O-ring 109,5x3 www.LulanPanda.com		
452.1590-001	Cover 4" SAE-flange		
442.9308-02	Locating bar		
442.9362-01	Shim t=0,1		
442.9362-02	Shim t=0,5		
442.9362-03	Shim t=0,7		
442.9362-04	Shim t=1,0		
841.0256-00	Screw MC6S 10x50 8.8 fzb		
442.9364-01	Gasket t=0.5 Pt.		
442.9364-02	Gasket t=0.8 Pt. www.LulanPanda.com		
442.9364-03	Gasket t=1.5 Pt.		
868.0832-00	Bearing 32320 J2		
845.0164-00	Lock nut KM 30 150x2 plain		
847.0299-00	Lock washer 150 MB 30		
442.9809-01	Wear ring		
442.9334-01	Spacer Pt.		
442.9808-01	Spacer Pt.		
873.0136-00	O-ring 139.3x5.7		
873.1219-00	Oil seal ring Type 4 170x200x15		
442.9365-01	Gasket t=0.8 Pt. www.LulanPanda.com		
442.9366-01	Gasket t=0.5 Pt.		
873.0387-00	Seal ring Trede 26		
873.0386-00	Seal ring Trede 23		
840.1279-00	Screw M6S 36x650 8.8 fzb		

845.0273-00	Lock Nut Low M36 8 ZP		
442.9353-01	Cage Pt. www.LulanPanda.com		
442.9354-01	Washer Pt.		
863.0015-00	Disc spring		
452.5430-001	Spacer		
452.5923-901	Liner pinionsha		
452.5925-001	Liner pinion		
912.0126-00	Filter Housing LulanPanda.com		
912.0129-00	Filter cartridge HC2		
912.0139-00	Filter cartridge 852516 MIC		
912.0219-00	Filter cartridge FK200		
912.0155-00	Filter cartridge 852.514 MIC		
900.1030-00	CH895 Topshe11 REDUCER RI-08-04 1/2"-1/4";5650-4"		
442.9248-01 N11851550	CH895 BOTTOM SHELL BUSHING	388.5kg	
840.0064-00 N01530306	CH895 SCREW, HEXAGONAL ISO4017-M16X30-8.8-A3A		
442.9309-01 N11851580	CH895 RING		
853.0464-00 853.0464-00	CH895 PIN CP 12M6x30 SMS 2374		
840.0943-00 7001530322	CH895 BOLT, HEXAGONAL ISO4017-M16X70-8.8-A3A		
847.0016-00 212803	CH895 SMS-L ACC Washer BRB 3x17/30		
442.9308-02 N11851579	CH895 SUPPORT BAR		
442.9362-04 N11851602	CH895 SHIM 1,0MM		
442.9362-03 N11851601	CH895 SHIM 0,7MM		
442.9362-02 N11851600	CH895 SHIM 0,5MM		
442.9362-01 N11851599	CH895 SHIM 0,1MM		
841.0256-00 704104000000	CH895 SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M10X50-8.8-A3A		
442.9310-01 N11851581	CH895 SEALING RING INNER /H8000		
840.0672-00 N01530528	CH895 BOLT, HEXAGONAL ISO4014-M24X100-8.8-A3A		
847.0063-00 SA951194	CH895 WASHER, PLAIN SMS1466-26X65X10-ST-FZB		
840.1175-00 840.1175-00	CH895 BOLT, HEXAGONAL ISO4014-M42X320-8.8-UNPLTD		
845.0322-00 7001563042	CH895 NUT, HEXAGONAL ISO4032-M42-8-A3A		
847.0171-00 847.0171-00	CH895 WASHER, PLAIN SS70-BRFB-43X80-200HV-FZB		
442.9530-02 N11851639	CH895 JACKING SCREW M42X140		
442.9245-01 N11851548	CH895 ECCENTRIC		
442.9360-01	CH895 ECCENTRIC BUSHING 60+64+68+70, N11851598	619.5kg	
442.9359-01 N11851597	CH895 ECCENTRIC BUSHING 48+52+56+60		
442.9358-01 N11851596	CH895 ECCENTRIC BUSHING 36+40+44+48		
442.9357-01 N11851595	CH895 ECCENTRIC BUSHING 24+28+32+36		
442.9246-01 N11851549	CH895 HUB		
442.9274-00 N11851567	CH895 RING		
840.0068-00 7001530312	CH895 SCREW, HEXAGONAL ISO4017-M16X50		
847.0016-00 212803	CH895 SMS-L ACC Washer BRB 3x17/30		
442.9469-01 N11851620	CH895 KEY		
841.0036-00 N01540284	CH895 SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M16X100-12.9-UNPLTD		
841.0032-00 704104000000	CH895 SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M16X60-8.8-A3A		
847.0181-00 847.0181-00	CH895 WASHER, LOCK, HELICAL SPRING, REGULAR		
442.9639-00 N11851659	CH895 GEAR ASSEMBLY 50HZ		
442.9311-00 N11851582	CH895 GEAR ASSEMBLY 60HZ		
442.9275-01 N11851568	CH895 KEY		
442.9249-02	CH895 ECCENTRIC WEARING PLATE, N11851551	54.6kg	
853.0646-00 853.0646-00	CH895 PIN PRYM N 16X45		
452.5938 N11852505	CH895 MPS ASSEMBLY		
840.1176-00 MM0352506	CH895 BOLT, HEXAGONAL ISO4014-M30X200-10.9-UNPLTD		
442.9256-01 N11851554	CH895 CYLINDER BUSHING		
873.1211-00 873.1211-00	CH895 O-RING 810 x8,4 SMS 1586		
853.0988-00 853.0988-00	CH895 PIN CP 30M6x70 SMS 2374		
442.9257-00 N11851555	CH895 CHEVRON PACKING		
442.9304-01 N11851576	CH895 CLAMP PLATE		
841.0267-00 7001538186	CH895 SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M12X30-8.8-A3A		
873.1210-00 873.1210-00	CH895 O-RING 759x5,7 SMS 1586		
873.1233-00 873.1233-00	CH895 O-RING 706,0x5,7 SMS 158		
873.0237-00 SA953194	CH895 O-RING SMS1586-89.50X3.00-NBR70		
984.0421-00 984.0421-00	CH895 TRANSDUCER PROBE		
452.2007-901	CH895 PINION SHAFT HOUSING ASSY H8000, N11852160		
442.9806-01 N11851691	CH895 PINION SHAFT HOUSING		
442.9364-03 N11851606	CH895 GASKET 1.5MM www.LulanPanda.com		
442.9364-02 N11851605	CH895 GASKET 0.8MM		
442.9364-01 N11851604	CH895 GASKET 0.5MM		
868.0832-00 868.0832-00	CH895 BEARING, ROLLER, TAPERED 32230 J2		
868.0832-00 868.0832-00	CH895 BEARING, ROLLER, TAPERED 32230 J2		
845.0164-00 845.0164-00	CH895 LOCK NUT KM30 150X2		
847.0299-00 847.0299-00	CH895 LOCK WASHER MB30		
442.9809-01 N11851694	CH895 WEAR RING		
442.9334-01 N11851586	CH895 SPACER		
442.9808-01 N11851693	CH895 SPACER		
873.0136-00 873.0136-00	CH895 O-RING 139.3X5.7 SMS 1586		
873.0136-00 873.0136-00	CH895 O-RING 139.3X5.7 SMS 1586		
873.1219-00 873.1219-00	CH895 RING, SEAL TYPE 4 170X200X15 ISO		
873.1219-00 873.1219-00	CH895 RING, SEAL TYPE 4 170X200X15 ISO		
442.9261-01 N11851559	CH895 BEARING COVER INNER		
442.9260-01 N11851558	CH895 BEARING COVER OUTER		
840.0046-00 2972680	CH895 BOLT, HEXAGONAL ISO4014-M12X35-8.8-A3F		

847.0147-00 00921305012S	CH895 WASHER, PLAIN ISO7089-12-200HV-A3A		
840.0078-00 N01530001	CH895 SCREW M6S 20X60 8.8 ISO4017		
847.0132-00 N01626520	CH895 WASHER BRB 3x21/36		
442.9365-01 N11851607	CH895 GASKET T=4MM		
442.9366-01 N11851608	CH895 GASKET T=6MM		
900.0655-00 900.0655-00	CH895 ADAPTER FOR R3/4 702-12-12		
853.0590-00 853.0590-00	CH895 PIN 30M6x70 SLOTTED, HEAVY DUTY		
442.9807-01 N11851692	CH895 PINION SHAFT NEW STYLE		
857.0360-00 857.0360-00	CH895 KEY T 32x18x115 SMS 2307 / FOR NEW SHAFT		
857.0354-00 857.0354-00	CH895 KEY T 36x20x140 SMS 2307		
900.0022-00 65-711-379-005	CH895 ELBOW ISO49-A4-3/4-FE-A		
442.9346-01 N11851591	CH895 OIL LEVEL GAUGE, H8000		
873.0387-00 873.0387-00	CH895 RING, SEAL TREDO NR 26		
900.0656-00 65-965-019-006	CH895 STRAIGHT ADAPTER		
873.0386-00 65-751-536-006	CH895 RING, SEAL		
855.0030-00 855.0030-00	CH895 RING, RETAINING, EXTERNAL DIN471-140X4-ST-ZNPH		
840.1063-00 7001530331	CH895 SCREW, HEXAGONAL ISO4017-M16X120-8.8-A3A		
845.0009-00 N01563016	CH895 NUT, HEXAGONAL ISO4032-M16-8-A3A		
442.9294-01 N11851569	CH895 MAIN SHAFT SLEEVE		
853.0988-00 853.0988-00	CH895 PIN CP 30M6x70 SMS 2374		
855.0026-00 N01602100	CH895 RING, RETAINING, EXTERNAL DIN471-100X3-ST-ZNPH		
MM0358733	CH895 MANTLE SPECIAL EF (XT710)		
452.4051-002 MM0352126	CH895 MANTLE EEF (XT710) CH880		
MM0345222	CH895 MANTLE SPECIAL EF (XT710)		
452.0264-002 MM0238783	CH895 MANTLE EF (XT710) CH880	3675kg	
442.9270-00	CH895 HEAD NUT WITH RING, N11851564		
442.9270-01	CH895 HEAD NUT W/O RING (ENHANCED), N11851969		
442.9269-01 N11851563	CH895 HEAD NUT INNER		
442.9269-01 N11851968	CH895 HEAD NUT INNER (ENHANCED)		
442.9306-01 N11851577	CH895 BURNING RING H8000		
442.9367-01 N11851610	CH895 RETAINER		
840.0067-00 7001530309	CH895 SCREW ISO4017-M16X45-8.8-A3A		
840.1034-00 MM0331477	CH895 SCREW, HEXAGONAL ISO4017-M16X60-10.9-A3A		
847.0016-00 212803	CH895 SMS-L ACC Washer BRB 3x17/30		
840.0065-00 7001530308	CH895 SCREW, HEXAGONAL ISO4017-M16X35-8.8-A3A		
842.0230-00 7001548122	CH895 SCREW, SET, HEXAGON SOCKET, CUP POINT ISO4029-M16X20-45H-A3R		
900.0425-00 900.0425-00	CH895 PIPE COUPLING		
452.0266-001 N11851562	CH895 SPIDER CAP		
912.0114-00 912.0114-00	CH895 FILTER, AIR PI 0102 MIC, 77575806		
873.1232-00 873.1232-00	CH895 O-RING 790,0 x 5,7 SMS 1586		
840.0653-00 N01530429	CH895 BOLT, HEXAGONAL ISO4014-M20X100-8.8-A3A		
847.0132-00 N01626520	CH895 WASHER BRB 3x21/36		
442.9266-MNBR N11852034	CH895 SPIDER BUSHING MNBR		
442.9266-01 N11851560	CH895 SPIDER BUSHING STD		
840.0652-00 SA950815	CH895 BOLT, HEXAGONAL ISO4014-M20X90-8.8-TZN		
847.0132-00 N01626520	CH895 WASHER BRB 3x21/36		
452.0418-001 N11851561	CH895 SPIDER SEAL RING		
452.0417-001 N11851945	CH895 RING www.LulanPanda.com		
452.0419-001 N11851946	CH895 SUPPORT RING		
841.0225-00 704103000000	CH895 SCREW, CAP, HEXAGON SOCKET HEAD ISO4762-M6X45-8.8-A3A		
900.0981-00 900.0981-00	CH895 PLUG BSPT 1 INX		
452.0579-002	CH895 CONCAVE EXTRA-EXTRA-FINE SHORT (XT710), MM0352127	3785.25kg	
452.0263-002	CH895 CONCAVE EXTRA-FINE (XT710), MM0239195		
831.0016-00 N08010111	CH895 BACKING COMPOUND (10 KG)		
840.1279-00	CH895 SCREW M36x650 8.8 ISO4014, N11852208		
845.0273-00 704204000000	CH895 NUT, HEXAGONAL, TORQUE ISO7040-M36-8-A3A		
442.9353-01 N11851593	CH895 SLEEVE		
442.9354-01 N11851594	CH895 WASHER		
863.0015-00 863.0015-00	CH895 CONICAL DISC SPRING DIN2093-A100-UNPLTD		
442.9313-01 N11851583	CH895 SUPPORT RING		
442.8290-01 N11851385	CH895 GUIDE PIN D 40X85		
452.6422	Main shaft		
BG01236441	Pinion shaft housing		
BG01241652	Inner plate		
BG01247642	Outer plate		
442.9722	Step washer www.LulanPanda.com		
194.0567-003	Cable M12-M12A M5p 3m		
194.0411-002	Cable open ended M12 fem 5p, 2 m		
194.0566-007	Cable M12 fem 4p-M12 male 5p, 7 m		
BG00486352	TOPSHELL ASSY. EXCL. CONCAVE		
BG00488841	MAINSHAFT ASSY. EXCL. MANTLE		
194.0566-012	Cable M12 fem 4p-M12 male 5p, 12 m		