

As a trusted Chinese manufacturer and sourcing partner, LulanPanda delivers high-quality industrial equipment and components at highly competitive prices. With over two decades of expertise in producing cone crushers and spare parts, we have established robust partnerships with certified factories across China, ensuring both precision engineering and cost efficiency for global clients.

Core Offerings

- Cone Crushers & Spare Parts: Specialized manufacturing since 2003, offering OEM-compliant solutions.
- Extended Product Range: Drill bits, electric lifts, and diverse industrial machinery components.
- Custom Sourcing: Leverage our nationwide supplier network to procure any Made-in-China product tailored to your specifications.

Why Partner With Us?

- ✓ Quality Assurance: Rigorous ISO-compliant production standards.
- ✓ Cost Advantage: Factory-direct pricing with no intermediaries.
- ✓ End-to-End Service: From product development to logistics support.

Let's Collaborate

Whether you require standard equipment or customized industrial solutions, our team is committed to optimizing your supply chain. Contact us today to discover how we can add value to your operations.

Sandvik CJ612 JM1211 Jaw Crusher parts list

Part Number	Description	Weight	Packing
400.1575-901	Pin		
855.0017-00	Locking ring		
53-366-419-506	Retraction rod		
127.0006-27	Spring	47.88kg	
840.0069-00	Screw M6S 16×55 www.LulanPanda.com		
847.0016-00	Washer BRB 17×30		
845.0215-00	Self-locking nut M16		
402.4300-00	Spring guide		
402.4301-00	Pressure plate		
845.0322-00	Nut M36 M42		
847.0024-00	Washer SRB 44×80		
906.0410-00	Jack		
402.3333-01	Spring guide		
908.0408-00	Hydraulic cylinder		
402.3936-00	Protective cover		
402.4583-00	Guard		
840.0069-00	Screw M6S 16×55		
847.0016-00	Washer BRB 17×30		
845.0215-00	Self-locking nut M16		
908.0466-00	Gasket kit for hydraulic cylinder 110/70		
402.4608-01	Toggle plate L=765	611.1kg	
400.2174-001	Toggle seat holder		
400.1680-001	Toggle seat, upper		
400.1680-001	Toggle seat, lower		
402.4311-01	Clamping bar		
402.4312-01	Dust curtain		
840.0045-00	Screw M6S 12×30		
847.0147-00	Washer BRB 13×24		
840.0054-00	Screw M6S 12×80		
847.0147-00	Washer BRB 13×24 www.LulanPanda.com		
400.2178-901	Side block, right hand side		
400.2178-901	Side block, left hand side		
53-174-776-500	Swing jaw assembly, Including bearing housings and eccentric shaft but excluding fly-wheels		
402.4248-00	Jaw		
868.0482-00	Roller bearing, Outer bearing		
868.0484-00	Withdrawal sleeve AOH		
402.4245-00	Labyrinth cover		
840.0077-00	Screw M6S 20×50		
847.0132-00	Washer BRB 21×36		
402.7392-01	Labyrinth ring		
873.0904-00	V-ring V-350A		
402.3894-01	Key		
53-267-179-003	Eccentric shaft		
845.0182-00	Shaft nut HM 56T TR 280×4		
847.0102-00	Tab washer 280 MB 56		

402.4264-01	Key		
53-467-156-000	Spacer ring		
845.0170-00	Shaft nut HM 44T 220×4		
847.0098-00	Tab washer 220 MB 44		
402.4263-00	Cover		
840.0044-00	Screw M6S 12×25		
847.0147-00	Washer BRB 13×24		
402.7391-01	Labyrinth ring		
873.0904-00	V-ring V-350A		
868.0483-00	Roller bearing, Inner bearing		
402.7389-00	Labyrinth cover		
873.0040-00	Seals O-ring Rubber String D3		
840.0077-00	Screw M6S 20×50		
847.0132-00	Washer BRB 21×36		
402.7388-01	Labyrinth ring		
873.0904-00	V-ring V-350A		
400.0303-001	D=1865, Flywheel flat		
400.0303-002	D=1865, Flywheel 8×5V		
400.0303-003	D=1865, Flywheel 7×8V		
400.0303-004	D=1865, Flywheel 8×SPC		
402.4490-01	T=10, Counterweight		
840.0079-00	Screw M6S 20×110		
847.0165-00	Washer TBRB 21×36		
400.0751-001	D=1600, Flywheel flat		
400.0751-002	D=1600, Flywheel 10×SPC		
400.0751-003	D=1600, Flywheel 8×8V		
402.4484-01	T=15, Counterweight		
840.0532-00	Screw M6S 20×110		
847.0165-00	Washer TBRB 21×36		
400.2500-001	Bearing housing, Non-locating bearing		
400-2492-001	Protection flange		
400.2491-001	Bearing housing, Locating bearing		
400-2492-001	Protection flange		
840.1189-00	Screw M6S 42×3×160		
845.0397-00	Nut M6M M42×3		
847.0312-00	Washer BRB 43×80		
53-373-766-000	Twin nut M42		
53-267-179-003	Eccentric Shaft		
400.1675-001	Toggle seat		
10-214-523-000	L=600, Toggle plate		
400.0707-001	Toggle seat retainer		
840.0046-00	Screw M6S 12×35		
847.0012-00	Washer BRB 13×22		
400.0282-901	Cylinder bracket		
840.0672-00	Screw M6S 24×100		
847.0124-00	Washer BRB 25×45		
845.0387-00	Self locking nut M24		
400.0285-001	Spacer ring		
400.0284-001	Pin		
855.0014-00	Retaining ring SgA		
400.0630-001	Guide plate		
400.0630-002	Guide plate		
841.0039-00	Screw MC6S 20×60 www.LulanPanda.com		
847.0165-00	Washer TBRB 21×36		
400.2182-001	Upper wedge		
400.2183-001	Lower wedge		
400.0284-002	Pin		
855.0014-00	Retaining ring SgA		
908.0465-00	Hydraulic cylinder		
972.1343-00	380-415/660-690 V, Motor 160 kW, 6 poles, IE2 Multi-voltage		
972.1373-00	525-550 V		
972.1353-00	460 V, Motor 160 kW, 6 poles, NEMA Premium efficiency		
972.1363-00	575 V		
972.1343-00	440-460 V, IE2, Multi-voltage		
875.0318-00	V-Belt SPC 10600 www.LulanPanda.com		
879.0435-00	V-Belt Pulley 400 MGT100 8×SPC		
869.0236-00	Bushing MGT NR 100 Di 100		
875.0199-00	V-Belt 8V 4250		
879.0654-00	V-Belt Pulley QD Dy16" 7×8V		
869.0350-00	Bushing QD J100 mm Di 100 mm		
875.0199-00	V-Belt 8V 4250		
879.0655-00	V-Belt Pulley QD Dy13.2" 7×8V		
869.0350-00	Bushing QD J100 mm Di 100 mm		
875.0318-00	V-Belt SPC 10600 www.LulanPanda.com		
879.0433-00	V-Belt Pulley 335 MGT100 8×SPC		
869.0236-00	Bushing MGT NR 100 Di 100		
400.3093-001	Stop block		

400.3098-001	Iron felt, Foot		
400.3099-001	Iron felt, Footlist		
400.0487-901	Tools list kit		
442.9476-00	Tool Box		
402.4452-00	Gauge for CSS		
402.4480-00	Lifting Tool		
920.0110-00	Slugging Wrench 65		
920.0201-00	Socket Wrench 65 L=135		
920.0070-00	Open-ended Spanner 65		
920.0109-00	Slugging Wrench 55		
920.0243-00	Combination Wrench 55		
400.0578-001	Tool List		
126.0383-001	Risk of crushing		
126.0385-001	Warning sign read manual		
126.0386-001	Do not remove guards		
126.0408-001	Sign product name		
126.0445-001	SANDVIK logotype silver 140×385		
126.5007-01	Identification plate		
885.0250-00	Sign to mark centre of gravity		
885.0261-00	Lift here/Place here		
885.0267-00	Warning sign Danger		
650.0094-33	Hydraulic hose SAE 100 R2AT R1/4×3000		
400.3127-901	With motor 380-415/ 660-690 V, 50 Hz, 440-460 V, 60 Hz, Hydraulic aggregate, See section, 11a Hydraulic aggregate Alt. (automatic)		
400.3128-901	With motor 525-550 V, 50 Hz		
400.3295-901	With motor 460 V, 60 Hz		
400.3296-901	With motor 575 V, 60 Hz		
400.3297-901	With motor 380 V, 60 Hz		
190.4507-00	Control box KI-L3		
190.4505-00	Control box/electrical cabinet KI-L1		
190.4506-00	Push button box KI-L2		
923.0534-00	Level glass FSA 176-2.X/-/12		
873.1525-00	Gasket PTD-250		
906.0607-00	Pump G2/4ccm		
930.0379-00	Shaft coupling		
972.1467-00	380-415/ 660-690 V, 50 Hz 440-460 V 60 Hz, Motor IEC, 4 poles, 3 kW, IE2 Multi-voltage		
972.1468-00	525-550 V, 50 Hz, IE2		
972.1469-00	460 V, 60 Hz, NEMA Premium efficiency		
972.1470-00	575 V, 60 Hz, NEMA Premium efficiency		
972.1471-00	380 V, 60 Hz, High efficiency, Brazil		
P10032	Hydraulic valve block, 11b Hydraulic block P10032-		
HYFB03	Hydraulic valve block, 11c Hydraulic block HYFB03		
900.1098-00	Valve RS08		
984.1576-00	Pressure transmitter EDS		
902.1099-00	Valve		
902.0914-00	Magnetic coil 24DG		
841.0625-00	Screw MC6S-M10x120 12.9 ZP		
902.1100-00	Valve pressure reducing		
902.1097-00	Valve WS08W www.LulanPanda.com		
873.1522-00	Gasket HYFB03-60		
912.0324-00	Clogging indicator VR 2 E.0/-V		
912.3027-00	Filter element 0075 R 010BN3HC		
912.0323-00	Lid RFM 75/165/185/-Lock W1		
923.0533-00	Pressure gauge 0-250 bar (0-3625 psi)		
902.1094-00	Pressure relief valve DB12		
912.0325-00	Breath filter BF P 3 G 10 W		
873.1527-00	O-ring 32x2.5 Nitril IRH70° IRH		
902.1095-00	Check valve RV 10		
873.1528-00	O-ring 25x2.5 Nitril 70° IRH		
873.1526-00	O-ring 21x21.5 Nitril 70° IRH		
400.3175-901	Valve block As.		
841.0277-00	Screw MC6S M12x80 ZP		
873.0385-00	Tredo no. 20 3/4"		
900.2642-00	Adapter G3/4BxG1/4B		
400.3176-001	Hydraulic hose SAE100R2AT 1/4"		
843.1630-00	Welded screw M8x45 A2 stainless		
845.0205-00	Locking nut M8 8 ZP PT.		
847.0012-00	Washer BRB 8.4x16 ZP		
900.2647-00	Cover plate DS/GD-2		
900.2649-00	Clamp DSLK 15 PP		
900.2648-00	Clamp SLK 15 PP		
900.2269-00	Cover plate DP2		
840.0017-00	Screws M6S 6x60 8.8 ISO 4014		
847.0164-00	Washer BRB 6.4x12 HB200 ISO 7089		
845.0217-00	Nut lock ISO 7040 M6 8 FZB		
900.0652-00	Adapter G 1/4 BxG 1/4 B		

900.1938-00	Cap G 1/4		
873.0382-00	Seal ring Tredo 14		
900.1903-00	Swivel branch tee adapter 1/4" BxG 1/4"		
400.1984-001	Hydraulic hose SAE 100R2AT 1/4"		
400.1409-001	Hydraulic hose SAE 100R2AT 1/4"		
900.1538-00	Elbow adapter G 1/4 BxG 1/4		
400.3088-901	Optional,Hydraulic adjustment equipment,See section,11a Hydraulic aggregate Alt. (automatic)		
4-073-3-12	Oil reservoir		
5-226-3-12	Cover		
211030000	Level gauge		
62630000	Air breather		
00M4502	Pump		
2204-0031	Electric motor		
1711115	Bellhousing		
1710514	Shaft coupling		
A2-17551	Manifold block		
H304071	Return filter		
H306822	Indicator		
906.0503-00	Hydraulic unit		
900.2579-00	Clamp 215/15 P-DS/GD2		
873.0382-00	Seal Tredo 14		
900.0652-00	Adapter G 1/4 BxG 1/4 B		
650.0094-08	Hydraulic hose SAE 100 R2AT R1/ 4" x500		
900.0645-00	Adapter G 3/8 BxG 1/4 B		
650.0094-34	Hydraulic hose SAE 100 R2AT R1/ 4" x500		
843.1575-00	Stud weld M8x45		
845.0205-00	Nut lock ISO 7040 M8		
900.1903-00	Swivel branch tee adapter 1/4"		
900.0208-00	Plug 1/4" T8 FZV		
400.1606-901	Hose connections		
400.1610-901	Progressive feeder		
400.1600-903	Attachment bracket		
904.0803-00	Hose D6 high pressure		
904.0803-00	Hose D6 high pressure		
904.0803-00	Hose D6 high pressure		
964.2883-00	Tube stub D6		
964.2884-00	Clamp double		
914.0222-00	alt to 8,Fitting D6 R1/4"		
914.0223-00	Fitting D6 R3/8"		
964.2885-00	alt to 6,Tube stub 90° D6		
914.0224-00	Fitting D6 M10x1 Tap		
964.2886-00	Clamp		
902.1068-00	Manifold block,Fit hole at item 12* to screw M8		
841.0222-00	Screw MC6S 6x30 8.8 FZB		
900.2980-00	Elbow 90° M10x1 Tap		
900.2981-00	Nipple 1/8" ND-208		
843.1630-00	Welded screw M8x45 A2 stainless		
847.0012-00	Washer BRB 8.4x16 HB 200 ISO 7089		
845.0525-00	Locking nut M8 8 ZP Pt		
873.0382-00	alt to 21,Seal ring Tredo 14		
900.2990-00	alt to 19,Sleeve D6		
902.1070-00	Progressive feeder VPKM-3		
902.1069-00	Check valve VPKM-RV Pt.		
900.2982-00	Elbow fitting M10x1		
841.0224-00	Screw MC6S M6x40 8.8 zincpl Pt.		
914.0212-00	Lubrication pump		
914.0213-00	Hose kit www.LulanPanda.com		
MA0604030	Electrical cabinet		
984.1518-00	Sensor Inductive		
984.1584-00	Cable pur 4x0.25, 5m straight M12		
KFGS3-5+924	Lubrication pump		
914.0215-00	Pump element - spare part		
914.0216-00	Pressure limiting valve - spare part		
900.3051-00	Connector piece M14x1.5-M10x1 =30		
845.0441-00	Nut ML6M M14 4ZP, ISO 4035		
914.0224-00	Fitting D6 M10x1 Tap.		
900.2990-00	Sleeve D6		
900.3050-00	Tube stud D6 L=20		
900.3054-00	Tube stud 90° D6		
900.3052-00	Tube stud D6 L=30		
402.4570-00	Retaining bar fixed	133.35kg	1220mm * 155mm * 252mm
402.4607-01	Toggle plate,L=815	493.5kg	1170mm * 855mm * 165mm
402.2320-00	Tensioning strip www.LulanPanda.com	313.95kg	
400.2266-001	coarse corrugated(cc)	3012.45kg	2294mm * 1216mm * 305mm
400.0443-001	Coarse corrugated(cc)	2638.65kg	2294mm * 1125mm * 288mm
400.0426	heavy duty (HD)E	1711.5kg	

400.0427	heavy duty(HD)M www.LulanPanda.com	497.7kg	
400.0423	heavy duty(HD)E	1018.5kg	
400.0424	heavy duty(HD)M	477.75kg	
400.0440-001	Stationary jaw plate Wide wave(ww)E	1292.55kg	
400.0442-001	Stationary Jaw Plate Middle Wide wave(ww)M	464.1kg	
400.0438	Wide wave(ww)E	971.25kg	
400.0439	Wide wave(ww)M	505.05kg	
402.4239-01	cheek plate, upper	495.6kg	
402.4635-01	cheek plate, lower	267.75kg	
840.1052-00	SCREW M6S 36 X 220		
402.4270-01	TOGGLE SEAT HOLDER		
402.4269-01	TOGGLE SEAT, UPPER and LOWER		
400.0444-002	Coarse Corrugated(cc)	3012.45kg	2294mm * 1216mm * 305mm
400.0444-001	Coarse Corrugated(cc)	3012.45kg	2294mm * 1216mm * 305mm
400.2266-002	Coarse Corrugated(cc)	3012.45kg	2294mm * 1216mm * 305mm
400.0443-002	Coarse Corrugated(cc)	2638.65kg	2294mm * 1125mm * 288mm
402.4250-00	Deflector plates		
402.4258-00	JAW PLATE SOFT STRIP		
402.4240-01	Sandvik 1212 CJ612 Cheek plate		
400.0440-002	Stationary jaw plate Wide wave(ww)E	1292.55kg	
400.0442-002	Stationary Jaw Plate Middle Wide wave(ww)M	464.1kg	