

As a trusted Chinese manufacturer and sourcing partner, LulanPanda delivers high-quality industrial equipment and components at highly competitive prices. With over two decades of expertise in producing cone crushers and spare parts, we have established robust partnerships with certified factories across China, ensuring both precision engineering and cost efficiency for global clients.

Core Offerings

- Cone Crushers & Spare Parts: Specialized manufacturing since 2003, offering OEM-compliant solutions.
- Extended Product Range: Drill bits, electric lifts, and diverse industrial machinery components.
- Custom Sourcing: Leverage our nationwide supplier network to procure any Made-in-China product tailored to your specifications.

Why Partner With Us?

- ✓ Quality Assurance: Rigorous ISO-compliant production standards.
- ✓ Cost Advantage: Factory-direct pricing with no intermediaries.
- ✓ End-to-End Service: From product development to logistics support.

Let's Collaborate

Whether you require standard equipment or customized industrial solutions, our team is committed to optimizing your supply chain. Contact us today to discover how we can add value to your operations.

Sandvik CS430 Cone Crusher parts list

Part Number	Description	Weight	Packing
442.7908-00	Bottom Shell		
442.7201-00	Cover		
843.1267	Stud screw SMS1460 M12×45		
847.0147-00	Washer BRB 13×24 HB200 ISO 4032		
845.0030-00	Lock nut M12 8 FZB ISO 4032	0.02kg	
442.7915-01	Liner - Pinion arm		
442.7914-01	Liner - Drive arm		
900.0027-00	Elbow A4 SMS 435		
452.4190-001	Bottom Shell Bushing	60.9kg	
853.0464-00	Pin CP 12M6×12 SMS 2374		
442.7908-00	Bottom Shell		
900.0921-00	Swivel branch tee adapter 3/4"		
900.1412-00	Pipes Pipe KR 3/4"×70		
900.0276-00	Cover 3/4"		
442.8870-00	Liners bottom shell		
442.7929-01	Dust collar		
840.0634-00	Screw M6S 16×25 8.8 ISO 4017		
442.7932-01	Ring		
853.0464-00	Pin CP 12m6×12 SMS 2374		
840.1034-00	Screws M6S 16×60H 8.8		
847.0016-00	Washer BRB 17×30 HB200 ISO 7089		
452.4194-001	Locating Bar	1.26kg	
442.7933-01	Shim T=0.1		
442.7933-02	Shim T=0.3		
442.7933-03	Shim T=0.5		
442.7933-04	Shim T=0.7		
841.0019-00	Screw MC6S 10×40 12.9		
442.7934-01	Gasket		
442.7931-01	Seal Ring - inner		
840.0070-00	Screw M6S 16×60 8.8 FZB ISO 4017		
847.0060-00	Washer TBRB 17×42		
840.0720-00	Screws M6S 36×200 8.8		
845.0221-00	Nut M6M M36 8 FZB ISO 4032		
847.0162-00	Washer BRB 37×68 HB200 ISO 7089		
899.0229-00	Protective Cap SW55 2 H20		
442.9529-02	Screw M6S 36×90 8.8		
899.0229-00	Protective Cap SW55 2 H20		
442.8449-01	Eccentric	153.3kg	459mm * 459mm * 470mm
452.4516-001	Eccentric bushing 16+20+25+30	79.8kg	378mm * 378mm * 462mm
442.7926-01	Hub		
442.7930-01	Ring www.LulanPanda.com		
840.1156-00	Screws M6S 12×35 10.9		
847.0147-00	Washer BRB 13×24 HB200 ISO 7089		
442.9608-01	Key R 18×11×200 www.LulanPanda.com		
841.0026-00	Screw MC6S 12×60 12.9		
841.0024-00	Screw MC6S 12×40 12.9		

847.0180-00	Washer DIN 137 B 13×24		
442.7802-00	Gear and pinion set		
442.8011-01	Key T 40×22×50		
452.4188-001	Ecc. Wearing plate	12.6kg	
853.0474-00	Spring pin prym N12×45		
442.7889-01	Hydroset cylinder		
840.0542-00	Screws M6S 24×75 8.8		
847.0124-00	Washer BRB 25×45 HB200 SS 3576		
442.7892-01	Hydroset cylinder bushing		
840.0019-00	Screws M6S 8×12 8.8		
847.0012-00	Washer BRB 8.4×16 HB200 ISO 7089		
873.0836-00	Seals O-ring 439.3×5.7		
442.9668-00	Piston		
853.0118-00	1 Pins CP m6 25×50		
442.7893-01	Piston wearing plate		
442.7894-01	Step washer		
442.7897-00	Chevron packing www.LulanPanda.com		
442.7908-00	Bottom Shell		
442.7896-01	Packing clamp plate		
841.0266-00	Screw MC6S 12×25 8.8		
442.9667-00	Hydroset cylinder		
840.0670-00	Screw M6S 24×80 8.8 ISO 4017		
847.0124-00	Washer BRB 25×45 HB200 SS 3576		
902.0605-00	Air Bleed valve		
873.0157-00	Seals O-ring 339.3×5.7 SMS 1586		
873.1275-00	Seals O-ring 370×5.7		
442.8783-01	Plug		
873.0111-00	O-ring 44.2×3 SMS 1586		
840.0023-00	Screws M6S 8×25 8.8		
847.0012-00	Washer BRB 8.4×16 HB200 ISO 7089		
840.0019-00	Screws M6S 8×12 8.8		
442.9962-00	Pinion shaft housing assembled		
442.7949-01	Pinion Shaft Housing		
442.7953-01	Gasket T= 0.5		
442.7953-02	Gasket T= 0.8		
442.7953-03	Gasket T= 1.5 www.LulanPanda.com		
442.7802-02	Pinion		
868.0790-00	Bearing		
868.0805-00	Bearing		
442.7954-01	Spacer		
442.7954-01	Spacer		
873.0778-00	Seals O-ring 79.2×5.7 SMS 1586		
873.0778-00	Seals O-ring 79.2×5.7 SMS 1586		
873.1097-00	Oil seal ring 110×140×12		
873.1097-00	Oil seal ring 110×140×12		
442.7951-01	Bearing cover		
442.7950-01	Bearing cover		
840.0021-00	Screw M6S M8×20 8.8 fzb ISO 4017		
840.0046-00	Screw M6S 12×35 8.8 ISO 4017		
847.0147-00	Washer BRB 13×24 HB200 ISO 7089		
442.7957-01	Gasket		
442.7956-01	Gasket T= 0.5		
442.7956-02	Gasket T= 0.8		
900.0717-00	Filter Plug G 1/4 F14		
853.0590-00	Spring Pin Prym N 8×28		
442.7959-01	Plug www.LulanPanda.com		
873.0383-00	Sealing Ring Tredo 16		
442.9936-01	Pinion shaft		
857.0046-00	Key R 16×10×80 SMS 2306		
442.2018-01	Plug		
900.0269-00	Barrel Nipples RSK 124 1645 DIN 20		
900.0275-00	Wrought iron pipe fittings Socket 3/4"		
442.7958-01	Nipple oil level www.LulanPanda.com		
873.0385-00	Tredo Nr.20 3/4"		
855.0103-00	3 Retaining Rings Retaining ring SgA 80		
840.1063-00	Screw M6S 16×120H 8.8		
845.0009-00	Nut M6M M16 8 FZB ISO 4032		
452.6149-901	Mainshaft assembly excl. mantle		
452.6117-901	Mainshaft with headcenter	2037kg	885mm * 1960mm * 945mm
442.7913-01	Mainshaft sleeve		
442.7908-00	Bottom Shell		
853.0118-00	1 Pins CP m6 25×50		
442.7895-01	Mainshaft step		
855.0103-00	3 Retaining Rings Retaining ring SgA 80		
442.8471-01	Mantle B M1	714kg	1002mm * 1002mm * 1005mm
442.8470-01	Mantle A M1	792.75kg	
831.0016-00	Casting compound (kg)		

442.7918-01	Inner head nut		
442.7911-01	Burn ring		
442.8017-01	Dust seal ring		
442.8020-01	Retaining ring		
442.8021-01	Retainer		
442.8022-01	Scraper		
840.0068-00	Screw M6S 16×50 8.8 ISO 4017		
840.0070-00	Screw M6S 16×60 8.8 FZB ISO 4017		
847.0016-00	Washer BRB 17×30 HB200 ISO 7089		
452.6185-901	Topshell assembly excl. crushing chamber		
452.6109-001	Topshell		
442.9035-01	Liner	45.15kg	
452.6197-001	Dowel 2175-00 1/38"×32		
452.6113-001	Arm 2175-00 1/38"×32	141.75kg	
452.6126-001	Dowel		
900.1262-00	Elbow Adapter G 1/4 B×R 1/4		
900.1030-00	Bushing RI-08-04 1/2"-1/4"		
452.6193-001	Hose SAE 100 RIAT RI1/4"×550		
914.0093-00	Lubrication Nipple AH R 1/4"		
442.8506-01	Bracket		
840.0021-00	Screw M6S M8×20 8.8 fzb ISO 4017		
900.0243-00	Wrought iron pipe fittings Socket Rp 1/4		
900.2519-00	Adapter G 1/4 B×G 1/4 B		
442.8520-00	Spider cap	148.05kg	
912.0114-00	Air Filter P10102 RI1/4"		
900.0134-00	Bushing 3/8"×1/4X"		
900.2008-00	2 Pipe couplings Elbow 45 SMS 453-10		
873.0833-00	Seals O-ring 379.3×5.7 SMS 1586		
840.0069-00	Screw M6S 16×55 8.8 ISO 4017		
847.0120-00	Washer TBRB 17×30		
442.6473-01	Spider bushing www.LulanPanda.com	36.75kg	
840.0080-00	Screw M6S 20×80 8.8 ISO 4014		
847.0132-00	Washer BRB 21×36 HB200 SS 3576		
442.6470-01	Oil seal ring		
900.0981-00	Plug BSPT 1" hexagon		
442.8510-00	Crushing chamber EC		
442.8511-00	Crushing chamber C		
452.1526-901	Crushing chamber MC		
442.8477-00	Lower concave ring EC	560.7kg	
442.8478-00	Lower concave ring C		
452.1464-901	Concave ring MC www.LulanPanda.com		
442.8484-00	Concave upper	77.7kg	
442.8485-00	Concave upper C www.LulanPanda.com		
452.1465-901	Concave MC		
442.7908-00	Bottom Shell		
831.0016-00	Casting compound (kg)		
831.0016-00	Casting compound (kg)		
831.0016-00	Casting compound (kg)		
442.8512-00	Hydroset		
442.8045-91	Wrench tool set		
442.8045-90	Wrench tool set		
442.8045-92	Wrench tool set		
442.7915-01	Liner - Pinionshaft arm		
442.7914-01	Liner - Narrow arm		
442.8870-00	Wearing plates complete set		
442.8864-01	Wearing plates		
442.8865-01	Wearing plates		
442.8866-01	Wearing plates		
442.8867-01	Wearing plates www.LulanPanda.com		
442.8868-01	Wearing plates		
442.8869-01	Wearing plates		
442.8799-06	Bar 1312-00 4-kt 12×60		
847.0059-00	Washer TBRB 13.5×36 1370		
840.0048-00	Screw M6S 12×45 8.8 ISO 4017		
442.8529-00	Feed hopper		
442.8517-00	Feed hopper		
840.0080-00	Screw M6S 20×80 8.8 ISO 4014		
845.0010-00	Nut M6M M20 8 ISO 4032		
847.0132-00	Washer BRB 21×36 HB 200		
442.97766-00	Rubber compression mountings for crusher		
845.0387-00	Nut M24 8 ISO 7040		
847.0124-00	Washer BRB 25×45 HB 200		
442.9779-00	Top plate		
864.0080-00	Rubber compression mounting		
840.0044-00	Screw M6S 12×25 8.8 ISO 4017		
847.0147-00	Washer BRB 13×24 HB 200 ISO 7089		
442.9780-01	Lower fixing plate		

442.97766-90	Rubber compression mountings for dasher on subframe		
864.0080-00	Rubber compression mounting		
840.0044-00	Screw M6 12x25 8.8 ISO 4017		
847.0147-00	Washer BRB 17x30 HB 200 ISO 7089		
442.9780-01	Lower fixing plate		
840.0048-00	Screws M6S 12x45 8.8 ISO 1417		
845.0030-00	Lock nut M12 FZB ISO 7040	0.02kg	
902.0605-00	Air bleeder UV 12l		
900.0810-00	Reducer RED R3/4xR1/2		
873.0385-00	Sealing ring TRED0 20		
900.0655-00	Adapter R3/4"		
650.0154-01	Hose 3/4 L=900		
442.5969-01	Connection		
900.0746-00	Tube clamp RSGU 11 1100 30/15		
840.0013-00	Screw M6S 6x25		
845.0004-00	Nut M6M5		
442.2100-01	Bracket 1312-00		
442.8694-00	Protection		
900.0648-00	Adapter 1"x2/4"		
873.0386-00	Sealing ring TRED0 23		
442.6908-01	Bushing 1914-04		
873.0390-00	Sealing ring TRED0 30		
919.0070-00	Protection plug R3/4		
919.0231-00	Adapter ISO228-G2A - ISO228-G2A,Between check valve and accumalator		
442.8642-00	Over pressure unit,Complete		
442.8642-90	Over pressure unit for compressed air,Complete		
900.1424-00	Hose coupling 3/4		
900.1358-00	Clips 28 SMS 2298 Dy 23-27mm		
819.0187-00	Hose 1		
900.0040-00	Tee ISO49 B1 3/4 www.LulanPanda.com		
900.0365-00	Hexagon nipple R 3/4		
900.0022-00	Elbow 3/4 A4 SMS 435		
900.1139-00	Clip RSGU 1.22/15 www.LulanPanda.com		
900.0005-00	Elbow ISO49 A1 3/4"		
442.9325-00	Over pressure fan		
912.0138-00	Air filter Purolator PI 0154		
900.0108-00	Wrought iron pipe fittings 1x3/4		
900.0209-00	Plug R 3/8 ISO 49 T8 FZV		
900.0022-00	Elbow 3/4 A4 SMS 435		
900.1139-00	Clip RSGU 1.22/15		
900.0005-00	Elbow ISO49 A1 3/4		
900.0180-00	Nipple ISO49 N8 1/2x1/4		
912.0113-00	Air filter 504-2S 5 Micron		
900.0169-00	Nipple 1/4 ISO49 N8		
902.0645-00	Regulator 216-2-8		
900.0182-00	Nipple ISO49 N8 3/4x1/4		
900.0054-00	Tee ISO49 B1 3/4x3/8		
900.0209-00	Plug R 3/8 ISO 49 T8 FZV		
923.0267-00	Pressure gauge 2060 D100 0-1000 PA		
900.0172-00	Nipple ISO49 N8 3/4		
879.0437-00	V-belt Pulley 375 MGT 100 6xSPC		
869.0189-00	Bushing MGT No. 100 Di = 80		
857.0346-00	Key R 22x14x80 SMS 2306		
442.9940-01	Spacer D95/80x24		
442.7955-01	Washer 2142-50 D95/17x10		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
840.0066-00	Screw M6S M16x40 8.8 fzb ISO 4017		
879.0261-00	V-belt Pulley 355 MGT 100 6xSPC		
869.0221-00	Di = 65,MGT No. 100		
869.0187-00	Di = 75,MGT No. 100		
869.0188-00	Di = 85,MGT No. 100		
869.0258-00	Di = 90,MGT No. 100		
875.0323-00	2360, standard C-C 607,V-belt SPC		
875.0244-00	2500, standard C-C 607,V-belt SPC		
869.0221-00	Di = 65,Bushing MGT No. 100		
879.0495-00	V-belt pulley 450 MGT 100 6xSPC		
442.9940-01	Spacer D95/80x24		
442.7955-01	Washer 2142-50 D95/17x10		
840.0066-00	Screw M6S M16x40 8.8 fzb ISO 4017		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
857.0346-00	Key R 22x14x80 SMS 2306		
869.0189-00	Bushing MGT No. 100 Di = 80		
879.0437-00	V-belt pulley 375 MGT 100 6xSPC		
869.0327-00	Bushing 1914-04 Di=80		
442.7955-01	Washer 2142-50 D95/17x10		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
840.0066-00	Screw M6S M16x40 8.8 fzb ISO 4017		

879.0615-00	V-belt Pulley QD Dy 17" 6×8V		
869.0338-00	M3-38 Di = 3¾ Bushing QD M3		
869.0339-00	M3-58 Di = 3¾ Bushing QD M3		
869.0333-00	M3-78 Di = 3¾ Bushing QD M3		
879.0623-00	V-belt Pulley QD Dy 20" 6×8V		
875.0364-00	1400, standard C-C 1047,V-belt 8V		
857.0209-00	Key R 22×14×100 SMS 2306		
126.0422-001	Sign product name		
126.0443-001	SANDVIK logotype silver 100		
126.0383-001	Risk of crushing		
885.0249-00	Signs centre of gravity		
126.0384-001	Warning flying fragments		
126.0385-001	Warning sign read manual		
126.5007-01	Identification plate		
885.0267-00	Warning sign Danger		
442.7928-01	Locating bar		
442.7933-01	Shim t=0.1		
442.7933-02	Shim t=0.3		
442.7933-03	Shim t=0.5		
442.7933-04	Shim t=0.7		
841.0019-00	Screw MC6S 10×40 12.9		
442.7953-01	Gasket T= 0.5		
442.7953-02	Gasket T= 0.8 www.LulanPanda.com		
442.7953-03	Gasket T= 1.5		
868.0790-00	Bearing		
868.0805-00	Bearing		
442.7954-01	Spacer		
873.0778-00	O-ring		
873.1097-00	Seal www.LulanPanda.com		
442.7957-01	Gasket		
442.7956-01	Gasket T=0.5		
442.7956-02	Gasket T=0.8		
873.0383-00	Sealing Ring Tredo 16		
873.0385-00	Sealing Ring Tredo Nr.20 3/4"		
442.7915-01	Pin shaft arm liner		
442.7914-01	Narrow arm liner		
442.8864-01	Wearing plates www.LulanPanda.com		
442.8865-01	Wearing plates		
442.8866-01	Wearing plates		
442.8867-01	Wearing plates		
442.8868-01	Wearing plates		
442.8869-01	Wearing plates		
442.8799-06	Bar 1312-00 4-kt 12×60		
847.0059-00	Washer TBR5B 13.5×36 1370		
840.0048-00	Screw M6S 12×45 8.8 ISO 4017		
912.0126-00	Filter HC69 www.LulanPanda.com		
912.0129-00	Filter cartridge HC2		
912.0139-00	Filter cartridge HC2 852516 MIC		
912.0155-00	Filter cartridge HC2 852514 MIC		
452.9012	CS540 Mantle,A	915.6kg	
452.9013	CS540 Mantle,B	820.05kg	
452.9015	CS540 Mantle,EC	683.55kg	
452.9016	CS540 Mantle,C	775.95kg	
452.9019	CS540 Upper concave	438.9kg	
452.902	CS540 Upper concave	554.4kg	
BG00358975	Lower concave,MC	520.8kg	
BG00174595	Lower concave,MC www.LulanPanda.com	520.8kg	
BG00174596	Lower concave,MC	520.8kg	
BG00174597	Lower concave,MC	520.8kg	
BG00174592	Lower concave,MC	520.8kg	
BG00174593	Lower concave,MC	520.8kg	
BG00174594	Lower concave,MC	520.8kg	
BG00133846	Mantle,FlexiFeed B www.LulanPanda.com	825.3kg	
BG00202524	Mantle,FlexiFeed B	825.3kg	
BG00134054	Mantle,FlexiFeed B	825.3kg	
BG00134055	Mantle,FlexiFeed B	825.3kg	
BG00358975	Lower concave,MC	520.8kg	
BG00174595	Lower concave,MC	520.8kg	
BG00174596	Lower concave,MC	520.8kg	
BG00174597	Lower concave,MC	520.8kg	
BG00174592	Lower concave,MC www.LulanPanda.com	520.8kg	
BG00174593	Lower concave,MC	520.8kg	
BG00174594	Lower concave,MC	520.8kg	
452.0651-001	Main shaft	1016.4kg	
452.0632	Head cap	992.25kg	
442.8486-01	Eccentric shaft,16/20/25/30	79.8kg	378mm * 378mm * 462mm
452.7002-901	Lower concave, C	493.5kg	1142mm * 1142mm * 477mm

BG00579404	Pinion Shaft Housing Assembly	393.75kg	
452.6913-001	Top shell	2898kg	1769mm * 1769mm * 1273mm
452.6119-001	Main shaft	1004.85kg	400mm * 400mm * 2020mm
452.6121-001	Head center	1025.85kg	885mm * 885mm * 780mm
442.8446-01	TOP SHELL EC2 S3000, N11851726		
452.7008-001	Concave support ring	85.05kg	1265mm * 1265mm * 145mm
BG00566540	Main Shaft Assembly		
BG00215645	Main shaft		
452.7003-901	Concave	558.6kg	