

As a trusted Chinese manufacturer and sourcing partner, LulanPanda delivers high-quality industrial equipment and components at highly competitive prices. With over two decades of expertise in producing cone crushers and spare parts, we have established robust partnerships with certified factories across China, ensuring both precision engineering and cost efficiency for global clients.

Core Offerings

- Cone Crushers & Spare Parts: Specialized manufacturing since 2003, offering OEM-compliant solutions.
- Extended Product Range: Drill bits, electric lifts, and diverse industrial machinery components.
- Custom Sourcing: Leverage our nationwide supplier network to procure any Made-in-China product tailored to your specifications.

Why Partner With Us?

- ✓ Quality Assurance: Rigorous ISO-compliant production standards.
- ✓ Cost Advantage: Factory-direct pricing with no intermediaries.
- ✓ End-to-End Service: From product development to logistics support.

Let's Collaborate

Whether you require standard equipment or customized industrial solutions, our team is committed to optimizing your supply chain. Contact us today to discover how we can add value to your operations.

Sandvik CS440 Cone Crusher parts list

Part Number	Description	Weight	Packing
442.9663-00	Hydroset cylinder cover	129.15kg	
442.9672-00	Piston		
442.7166-01	Hydroset cylinder bushing		
442.7163-01	Hydroset cylinder		
442.7122-01	Piston wearing plate	27.3kg	
442.7121-01	Step washer	24.15kg	370mm * 370mm * 145mm
442.7120-01	Mainshaft pin Pt.		
442.7167-01	Pack for CS&mp Plate		
442.7112-00	Chevron pin Pt. www.LulanPanda.com		
873.0111-00	O-ring 44,2x3,0 NBR 70		
873.1276-00	O-ring 453x5,7 NBR 70		
873.0835-00	O-ring 419,3x5,7 NBR 70		
873.0892-00	O-ring 532,26x6,99 NBR 70		
853.0119-00	Pin CP 25x60 m6		
442.8783-01	Plug		
900.2302-00	Plug VSTI R1/2"-ED		
840.0672-00	Screw M6S M24x100 8.8 ZP		
841.0266-00	Screw MC6S M12x25 8.8 zincpl Pt.		
840.0019-00	Screw M6S M8x12 8.8 ZP Pt.		
840.0023-00	Screw M6S M8x25 8.8 ZP Pt.		
840.0671-00	Screw M6S M24x90 8.8 ZP		
847.0124-00	Washer BRB 25x45 ZP		
847.0012-00	Washer BRB 8,4x16 ZP		
442.9966-901	Pinionshaft housing assembly		
442.7506-01	Pinionshaft housing		
442.9937-01	Pinionshaft		
868.0282-00	Roller bearing		
868.0804-00	Roller bearing		
442.9684-01	Bearing cover inner		
442.7133-01	Bearing cover outer		
442.7131-01	Spacer outer	1.47kg	
442.7130-01	Spacer inner	1.89kg	
442.7134-01	Gasket 236/182x0,8 www.LulanPanda.com		
442.7135-01	Gasket t = 0,5 mm		
442.7135-02	Gasket t = 0,8 mm		
853.0590-00	Spring Pin Prym N 8x28		
857.0336-00	Key TK 28x16x110		
857.0337-00	Key TK 22x14x95		
900.0022-00	Elbow A4 Zn DN20 zincod		
900.0655-00	Adapter 3/4"		
900.2026-00	Magnetic plug 0606-12		
873.0385-00	Seal ring Tredo 20 3/4		
855.0108-00	Retaining ring SgA 85		
442.7577-01	Oil level plug		
873.1208-00	Oil seal ring 130x160x12		
442.7578-01	Pipe		

840.0045-00	Screw M6S M12x30 8.8 ZP		
840.1063-00	Screw M6S 16x120H 8.8		
840.0066-00	Screw M6S M16x40 8.8 fzb		
842.0020-00	Screw SK6SS 20x25		
845.0009-00	Nut M6M M16 8 FZB		
847.0147-00	Washer round 13x24 ZP		
873.0779-00	O-ring 84,1x5,7 NBR 70		
873.0399-00	O-ring 97.79x5.33		
873.0108-00	O-ring 34,2x3,0 NBR 70		
442.7136-01	Gasket 0		
442.7136-02	Gasket 0		
442.7136-03	Gasket 1		
840.0071-00	Screw M6S M16x65 8.8 ZP		
847.0060-00	Washer TBRSE 17x42		
442.7201-00	Cover		
853.0464-00	Pin CP 12x30 m6		
843.1267-00	Stud screw, SMS1460, M12x45		
847.0147-00	Washer round 13x24 ZP		
845.0030-00	Lock nut M12 8 ZP	0.02kg	
442.7140-00	Arm shield pinionshaft arm	58.8kg	
442.7141-00	Arm shield narrow arm	46.2kg	
442.7907-01	Boss		
442.1955-01	Spacer		
840.0634-00	Screw M6S 16x25 8.8		
442.7146-01	Bottom shell bushing	108.15kg	
442.7107-01	Eccentric wearing plate	24.15kg	
900.1412-00	Pipes Pipe KR 3/4"x70		
900.0921-00	Swivel branch tee adapter 3/4"		
900.0276-00	Round cap Fe Rp		
900.0027-00	Elbow A4 Zn DN80		
442.7140-00	Arm shield (pinionshaft arm)	58.8kg	
442.7141-00	Arm shield (narrow arm)	46.2kg	
452.0243-001	Bottom shell liner kit		
442.8794-01	Wearing plate Pt.		
442.8798-01	Wearing plate Pt.		
442.8797-01	Wearing plate Pt.		
442.8796-01	Wearing plate Pt.		
442.8795-01	Wearing plate Pt.		
452.0239-001	Wearing plate Pt.		
452.0238-001	Wearing plate Pt.		
442.8799-06	Bar 4-kt 12x60 www.LulanPanda.com		
442.8068-01	Eccentric Pt.		
442.7142-01	Hub		
442.8067-01	Eccentric bushing 20, 25, 30, 36, no keyway 442.8066-01	144.9kg	448mm * 448mm * 552mm
442.7169-00	Ring		
840.1157-00	Screw M6S M12x40 10.9 plain		
847.0147-00	Washer round 13x24 ZP		
442.9609-01	Key Pt.		
442.7171-01	Key		
841.0025-00	Screw MC6S M12x50 12.9		
847.0180-00	Spring washer KBB 13x24 ZP		
841.0027-00	Screw MC6S M12x70 12.9 ZP		
442.7093-00	Gear and pinion set purchase drawing	134.4kg	
442.7106-01	Dust collar inner Pt.		
442.7108-01	Seal ring Inner		
442.7109-01	Ring		
442.7110-01	Locating bar	3.15kg	
442.7168-03	Shim		
442.7168-01	Shim		
442.7168-04	Shim		
442.7168-02	Shim		
442.7170-01	Gasket		
840.0634-00	Screw M6S M16x25 8.8 ZP		
840.1281-00	Screw M6S M16x80 8.8 ZP		
847.0016-00	Washer BRB 17x30 ZP		
841.0019-00	Screw MC6S M10x40 12.9 ZP		
442.8093-901	Topshell assembly excluding concave		
442.8075-00	Arm shield		
442.8078-01	Hose SAE 100 R4		
650.0086-11	Hose SAE 100 RIAT 1/4"x650 Pt.		
442.8077-01	Dowel pin		
912.0114-00	Air Filter P10102 R1/4"		
900.0134-00	Bushing 3/8"x1/4		
900.2008-00	Bend 3/8 G1/45		
900.0652-00	Adapter G 1/4 BxG 1/4		
442.8090-01	Fastener		
900.0243-00	Socket Rp 1/4 Fe		

900.1030-00	Adapter RI 1/2"-1/4"		
900.1262-00	Elbow Adapter G 1/4 BxR 1/4		
442.9164-00	Spider cap		
442.9036-01	Liner top shell Pt.	72.45kg	708mm * 440mm * 230mm
442.9408-01	Spider bushing	73.5kg	500mm * 500mm * 264mm
442.8075-00	Arm shield		
900.0981-00	Plug BSPT 1" hexagon		
442.8078-01	Hose SAE 100 R4		
650.0086-11	Hose SAE 100 RIAT 1/4"x650 Pt.		
442.8077-01	Dowel pin		
452.6197-001	Dowel pin www.LulanPanda.com		
912.0114-00	Air Filter P10102 R1/4"		
900.0134-00	Bushing 3/8"x1/4		
900.2008-00	Bend 3/8 G1/45		
442.8079-01	WG6000 (SMOOTH) 10x60x250		
900.0652-00	Adapter G 1/4 BxG 3/4 B		
442.8090-01	Fastener www.LulanPanda.com		
900.0243-00	Socket To 1" Fe		
831.0016-00	Casting compound kg		
442.7193-01	Seal ring	1.05kg	
873.0838-00	O-ring 499, 3x5, 7 NBR 70		
914.0093-00	Lubrication Nipple AH R 1/4"		
900.1030-00	Adapter RI 1/2"-1/4"		
840.0021-00	Screw M6S M8x20 8.8		
840.0079-00	Screw M6S M20x70 8.8 ZP		
840.0652-00	Screw M6S M20x90 8.8 ZP		
847.0132-00	Washer round 21x36 ZP		
847.0165-00	Washer TBRB 21x37 ZP		
900.1262-00	Elbow Adapter G 1/4 BxR 1/4		
899.0278-00	Protective Cap SW65 2 H20		
840.1073-00	Screws M6S 42x220 8.8		
442.9530-01	Screw M6S M42x100 ZP		
845.0322-00	Nut M6M M42 8 ZP		
847.0171-00	Washer BRB 43x80 ZP		
442.7117-01	Mainshaft sleeve	42kg	325mm * 325mm * 459mm
442.8333-01	Head nut Inner	16.8kg	
853.0119-00	Pin CP 25x60 m6		
855.0026-00	Retaining ring SgA 100		
442.1297-90	Transport rack www.LulanPanda.com		
899.0157-00	Lifting eyebolt		
442.7105-00	Head nut with burning ring		
442.7115-01	Burning ring		
442.7102-01	Dust seal ring Pt.	13.65kg	840mm * 840mm * 175mm
442.7103-01	Retaining ring		
442.7117-01	Mainshaft sleeve	42kg	325mm * 325mm * 459mm
442.8333-01	Head nut Inner	16.8kg	
442.7524-01	Scraper		
853.0119-00	Pin CP 25x60 m6		
855.0026-00	Retaining ring SgA 100		
840.0069-00	Screw M6S M16x55 8.8 ZP Pt.		
840.0071-00	Screw M6S M16x65 8.8 ZP		
847.0016-00	Washer BRB 17x30 ZP		
442.7523-01	Retainer Pt.		
831.0016-00	Casting compound kg		
442.1297-90	Transport rack		
899.0157-00	Lifting eyebolt www.LulanPanda.com		
442.8106-00	Feed hopper complete		
442.8105-00	Feed hopper		
840.0080-00	Screw M6S 20x80 8.8 ISO 4014		
845.0010-00	Nut M6M 8 ISO 4032		
847.0132-00	Washer BRB 21x36 HB 200		
442.8080-01	Connection		
900.0655-00	Adapter G 3/4 BxG 3/4 B		
650.0154-04	Hose SAE 100 R2AT 3/4x1050 Pt.		
442.8645-00	Hose protection		
442.6908-01	Bushing		
873.0390-00	Seal ring Tredo 30		
900.0648-00	Adapter G 1 BxG 3/4 B SS-ISO 228/1		
873.0386-00	Seal ring Tredo		
442.2100-01	Plate 40x8x250		
900.0746-00	Clip RSGU D30 11 1100 30/15		
840.0013-00	Screw M6S M6x25 8.8 ZP		
845.0004-00	Nut M6M M6 8 ZP www.LulanPanda.com		
873.0385-00	Seal ring Tredo 20 3/4		
900.0810-00	Reducing thread adapter G 3/4 B		
900.2291-00	Adapter www.LulanPanda.com		
900.2292-00	Measuring nipple G 1/4"		

900.0276-00	Round cap Fe Rp 3/4		
442.6635-00	Rubber compression mounting for crusher		
845.0387-00	Nut lock ISO 7040 M24 8 FZB		
847.0124-00	Washer BRFB 25×45		
442.9779-00	Top plate		
864.0046-00	Rubber compression mounting SAW 150 B		
840.0044-00	Screw M6S12×25		
847.0147-00	Washer BRB 13×24		
442.9780-00	Fixing plate, lower		
442.6635-90	Rubber compression mounting crusher on subframe		
864.0070-00	Rubber compression mounting SAW 150 B		
840.0044-00	Screw M6S12×25		
847.0147-00	Washer BRB 13×24		
442.9780-01	Fixing plate, lower		
840.0048-00	Screw M6S 12×45 8.8 ISO 1417		
845.0030-00	Nut M6MN 12 8 FZB ISO 7040	0.02kg	
879.0359-00	V-belt Pulley 375 MGT 125 10×SPC	84kg	
869.0235-00	Bushing MGT No. 125 Di=100		
857.0336-00	Key T28×16×110 SMS 2307		
442.9951-00	Distance D115/100.5×58		
442.7238-01	Washer 2142-50 D120/18×15		
847.0016-00	Washer BRB 17×30 HB 200 ISO 7089		
840.0065-00	Screw M6S M16×35 8.8 fzb ISO 4017		
879.0511-00	V-belt Pulley 355 MGT 125 10×SPC		
869.0261-00	Di=80, Bushing MGT No. 125		
869.0278-00	Di=85, Bushing MGT No. 125		
869.0295-00	Di=90, Bushing MGT No. 125		
869.0283-00	Di=95, Bushing MGT No. 125		
875.0276-00	2650, standard C-C 767, V-belt SPC	1.05kg	
875.0249-00	4500, standard C-C 1693, V-belt SPC		
869.0329-00	Bushing QD M100 mm Di=100		
442.7238-01	Washer 2142-50 D 120/18×15		
847.0016-00	Washer BRB 17×30 HB 200 ISO 7089		
840.0067-00	Screw M6S M16×45 8.8 fzb ISO 4017		
879.0617-00	V-belt Pulley QD Dy17" 10×8V		
869.0338-00	M3-38 Di=3¾ Bushing QD M3		
869.0339-00	M3-38 Di=3¾ Bushing QD M3		
869.0333-00	M3-38 Di=3¾ Bushing QD M3		
879.0625-00	V-belt Pulley QD Dy 19" 10×8V		
875.0366-00	1500, standard C-C 1195, V-belt 8V		
875.0172-00	1900, standard C-C 1703, V-belt 8V		
857.0356-00	Key T 28×16×140 SMS 2307		
126.0423-001	Sign product name		
126.0444-001	SANDVIK logotype silver 120		
126.0383-001	Risk of crushing		
885.0249-00	Signs centre of gravity		
126.0384-001	Warning flying fragments		
126.0385-001	Warning sign read manual		
126.5007-01	Identification plate		
885.0267-00	Warning sign Danger		
885.0262-00	Lifting plate chain, Placed on front and back of both arms inside crusher		
442.7110-01	Locating bar www.LulanPanda.com	3.15kg	
442.7168-01	Shim t=0.1		
442.7168-02	Shim t=0.5		
442.7168-03	Shim t=0.7		
442.7168-04	Shim t=1.0		
841.0019-00	Screw MC6S 10×40 12.9		
442.7136-01	Gasket T=0.5		
442.7136-02	Gasket T=0.8		
442.7136-03	Gasket T=1.5		
868.0282-00	Bearing		
868.0804-00	Bearing		
442.7130-01	Spacer	1.89kg	
442.7131-01	Spacer	1.47kg	
873.0779-00	O-ring		
873.0399-00	O-ring		
873.1208-00	Sealing ring		
442.7134-01	Gasket		
442.7135-01	Gasket		
442.7135-02	Gasket		
873.0385-00	Sealing Ring Tredo 20		
873.0108-00	O-ring		
442.7140-00	Pin shaft arm liner	58.8kg	
442.7141-00	Narrow arm liner	46.2kg	
442.8794-01	Wearing plates		
442.8798-01	Wearing plates www.LulanPanda.com		

442.8797-01	Wearing plates www.LulanPanda.com		
442.8796-01	Wearing plates www.LulanPanda.com		
442.8795-01	Wearing plates		
452.0239-001	Wearing plates		
452.0238-001	Wearing plates www.LulanPanda.com		
442.8799-06	Rod 1312-00 4-K 1312-60		
840.0049-00	Screw M6S 12X18 ISO 4014		
847.0059-00	Washer 13.5X36 1370		
BG00322597	Mainshaft www.LulanPanda.com	1772.4kg	
BG00373510	Hydroset cylinder assembly	896.7kg	
BG00219579	Cover	15.75kg	
879.0812-00	Pulley,V belt	113.4kg	
879.0811-00	Pulley,V belt www.LulanPanda.com	106.05kg	
879.0810-00	Pulley,V belt	84kg	
879.0809-00	Pulley,V belt	93.45kg	
879.0496-00	Pulley,V belt	105kg	
BG00363948	Cover kit,Assembly	18.9kg	
452.6391-901	Bottom shell,Assembly	4760.7kg	
452.1634-001	Head centre	1800.75kg	1020mm * 1020mm * 960mm
452.1633-001	Mainshaft	1769.25kg	2312mm * 465mm * 525mm
452.0231-001	CH440 CH440, CS440, Bottom shell	4243.05kg	2040mm * 2040mm * 1060mm
BG00566260 main s	main shaft excluding mantle		
BG00566260 head c	main shaft excluding mantle		
442.8059-01	Top shell www.LulanPanda.com	5218.5kg	
452.0231-001 (A)	CH440, CS440, Bottom shell		
442.8089-01	Mantle	1334.55kg	1160mm * 1160mm * 1150mm
442.8089-02	Mantle www.LulanPanda.com	1334.55kg	1160mm * 1160mm * 1150mm
442.8089-03	Mantle	1334.55kg	1160mm * 1160mm * 1150mm
452.1545-001	Mantle	1006.95kg	1131mm * 1131mm * 1151mm
452.1545-002	Mantle	1006.95kg	1131mm * 1131mm * 1151mm
452.1545-003	Mantle	1006.95kg	1131mm * 1131mm * 1151mm
452.0943-001	Mantle	1267.35kg	1160mm * 1160mm * 1151mm
452.0943-002	Mantle www.LulanPanda.com	1267.35kg	1160mm * 1160mm * 1151mm
452.0943-003	Mantle	1267.35kg	1160mm * 1160mm * 1151mm
442.8070-01	Mantle	1202.25kg	1160mm * 1160mm * 1151mm
442.8070-02	Mantle	1202.25kg	1160mm * 1160mm * 1151mm
442.8070-03	Mantle	1202.25kg	1160mm * 1160mm * 1151mm
452.6766	Mantle Alt. www.LulanPanda.com		
442.8115-001	Concave segment, EC	92.4kg	
442.8115-002	Concave segment, EC	92.4kg	
442.8115-003	Concave segment, EC	92.4kg	
452.0274-001	Concave segment, MC	129.15kg	
452.0274-002	Concave segment, MC	129.15kg	
452.0274-003	Concave segment, MC	129.15kg	
452.0273-901	First lower concave, MC	937.65kg	
452.0273-902	First lower concave, MC	937.65kg	
452.0273-903	First lower concave, MC	937.65kg	
442.8099-00	Concave segment, C	112.35kg	
442.8099-90	Concave segment, C	112.35kg	
442.8099-91	Concave segment, C www.LulanPanda.com	112.35kg	
442.8098-00	First lower concave, C	921.9kg	1328mm * 1328mm * 537mm
442.8098-90	First lower concave, C	921.9kg	
442.8098-91	First lower concave, C	921.9kg	
442.8114-00	First lower concave, EC	995.4kg	
442.8114-90	First lower concave, EC	995.4kg	
442.8114-91	First lower concave, EC	995.4kg	
BG00213813	Mainshaft sleeve		
BG00360084	Mainshaft and Mainshaft Teeve		
452.0945-901	CONCAVE RING C, STEPPED 2 18MNCR CS440, MM1223001	835.8kg	
452.0945-902	CONCAVE RING C, STEPPED 2 18MNCR CS440, MM1328268	835.8kg	
452.0945-903	CONCAVE RING C, STEPPED 2 21MNCR CS440, MM1223002	835.8kg	
BG00395495	Sandvik CS440 Top Shell without concave		
650.0154-00	Hose Suits		
452.6200-001	Arm Shield	255.15kg	
BG01616001	Main Shaft		