

As a trusted Chinese manufacturer and sourcing partner, LulanPanda delivers high-quality industrial equipment and components at highly competitive prices. With over two decades of expertise in producing cone crushers and spare parts, we have established robust partnerships with certified factories across China, ensuring both precision engineering and cost efficiency for global clients.

Core Offerings

- Cone Crushers & Spare Parts: Specialized manufacturing since 2003, offering OEM-compliant solutions.
- Extended Product Range: Drill bits, electric lifts, and diverse industrial machinery components.
- Custom Sourcing: Leverage our nationwide supplier network to procure any Made-in-China product tailored to your specifications.

Why Partner With Us?

- ✓ Quality Assurance: Rigorous ISO-compliant production standards.
- ✓ Cost Advantage: Factory-direct pricing with no intermediaries.
- ✓ End-to-End Service: From product development to logistics support.

Let's Collaborate

Whether you require standard equipment or customized industrial solutions, our team is committed to optimizing your supply chain. Contact us today to discover how we can add value to your operations.

Sandvik CS660 Cone Crusher parts list

Part Number	Description	Weight	Packing
442.8735-01	Bottom shell		
442.8860-00	Foot assembly		
840.0669-00	Screw M6S 24x70 8.8 ISO 4017		
847.0124-00	Washer BRB 25x45 HB200 SS 3576		
442.7201-00	Cover www.LulanPanda.com		
843.1267	Stud screw, SMS1460, M12x17		
847.0147-00	Washer BRB 13x24 HB200 ISO 7089		
845.0030-00	Lock nut M6 8x17 ISO 7040	0.02kg	
442.8760-00	Liner-pin shaft arm		
442.8759-00	Liner-narrow arm		
900.2108-00	Elbow		
442.8742-01	Bottom shell bushing	185.85kg	
853.0464-00	Pin CP 12m6x12 SMS 2374		
900.0921-00	Swivel branch tee adapter 3/4"		
900.1412-00	Pipes Pipe KR 3/4" x70		
900.0276-00	Cover 3/4"		
442.9039-00	Liners in bottom shell		
442.8741-01	Dust collar		
840.0634-00	Screw M6S 16x25 8.8 ISO 4017		
442.8744-01	Ring		
853.0464-00	Pin CP 12m6x12 SMS 2374		
840.0943-00	Screw M6S H16x70		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
442.8762-01	Locating bar		
442.8809-01	Shim		
442.8809-02	Shim		
442.8809-03	Shim		
442.8809-04	Shim		
840.0019-00	Screws M6S 8x12 8.8		
442.8808-01	Gasket		
442.8747-01	Seal ring inner		
840.0072-00	Screw M6S 16x70 8.8 ISO 4014		
847.0060-00	Washer TBRSE 17x42		
840.1073-00	Screws M6S 42x220 8.8		
845.0322-00	Nut M6M M42 8 FZB ISO 4032		
847.0171-00	Washer BRB 43x80, HB 200 SS 3576		
899.0278-00	Protective Cap SW65 2 H20		
442.7243-01	Screw M6S 42x90		
899.0278-00	Protective Cap SW65 2 H20		
442.8973-01	Eccentric		
442.9033-01	Eccentric bushing	228.9kg	
442.8729-01	Hub www.LulanPanda.com		
442.8743-00	Ring		
840.0066-00	Screw M6S M16x40 8.8 fzb ISO4017		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
442.9610-01	Key R 28x16x320		

841.0028-00	Screw		
841.0025-00	Screw MC6S 12x50 12.9		
847.0180-00	Washer DIN 137 B 13x24		
442.8723-00	Gear and pinion set	240.87kg	
442.8807-01	Key		
442.8761-01	Ecc. wearing plate	26.25kg	
853.0646-00	Pin,Prym N 16x45		
442.8722-01	Hydroset cylinder		
840.0672-00	Screw M6S 24x100 8.8 ISO 4014		
847.0124-00	Washer BRB 25x45 HB200 SS 3576		
442.8724-01	Hydroset cyl. bushing		
840.0019-00	Screws M6S 8x12 8.8		
847.0012-00	Washer BRB 8,4x16 HB200 ISO 7089		
873.1152-00	O-Ring 625x7 SMS 1586		
442.8758-00	Piston		
853.0119-00	Pin CP 25m6x60 SMS 2374		
442.8730-01	Piston wearing plate	37.8kg	
442.8731-01	Step washer		
442.8739-00	Chevron packing		
442.8725-01	Packing clamp plate		
841.0266-00	Screw MC6S 12x25 8.8		
442.8726-01	Hydroset cyl. cover		
840.0674-00	Screw M6S 24x120 8.8 ISO 4014		
847.0124-00	Washer BRB 25x45 HB200 SS 3576		
902.0605-00	Air Bleeder valve		
873.1153-00	O-ring		
873.1277-00	O-ring		
442.8783-01	Plug		
873.0111-00	O-ring 44,2x3 SMS 1586		
840.0023-00	Screws M6S 8x12 8.8		
847.0012-00	Washer BRB 8,4x16 HB200 ISO 7089		
840.0019-00	Screws M6S 8x12 8.8		
442.8847-00	Pinion shaft housing ass		
442.8764-01	Pinion shaft housing		
442.8803-01	Gasket		
442.8803-02	Gasket		
442.8803-03	Gasket		
442.8723-02	Pinion	240.87kg	
868.0799-00	Bearing		
868.0806-00	Bearing		
442.8771-01	Spacer		
442.8771-01	Spacer		
873.0128-00	O-ring www.LulanPanda.com		
873.0128-00	O-ring		
873.1161-00	Oil seal ring www.LulanPanda.com		
873.1161-00	Oil seal ring www.LulanPanda.com		
442.8766-01	Plate		
442.8765-01	Plate		
840.0035-00	Screw M6S 10x25 8.8 ISO 4017		
847.0144-00	Washer BRB 10,5x22 HB200 SS 3576		
840.0067-00	Screw M6S 16x45 8.8 ISO 4017		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
442.8775-01	Gasket		
442.8774-01	Gasket		
442.8774-02	Gasket		
853.0590-00	Spring Pin,Prym N 8x28		
442.8772-01	Pinion shaft		
857.0350-00	Key		
900.0022-00	Elbow 3/4,A4 SMS 435		
900.2026-00	Magnetic plug 0606-12		
873.0385-00	Tredo Nr. 20, 3/4"		
442.8778-01	Oil level plug		
873.0108-00	Seals O-ring 34,2x3 SMS 1586		
442.7578-01	Pipe		
855.0132-00	Retaining ring www.LulanPanda.com		
840.1063-00	Screw M6S 16x120H 8.8		
845.0009-00	Nut M6M M16 8 FZB ISO 4032		
452.1700-901	Huvudaxel monterad exkl. mantel		
452.1640-901	Main shaft - Head centre		
442.8792-01	Main shaft sleeve		
853.0119-00	Pin CP 25m6x60 SMS 2374		
442.8732-01	Main shaft step	39.9kg	
855.0026-00	Retaining Ring Sga 100 SS1581		
442.8982-01	Mantle A	2284.8kg	1357mm * 1357mm * 1353mm
442.8983-01	Mantle B	2010.75kg	1333mm * 1333mm * 1353mm
831.0016-00	Casting compound (kg)		
442.8800-00	Head nut with burn ring		

442.8791-01	Inner head nut		
452.0269-001	Burning ring		
442.8802-01	Dust seal ring		
442.8801-01	Retaining ring		
442.8804-01	Retainer www.LulanPanda.com		
442.8805-01	Scraper		
840.0069-00	Screw M6S 16x55 8.8 ISO 4017		
840.0071-00	Screw M6S 16x65 8.8 ISO 4014		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
442.9076-00	Top shell asm. excl. concave ring		
442.8970-01	Top shell		
442.8975-01	Rim liner		
853.0983-00	Bar		
442.8976-01	Arm shield	577.5kg	
853.0984-00	Bar		
900.1262-00	Elbow Adapter G 1/4 BxR 1/4		
900.1030-00	Bushing RI-08-04 1/2" -1/4"		
650.0086-19	Hose		
914.0093-00	Lubrication Nipple AH R 1/4"		
442.9086-01	Bracket www.LulanPanda.com		
840.0021-00	Screw M6S M8x20 8.8 ISO 4017		
840.1124-00	Screw M6S 42x90 8.8 ISO 4014		
845.0322-00	Nut M6M M6x20 8.8 ISO 4032		
847.0171-00	Washer BRB 43x80 HB 200 SS 3576		
442.9172-01	Clamping bar		
899.0278-00	Protective Cap SW65 2 H20		
900.0243-00	Wrought iron pipe fittings Socket Rp 1/4		
900.0652-00	Adapter G 1/4 BxG 1/4 B		
442.7243-01	Screw M6S 42x90		
899.0278-00	Protective Cap SW65 2 H20		
442.9077-00	Spider asm. incl. liners		
442.8969-00	Spider		
442.8753-01	Spider cap		
912.0114-00	Air Filter P10102 R1/4"		
900.0243-00	Wrought iron pipe fittings Socket Rp 1/4		
873.1160-00	O-ring www.LulanPanda.com		
840.0650-00	Screw M6S 20x65 8.8 ISO 4017		
847.0165-00	Washer TBRB 21x36 1370 SS 1466		
442.8977-01	Spider bowl		
853.0985-00	Bar		
877.0350-00	Schackle		
877.0351-00	Chain		
877.0352-00	Chain joint		
442.8754-01	Spider bushing www.LulanPanda.com		
840.0652-00	Screw M6S 20x90 8.8 ISO 4017		
847.0132-00	Washer BRB 21x36 HB200 SS 3576		
442.8755-01	Oil seal ring		
900.0981-00	Plug BSPT 1" hexagon		
442.9078-00	Crushing chamber EC		
442.9079-00	Crushing chamber C		
442.8979-00	Concave ring	1837.5kg	
442.9071-00	Concave ring C, lower	2167.2kg	1587mm * 1587mm * 625mm
442.8981-00	Concave ring EC, upper	1470kg	
442.9072-00	Concave ring C, upper	1863.75kg	1840mm * 1840mm * 650mm
831.0016-00	Casting compound (kg)		
831.0016-00	Casting compound (kg)		
442.8985-00	Hydroset		
442.8877-90	Wrench and tool set		
442.8760-00	Liner-Pin shaft arm,Arm liners		
442.8759-01	Liner-Narrow arm	50.4kg	660mm * 350mm * 505mm
442.9040-01	Wearing plate		
442.9041-01	Wearing plate		
442.9042-01	Wearing plate		
442.9043-01	Wearing plate		
804.0004-00	Rod 1312-00 4-kt 12 L=60		
847.0059-00	Washer TBRB 13,5x36 1370		
840.0049-00	Screw M6S 12x40 8.8 ISO 4014		
442.8978-00	Feed hopper www.LulanPanda.com		
840.0532-00	Screw M6S 20x110 8.8 ISO 4014		
845.0203-00	Lock nut M20 8 ISO 7040		
847.0132-00	Washer BRB 21x36 HB 200		
847.0197-00	Washer TBRB 21x52 1370		
840.1135-00	Screw M6S 20x35 8.8 ISO 4017		
847.0132-00	Washer BRB 21x36 HB200 SS 3576		
442.5904-01	Fixing plate		
840.0078-00	Screw M6S 20x60 8.8 ISO 4017		
845.0203-00	Nut lock ISO 7040 M20 8 fzb		

864.0046-00	Vibration damper SAW 150 B		
442.9833-01	Mounting plate		
840.0049-00	Screw M6S 12x50 8.8 ISO 4014		
840.0044-00	Screw M6S 12x25 8.8 ISO 4017		
847.0147-00	Washer BRB 13x24 HB200 ISO 7089		
845.0030-00	Lock nut M12 8 fzb ISO 7040	0.02kg	
864.0079-00	Rubber compression mounting SAW 300B		
845.0273-00	Lock nut M6MN 36 8		
847.0162-00	Washer BRB 37x68 HB200 ISO 7089		
442.9781-00	Top plate		
864.0066-00	Rubber compression mounting		
840.1135-00	Screw M6S 20x35 8.8 ISO 4017		
847.0132-00	Washer BRB 21x36 HB200 ISO 7089		
442.5904-01	Fixing plate		
840.1169-00	Screw M6S 20x35 8.8 ISO 4017		
442.6908-01	Fixing		
873.0390-00	Seal Tredo 30		
900.0648-00	Adapter 1x3/4"		
873.0386-00	Seal Tredo 23		
442.9762-01	Connection piece www.LulanPanda.com		
900.0655-00	Adapter 3/4"		
873.0385-00	Tredo Nr.20,3/4"		
650.0298-01	Hydraulic hose		
442.2100-01	Bracket		
900.0746-00	Clip RSGU 11 1100 30/15		
840.0013-00	Screw M6S M6x25 8.8 fzb ISO 4017		
845.0004-00	M6M M6 8 fzb ISO 4032		
900.0964-00	Swivel elbow adapter 3/4"		
900.0810-00	Reducing RED R3/4" " x1/2"		
902.0605-00	Air Bleeder valve		
900.2041-00	Straight adapter G3/4 BxG 3/4 B		
442.9106-01	Support		
442.9109-01	Bracket		
442.9108-01	Wear rubber 15x450x600		
442.8933-00	Bracket		
840.0048-00	Screws M6S 12x45 8.8 ISO 1417		
847.0147-00	Washer BRB 13x24 HB200 ISO 7089		
845.0030-00	Lock nut M12 8 FZB ISO 7040	0.02kg	
442.8934-00	Wearing liner		
442.8934-90	Wearing liner		
442.9107-01	Clamp		
840.0065-00	Screw M6S 16x35 8.8 ISO 4017		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
900.2163-00	Plug		
442.8642-00	Over pressure unit,Complete		
442.8642-90	Over pressure unit for compressed air,Complete		
900.1424-00	Hose coupling 3/4		
900.1358-00	Clips, 28, SMS 2298, Dy 23-27mm		
819.0187-00	Hose 1		
900.0040-00	Tee ISO49 B1 3/4		
900.0365-00	Hexagon nipple R 3/4		
900.0022-00	Elbow 3/4, A4 SMS 435		
900.1139-00	Clip RSGU 1.22/15		
900.0005-00	Elbow ISO49 A1 3/4"		
442.9325-00	Over pressure fan		
912.0138-00	Air filter Purolator PI 0154		
900.0108-00	Wrought iron pipe fittings 1x3/4		
900.0209-00	Plug R 3/8 ISO 49 T8 FZV		
900.0022-00	Elbow 3/4, A4 SMS 435		
900.1139-00	Clip RSGU 1.22/15		
900.0005-00	Elbow ISO49 A1 3/4		
900.0180-00	Nipple ISO49 N8 1/2x1/4		
912.0113-00	Air filter 504-2S 5 Micron		
900.0169-00	Nipple 1/4 ISO49 N8		
902.0645-00	Regulator 216-2-8		
900.0182-00	Nipple ISO49 N8 3/4x1/4		
900.0054-00	Tee ISO49 B1 3/4x3/8		
900.0209-00	Plug R 3/8 ISO 49 T8 FZV		
923.0267-00	Pressure gauge 2060 D100 0-1000 PA		
900.0172-00	Nipple ISO49 N8 3/4		
879.0521-00	V-belt pulley 630 MGT 125 12xSPC		
869.0286-00	Bushing MTG no 125 Ø110		
857.0336-00	Ket T 28x16x110 SMS 2307		
442.8788-01	Spacer 2172-03 D124, 5/110, 5		
442.8787-01	Washer 2142-50 D 124, 5/18x15		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
840.0066-00	Screw M6S M16x40 8.8 fzb ISO 4017		

869.0330-00	Bushing QD n110mm Ø110		
857.0356-00	Key 28x16x140 SMS 2306		
442.8787-00	Washer 2142-50 D 124,5/18x15		
847.0016-00	Washer BRB 17x30 HB200 ISO 7089		
840.0066-00	Screw M6S M16x40 8.8 fzb ISO 4017		
879.0619-00	V-belt pulley		
BG00564555	Sandvik CS660 Main Shaft Assembly Excluding Mantle		
452.4151-001	Dust collar	291.9kg	
452.5839-001	Support ring	143.85kg	
452.4125-901	Bottomshell assembly		
452.5920-902	Concave Lower EC	1995kg	
442.8982-02	Mantle A	2284.8kg	1357mm * 1357mm * 1353mm
452.9040-902	Upper concave, MC	1274.7kg	
452.9041-902	First lower concave	2138.85kg	
442.8790-00	Main shaft position sensor	4.2kg	
923.0095-00	440.660 thermostat		
442.4224-901	Upper shell assembly		
BG00565120	Mainshaft assembly include mantle		
452.3822-902	Concave Lower C Mn18	2238.6kg	
BG00360048	Mainshaft Assembly excluding mantle		
BG00360048-Shaft	Shaft		
452.5806-001	Topshell www.LulanPanda.com		
442.8981-90	Concave ring EC, upper	1470kg	
452.3822-901	Concave Lower C Mn13	2238.6kg	